

The LabMart[®]
Serving Science Since 1850

800•684•1234
labmart.com

Issue B 2013 \$3.50



Free Gifts On Back

Alconox Detergents	24
Bags	10
Balances	11-17, 70
Baths	35
Beakers	3, 60
Benchtop Covers	23
Biotechnology	68
Bottles	3, 9, 53-57
Brushes	22
Buffers, pH	51
Burners	38
Carts	22
Calculators	39
Centrifuges & Accessories	18-21
Cleaning	22-24, 33
Corning Glassware Sale	3-7
Cryoware	25-26
Cylinders	4, 55
Desiccator	27
Dishes, Glass / Petri	7, 69
Dispensers	44, 54
Disposal, Safety	8
Electrophoresis	27
Electrodes, pH	52
Filtration / Paper	28-30
Flasks	5-7, 69
Food Prep / Handling	59, 70-71
Funnels	60
Gloves	31-34
Hot Plates	62
Ice Bucket and Pans	25
Incubators	35-36
Kimwipes and Holder	23
Lab Accessories	24, 37-39, 70-71
Lab Glass	3-9
Lab Jacks	39
Labeling	37
Liquid Handling	40-46
Magnetic Stirrers	62-63
Microscope Accessories	47
Organizers	25, 27, 47, 56
Ovens	35
Parafilm/ Coverings	38, 68
pH	48-52
Pipetting	40-46
Pitchers	53, 60
Plasticware	53-57
Plate Sealing Films	68
Refractometers	58
Refrigerators	39
Sampling	15-17, 57, 59, 69-71
Scales	11, 13-15, 70
Specimen Cups	56-57
Spoons / Spatulas	57, 59, 70-71
Stainless Steel	60, 70
Stirring	61-64
Stirring Bars	61
Storage	27, 47, 55-56
Syringe Filters	28, 30
Syringe	41, 45
Tape	37
Thermometry	65-66
Timers	67
Tissue Culture	68-69
Trays	27, 55, 60
Tubes, Microcentrifuge	18-20
Vials	8, 25
Vortexing	63-64
Wash Bottles	54
Weigh Dishes	16-17

www.labmart.com

Welcome To **The LabMart®**

The LabMart®
Serving Science Since 1850



About Us

For more than 160 years, The LabMart® has offered **NEW** and **INNOVATIVE** products at affordable prices! We look forward to supplying you with all your lab needs in the future & thank you for your past patronage.

Contact Us

Call: 800-684-1234 **Fax:** 908-561-3002
Online: www.labmart.com **E-mail:** sales@labmart.com
Mail: J&H Berge/The LabMart®
4111 South Clinton Avenue PO Box 310
South Plainfield, NJ 07080

This Edition

This edition offers our best products at the best prices. **WE WENT GREEN** and cut back on resources to reduce our carbon footprint. We still have a full line catalog, just contact us and will be happy to send it to you. And of course, our online catalog (www.labmart.com) lists every product and chemical we offer. If you don't see it or can't find it, call us. We can cross-reference any competitors' product number or description and beat their price.

New and Free Stuff



We have packed this catalog with the latest and best products produced by leading manufacturers.
Pg: 10, 11, 12, 14, 15, 19, 20, 21, 25, 27, 28, 33, 36, 38, 41, 43, 44, 45, 46, 47, 48, 49, 50, 62, 63, 69 and 71
Look for this Icon. Contact us and we will send you free samples!
Specially Tagged Items Pg: 20, 23, 24, 31, 32, 33, 34, 41 and 69

Premium Rewards



Check out www.labmart.com/premium_rewards to see a full listing of free gifts! Cool stuff to pick from.

Premium Rewards are valid only on products purchased from The LabMart® Catalog or Website (www.labmart.com) and cannot be combined with other discounts or offers including but not limited to: negotiated pricing, items on contracts, clearance, custom quotes and sale items. Premium Rewards are subject to availability and may differ from photos and descriptions shown. The LabMart® reserves the right to substitute an item of equal value.

Private Brand



Look for our LabMart® Brand products! High quality at great low prices, ready to ship anytime!
Pg: 8, 10, 16, 17, 20, 27, 30, 35, 40, 41, 42, 45, 50, 51, 52, 58, 62, 63, 64, 65 & 69

Fine Print

Prices: • F.O.B. unless otherwise indicated, So. Plainfield, N.J., title passing at such point. • Prices subject to change without notice and apply to orders shipped to any point in US or possessions.

Blanket Orders: Available; saves you time and money.

Payment: Open account or Visa®, MasterCard®, American Express® Card, or Discover® accepted.



Domestic Terms: Net 30 days after proper credit has been established; otherwise, net cash with order or credit card.

Design Changes: Due to mfg. improvements in products, images and description may slightly differ.

Satisfaction Guaranteed: on items for their intended use. Credit or replacement will be made for any defective material.

Shipments: Domestic transportation unless otherwise instructed. All charges, (freight, insurance, fees, forwarding costs) collected at destination, or prepaid by us & added to invoice.

Packing: Included in the shipping costs for domestic shipments, unless otherwise indicated. Chemicals may require additional package charge to conform with DOT regulations.

Damaged Shipment: Notify us ASAP. Keep original pack material. Obtain carrier inspection report.

Returned Goods: Contact us for a return goods authorization number (RGA#). All returns must be made within 30 days of date of purchase and may be subject to a restocking charge.

Note: As a distributor, J&H Berge, Inc. warrants that representations made for the products in this catalog accurately reflect the mfg's representation to J&H Berge, Inc. J&H Berge expressly disclaims all other warranties, whether expressed, implied, or statutory, including the warranty FITNESS FOR USE and MERCHANTABILITY. In no event will J&H Berge, Inc. be liable for consequential damages arising out of the products described herein. © Copyright J&H Berge, Inc. 2013.

Corning Glass at a deep discount, only from The LabMart®

Beakers - Griffin, Graduated Spot

All Beakers

- Spouts for easy transfers
- Graduation lines and large marking area are in durable white enamel
- Sizes 250 - 4000ml have double graduate metric scale graduations
- PYREX®

Series 1000

- Uniform wall thickness
- Offers balance between thermal shock resistance and mechanical strength
- No graduations on 10ml

Series 1003

- Heavy Duty to offer the best mechanical strength under harsh conditions, such as mechanized washing operations

LabMart Cat. No.	Capacity (ml)	List Price Per Piece	YOU PAY 45% LESS	List Price Per Pack	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
------------------	---------------	----------------------	------------------	---------------------	------------------	---------------------	------------------

Series 1000 - Low Form


CSP1000-10	10	\$11.52	\$6.33	\$78.97	\$47.38/12	\$203.79	\$142.65/48
CSP1000-20	20	9.97	5.48	68.35	41.01/12	176.39	123.47/48
CSP1000-30	30	9.87	5.43	67.66	40.59/12	174.60	122.22/48
CSP1000-50	50	9.87	5.43	67.66	40.59/12	174.60	122.22/48
CSP1000-100	100	10.44	5.74	71.69	42.95/12	184.74	129.32/48
CSP1000-150	150	9.47	5.21	64.93	38.96/12	167.56	117.29/48
CSP1000-250	250	10.00	5.50	68.57	41.14/12	176.96	123.87/48
CSP1000-400	400	11.75	6.46	80.59	48.35/12	207.97	145.58/48
CSP1000-600	600	14.92	8.20	51.15	30.69/ 6	197.99	138.59/36
CSP1000-800	800	20.61	11.34	70.66	42.40/ 6	182.35	127.65/24
CSP1000-1L	1000	28.12	15.46	96.40	57.84/ 6	248.77	174.14/24
CSP1000-1XL	1500	34.08	18.74	77.89	46.73/ 4	201.01	140.71/16
CSP1000-2L	2000	55.76	30.67	127.45	76.47/ 4	164.45	115.12/ 8
CSP1000-3L	3000			54.78	32.87/ 1	212.07	148.45/ 6
CSP1000-4L	4000			100.99	60.59/ 1	390.91	273.64/ 6

Series 1003 - Heavy Duty

CSP1003-150	150	\$18.86	\$10.37	\$129.32	\$77.59/12	\$333.72	\$233.60/48
CSP1003-250	250	18.62	10.24	127.69	76.62/12	329.53	230.67/48
CSP1003-400	400	24.28	13.35	166.49	99.89/12	429.64	300.75/48
CSP1003-600	600	28.29	15.56	96.98	58.19/ 6	375.41	262.79/36
CSP1003-1L	1000	53.98	29.69	185.07	111.04/ 6	477.61	334.33/24
CSP1003-2L	2000	110.35	60.69	252.23	151.34/ 4	375.46	227.82/ 8
CSP1003-4L	4000			123.15	73.89/ 1	317.80	222.46/ 4



Low Form, Double Scale



Heavy Duty

Media Bottles

Series 1395

- Heavy duty to store, mix or sample
- Includes PP plug seal screw cap for drip free pouring ring
- Permanent white graduations and marking area for easy identification
- Use with bottle top filters
- PYREX®

LabMart Cat. No.	Capacity (ml)	Grad. Range (ml)	List Price Per Piece	YOUR PRICE	List Price Per Case	YOUR PRICE
------------------	---------------	------------------	----------------------	------------	---------------------	------------

Series 1395 - Media Bottles

M100973	25	10 - 25	\$14.92	\$14.21	\$99.46	\$94.72/10
M100974	50	20 - 50	14.82	14.11	98.77	94.06/10
M130000	100	40 - 80	15.25	14.52	101.60	96.76/10
M130010	250	50 - 200	16.94	16.13	112.90	107.52/10
M130020	500	100 - 400	20.25	19.28	134.91	128.48/10
M130030	1000	100 - 900	24.85	23.66	165.61	157.72/10
M130040	2000	400 - 1800	65.45	62.33	435.26	415.48/10
M130050	5000	500 - 4500			141.63	136.77/ 1
M130060	10000	2000 - 9000			220.93	210.41/ 1



Free Gifts, More Products

Go To labmart.com

4 CORNING

Corning Glass at a deep discount, only from The LabMart®

Cylinders - Single Metric Scale

All Cylinders

- Calibrated "to contain"
- Graduations in durable white enamel
- PYREX®

buy us because We are discounted 30 and 40 percent

Series 3042 - Lifetime™ Red

- Enamel markings clearly stand out against the red color-band
- Funnel top on 10ml size
- Bumper guards supplied with 100 to 2000ml sizes
- 100ml only: ASTM E-133 and E-1272, used in ASTM tests D-86, and D-216

Series 3022 - Basic

- Funnel top on 10ml size
- Bumper guards supplied with 25 to 2000ml sizes
- 100ml only: ASTM E-133 and E-1272, used in ASTM tests D-216, and D-447



Lifetime™ Red



Basic

LabMart Cat. No.	Capacity (ml)	ASTM Tol. ± (ml)	List Price Per Piece	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
Series 3042 - Lifetime™ Red						
CSP3042-10	10	0.2	\$34.55	\$20.72	\$534.65	\$374.26/24
CSP3042-100	100	1.0	52.03	31.22	402.80	281.96/12
CSP3042-500	500	4.0	95.42	57.25	492.50	344.75/ 8
CSP3042-1L	1000	6.0			94.77	66.34/ 1
CSP3042-2L	2000	12.0			143.98	100.79/ 1
Series 3022 - Basic						
CSP3022-10	10	0.2	\$23.50	\$14.10	\$363.86	\$254.70/24
CSP3022-25	25	0.3	33.26	19.95	386.21	270.35/18
CSP3022-50	50	0.5	34.38	20.63	399.23	279.46/18
CSP3022-100	100	1.0	41.01	24.61	317.50	222.25/12
CSP3022-250	250	2.0	56.70	34.02	438.94	307.26/12
CSP3022-500	500	4.0	79.29	47.58	409.26	286.48/ 8
CSP3022-1L	1000	6.0			76.97	53.88/ 1
CSP3022-2L	2000	12.0			126.94	88.86/ 1

Series 3024 - Pour Spout

- Pour spout for easy transfer
- Good for many uses

Series 2982 - Pyrex® Stopper

- Useful for mixing
- Pyrex® stopper included



Pour Spout



Stopper

LabMart Cat. No.	Capacity (ml)	ASTM Tol. ± (ml)	List Price Per Piece	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
Series 2982 - Pyrex Stopper						
CSP2982-10	10	0.2	\$37.90	\$22.79	\$588.24	\$411.77/24
CSP2982-25	25	0.3	46.18	27.71	536.27	375.39/18
CSP2982-50	50	0.5	57.74	34.64	447.00	312.90/12
CSP2982-100	100	1.0	66.80	40.08	344.75	241.33/ 8
CSP2982-250	250	2.0	89.29	53.57	460.86	322.60/ 8
CSP2982-500	500	4.0	136.06	81.63	526.67	368.67/ 6
CSP2982-1L	1000	6.0			120.00	84.00/ 1
CSP2982-2L	2000	12.0			179.11	125.38/ 1
Series 3024 - Pour Spout						
CSP3024-5	5	0.1	\$35.46	\$21.28	\$274.52	\$192.16/12
CSP3024-10	10	0.2	23.42	14.05	362.62	253.83/24
CSP3024-25	25	0.3	33.07	19.84	384.09	268.86/18
CSP3024-50	50	0.5	34.38	20.63	399.23	279.46/18
CSP3024-100	100	1.0	41.01	24.61	317.50	222.25/12
CSP3024-250	250	2.0	56.70	34.02	438.94	307.26/12
CSP3024-500	500	4.0	79.29	47.58	409.26	286.48/ 8
CSP3024-1L	1000	6.0			77.49	54.24/ 1
CSP3024-2L	2000	12.0			126.19	88.33/ 1
CSP3024-4L	4000	29.0			320.28	224.20/ 1

800-684-1234

fax 800-561-3002

Corning Glass at a deep discount, only from The LabMart®

Flasks - Marking Spot

Filtering, Tubulation

Series 5360 - Micro

- Ideal for microchemical use

Series 5340 - Heavy Wall

- Design for maximum mechanical strength
- Accepts rubber stoppers, Graduated

All Flasks

- Heavy duty rim
- Durable top tooling accepts rubber stoppers
- Durable, white enamel graduation lines, (except 5360)
- PYREX®

LabMart Cat. No.	Cap. (ml)	Tubl. O.D.	Stopper No.	OD x Hgt (mm)	List Per Pk	YOUR PRICE	List Per Case	YOUR PRICE
Series 5360 - Pyrex® Micro Filtering Flasks w/ Tubulation								
M109588	25	8	3	40 x 75	\$217.76	\$207.39/6	\$421.47	\$401.40/18
M109589	50	8	4	51 x 85	219.72	209.25/6	425.25	405.00/18
M109590	125	10	5	70 x 110	229.38	218.45/6	443.93	422.79/18
Series 5340 - Pyrex® Filtering Flasks w/ Tubulation								
M105010	250		6	84 x 146	\$178.42	\$169.92/6	\$345.03	\$328.60/18
M105011	500		8	106 x 184	236.12	224.87/6	456.91	435.22/18
M105012	1000		8	137 x 238	475.81	453.15/6	613.94	584.70/12
M105013	2000		9	168 x 292	157.51	150.01/1	1,219.41	1,161.34/12
M105014	4000		12	198 x 356	224.65	213.95/1	\$69.58	828.17/ 6



Micro



Heavy Wall

Erlenmeyer, Graduated

Series 4980 - Narrow Mouth

- Excellent for everyday use

Series 5100 - Wide Mouth

- Excellent for use as a titration flask

Series 4985 - With Screw Cap

- Ideal for culturing, mixing and storing media
- Impact resistant caps have cemented-in inert white rubber liners which are resistant to sterilization



4980



5100



4985

LabMart Cat. No.	Capacity (ml)	Grad. Int. (ml)	List Price Per Piece	Narrow Mouth		Wide Mouth		w/ Screw Cap	
				YOU PAY 40% LESS	List Price Per Pack	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS	
Series 4980 - Narrow Mouth									
CSP4980-10	10	5					\$97.11		\$67.98/12
CSP4980-25	25	5	\$13.53	\$7.44	\$92.81	\$55.68/12	239.50		167.65/48
CSP4980-50	50	10	13.18	7.25	90.37	54.22/12	233.21		163.25/48
CSP4980-125	125	25	12.71	6.99	87.17	52.30/12	224.96		157.47/48
CSP4980-250	250	25	12.15	6.69	83.35	50.01/12	215.09		150.56/48
CSP4980-300	300	25	14.73	8.10	101.00	60.60/12	260.64		182.45/48
CSP4980-500	500	50	15.17	8.34	52.01	31.21/ 6	201.34		140.94/36
CSP4980-1L	1000	50	24.66	13.56	84.55	50.73/ 6	218.19		152.73/24
CSP4980-2L	2000	200			33.18	19.91/ 1	171.24		119.87/ 8
CSP4980-4L	4000	500			105.17	63.10/ 1	271.41		189.99/ 4
CSP4980-6L	6000	500			193.40	116.04/ 1	499.09		349.36/ 4
Series 5100 - Wide Mouth									
CSP5100-125	125	25	\$15.99	\$8.80	\$109.68	\$65.81/12	\$283.04		\$198.13/48
CSP5100-250	250	25	14.46	7.95	99.13	59.48/12	255.82		179.07/48
CSP5100-500	500	50	18.20	10.01	62.39	37.44/ 6	241.52		169.06/36
CSP5100-1L	1000	50	30.71	16.89	105.28	63.17/ 6	271.70		190.19/24
CSP5100-2L	2000	100			36.03	21.62/ 1	185.98		130.19/ 8
Series 4985 - With Screw Cap									
M109567	50	10			\$406.93	\$387.55/12	\$525.07		\$500.06/24
M109568	125	25			401.97	382.82/12	518.65		493.95/24
M109569	250	25			214.84	204.61/ 6	554.43		528.02/24
M109570	500	50			217.74	207.37/ 6	561.90		535.14/24
M109571	1000	50			293.94	279.94/ 6	\$79.27		361.21/12

Free Gifts, More Products

Go To labmart.com

Corning Glass at a deep discount, only from The LabMart®

Flasks - Volumetric, Class A



Series 5635 - Microchemical

- Wide mouth for easy filling and mixing
- Heavy duty for microchemical work
- Easy to read graduation line
- Interchangeable standard taper ground glass stoppers included
- PYREX®

LabMart Cat. No.	Capacity (ml)	Tolerance (±ml)	Height x OD (mm)	List Price Per Case	YOUR PRICE
Series 5635 - Pyrex® Class A Wide Mouth Heavy Duty Volumetric Flasks					
M109604	10	0.02	135 x 48	\$186.82	\$177.92/ 6
M109562	25	0.03	100 x 40	186.82	177.92/ 6
M109563	50	0.05	130 x 51	194.65	185.38/ 6
M109564	100	0.08	160 x 66	291.55	277.66/ 6
M109565	200	0.10	170 x 72	329.97	314.25/ 6
M109566	250	0.12	180 x 87	368.22	350.68/ 6



Series 5660 - Lifetime Red™

- Capacity mark is a fine line etched through a narrow red band into clear glass giving high legibility, accuracy & permanence
- Standard taper glass stopper included
- Calibrated "to contain"
- PYREX®

LabMart Cat. No.	Capacity (ml)	Tolerance (±ml)	Height x OD (mm)	List Price Per Pack	YOUR PRICE	List Price Per Case	YOUR PRICE
Series 5660 - Pyrex® Class A Lifetime Red™ Volumetric Flasks							
M109572	25	0.03	122 x 40	\$294.11	\$280.10/6	\$379.48	\$361.41/12
M109573	50	0.05	152 x 51	313.47	298.54/6	404.47	385.21/12
M109574	100	0.08	182 x 60	334.48	318.55/6	431.58	411.02/12
M109575	200	0.10	214 x 74	386.38	367.98/6	498.55	474.81/12
M109576	250	0.12	253 x 78	317.12	397.25/6	538.20	512.57/12
M109577	500	0.20	289 x 100	517.48	492.83/6	667.71	635.91/12
M109578	1000	0.30	344 x 125	104.48	99.50/1	404.40	385.14/ 6
M109579	2000	0.50	309 x 158	152.91	145.62/1	394.57	375.78/ 4



Series 5642 - PE Stopper

- Machine-blown bodies sealed to heavy-beaded, heavy-tubing necks
- Stopper (included) has a closed bottom & is of linear HDPE to conform to standard taper stopper dimensions
- Easy read graduation line
- Size 2ml is test tube shape
- PYREX®

LabMart Cat. No.	Capacity (ml)	Tolerance (±ml)	Height x OD (mm)	List Price Per Pack	YOUR PRICE	List Price Per Case	YOUR PRICE
Series 5642 - Pyrex® Class A Volumetric Flasks with PE Stopper							
M109612	5	0.02	91 x 26			\$29.22	\$27.82/ 1
M109613	10	0.02	99 x 28			300.16	285.86/12
M109614	25	0.03	121 x 40	\$253.87	\$241.78/6	327.87	311.97/12
M109615	50	0.05	151 x 51	273.35	260.33/6	352.71	335.91/12
M109616	100	0.08	181 x 60	283.48	269.98/6	365.78	348.36/12
M109617	200	0.10	214 x 74	330.93	315.17/6	427.00	406.66/12
M109618	250	0.12	252 x 78	351.59	334.84/6	453.65	432.04/12
M109619	500	0.20	287 x 100	451.80	430.28/6	582.95	555.19/12
M109620	1000	0.30	342 x 125	91.91	87.53/1	355.73	338.79/ 6
M109621	2000	0.50	388 x 158	116.16	110.62/1	399.74	285.46/ 4

Corning Glass at a deep discount, only from The LabMart®

Flasks - Volumetric, Class A

All Flasks

- Increased strength due to machine-blown bodies which are sealed to heavy-tubing necks
- Sharp, permanent graduation lines are easy to read block letters
- PYREX®

Series 5640 - Glass Stopper

- Sizes 1 & 2ml are test tube shaped flasks with standard taper stopper
- Sizes 1 to 2000ml include hollow stopper
- Sizes 3000 to 6000ml include solid pennyhead stopper

Series 5580 - Snap Cap

- Snap caps are LDPE polyethylene, blue in color
- Sizes 1 & 2 ml are test tube shaped - no cap supplied
- Sizes 10 to 2000ml are supplied with snap caps



Glass Stopper

Snap Cap

LabMart Cat. No.	Cap. (ml)	Tol. ± (ml)	List Price Per Piece	YOU PAY 45% LESS	List Price Per Pack	YOU PAY 40% LESS	List Price Per Case	YOU PAY 30% LESS
Series 5640 - Glass Stopper								
CSP5640-1	1	0.01			\$40.51	\$24.31/1	\$324.09	\$226.86/12
CSP5640-2	2	0.015			43.23	25.94/1	345.81	242.07/12
CSP5640-5	5	0.02			33.77	20.26/1	270.18	189.13/12
CSP5640-10	10	0.02			40.42	24.25/1	323.33	226.33/12
CSP5640-25	25	0.03	\$81.69	\$42.46	264.71	158.82/6	352.94	247.06/12
CSP5640-50	50	0.05	87.07	45.26	282.14	169.28/6	376.18	263.33/12
CSP5640-100	100	0.08	92.91	48.29	301.04	180.63/6	401.39	280.97/12
CSP5640-200	200	0.10	107.33	55.79	347.76	208.66/6	463.68	324.58/12
CSP5640-250	250	0.12	115.69	60.13	374.85	224.91/6	499.80	349.86/12
CSP5640-500	500	0.20	143.74	74.72	465.76	279.45/6	621.01	434.71/12
CSP5640-1L	1000	0.30			94.03	56.42/1	376.11	263.28/ 6
CSP5640-2L	2000	0.50			118.83	71.30/1	316.87	221.81/ 4
CSP5640-3L	3000	1.00					316.74	221.72/ 1
CSP5640-4L	4000	1.00					358.16	250.71/ 1
CSP5640-5L	5000	1.50					408.35	285.85/ 1
CSP5640-6L	6000	2.00					478.21	334.75/ 1
Series 5580 - Snap Cap								
CSP5580-1	1	0.01	\$31.25	\$17.19	\$107.13	\$64.28/6	\$142.84	\$99.99/12
CSP5580-2	2	0.015	35.82	19.70	122.80	73.68/6	163.73	114.61/12
CSP5580-10	10	0.02			29.04	17.43/1	232.34	162.64/12
CSP5580-25	25	0.03	54.20	29.81	185.82	111.49/6	247.76	173.43/12
CSP5580-50	50	0.05	55.69	30.63	190.94	114.56/6	254.58	178.21/12
CSP5580-100	100	0.08	60.71	33.39	208.13	124.88/6	277.51	194.26/12
CSP5580-200	200	0.10	72.84	40.06	249.74	149.84/6	332.98	233.09/12
CSP5580-250	250	0.12	78.38	43.11	268.73	161.24/6	358.31	250.82/12
CSP5580-500	500	0.20	95.27	52.40	326.63	195.98/6	435.51	304.86/12
CSP5580-1L	1000	0.30			65.94	39.57/1	263.77	184.64/ 6
CSP5580-2L	2000	0.50			104.44	62.66/1	278.50	194.95/ 4

Crystallizing Dish

LabMart Cat. No.	Capacity (ml/oz)	Dia x Hgt. (mm)	List Price Per Pack	YOUR PRICE	List Price Per Case	YOUR PRICE
Series 3140 - Pyrex® Crystallizing Dishes						
M104831	180 / 6	70 x 50	\$133.70	\$127.33/6	\$345.03	\$328.60/24
M104832	180 / 6	80 x 40	130.87	124.63/6	337.71	321.62/24
M104833	270 / 9	90 x 50	142.85	136.04/6	276.48	263.31/18
M104834	325 / 11	100 x 50	175.43	167.07/6	339.52	323.35/18
M104835	740 / 25	125 x 65	219.82	209.35/4	425.44	405.18/12
M104836	1200 / 30	150 x 75	291.87	277.97/4	376.61	358.67/ 8
M104837	1770 / 60	170 x 90	176.34	167.94/2	455.05	433.38/ 8
M104838	2500 / 85	190 x 100	208.49	198.56/2	403.52	384.30/ 6

Series 3140

- Rims are reinforced and fire polished to reduce chipping
- Ideal for storage & crystallization
- Withstands repeated sterilization
- PYREX®



Free Gifts, More Products

Go To labmart.com

8 LAB GLASS

Vials, Scintillation, LabMart®



- High UV Transmission
- Low potassium borosilicate, Type I glass
- Tight fitting caps (attached) are polypropylene pulp, foil lined
- Caps may be written-on for sample identification
- Background counts are consistent and low
- Loads efficiently into counting machines with out jamming or breaking
- Fit all liquid scintillation equipment
- Clean packed in 5 trays of 100

The LabMart Brand



Cat. No.	Cap. (ml)	Dim. w/ Cap	Regular Price/Cs	Special Price/Cs
M1547	20	28 x 61 mm	\$275.00/500	\$204.00/500

Broken Glass Disposal Carton



- Large graphics
- Corrugated cardboard box protects you from cuts
- Supplied bio-hazard bag
- Cut-out flap for safe & easy insertion of broken glass
- Single use: when box is full, engage safety clip and dispose of entire carton
- Scienceware®

Cat. No.	Description	Size (in.)	Price/Pk
M434100	Floor Model	12 x 12 x 27	\$95.69/6
M434101	Benchtop Model	8 x 8 x 10	68.58/6
M111982	White w/ Green Panel Spring-Open Cover		24.05/1

Bio-Hazard Incinerator Carton



- Large graphics
- Corrugated cardboard box protects you from cuts
- Supplied bio-hazard bag
- Burn entire carton once it is filled
- Top edge tabs keep bag in place
- Scienceware®

Cat. No.	Description	Size (in.)	Price/Pk
M434105	Floor Model	12 x 12 x 27	\$88.66/6
M434106	Benchtop Model	8 x 8 x 10	61.02/6
M111981	White with Red Panel Spring-Open Cover		24.05/1

Media Storage Bottle, Hybex™



The LabMart Brand

- Borosilicate 3.3 Hybex™ glass
- Low coefficient thermal expansion (3.3)
- Withstand temp. from -70 to 500°C
- Ideal for storage of reagents, culture media, biological fluids & variety of aqueous and non-aqueous solutions
- Permanent enamel graduation marks
- Large area for marking/identification
- Autoclavable, breakage resistant
- Sold with blue (PP) cap and O-ring
- Five cap colors available, except 50ml

buy me because
My temperature resistance is far superior to that of lab glass or soda lime glass.

Cat. No.	Capacity (ml)	Cap	Price/Pk
M111259	50	(GL32) Blue	\$79.95/10
M111260*	100	(GL45) Blue	79.95/10
M111261*	250	(GL45) Blue	89.95/10
M111262*	500	(GL45) Blue	107.00/10
M111263*	1000	(GL45) Blue	128.00/10
M111264*	2000	(GL45) Blue	149.00/10
M111265*	Starter Pack (GL45): 2 x 100ml & 1000ml, 3 x 250ml & 500ml		99.95/10
M111266*	Replacement Cap, Standard Blue (GL45)		24.95/10
M111267	High Temperature Cap (RED-PBT Plastic / up to 180°C) (GL45)		99.95/10
M111268	Replacement Sealing Ring (GL45)		9.95/10
M111269	Replacement Cap, Standard Blue (GL32)		24.95/10
M111270	Replacement Sealing Ring (GL32)		9.95/10

*For different cap color on bottle, please add : (G) for Green, (P) for Purple, (Y) for Yellow, (W) for White (AS) for Assorted Caps (2 of each color)

LabMart® Beaker Mugs



The LabMart Brand

buy me because
Custom beaker mugs available - call us today.

- Tough and durable
- Large 400ml capacity
- Can be used for hot or cold beverages
- PYREX®

Cat. No.	Description	Price/Pk
M127160	Berge™ / The LabMart® Beaker Mugs	\$102.00/3

800-684-1234

fax 800-561-3002

Glass Bottles with Caps

- Store or mix laboratory buffers, reagents, and chemicals
- Bottles are manufactured from Type III Soda-Lime glass that conforms to USP Type III standards
- White polypropylene screw caps are pre-attached to container, choice of 2 types
- Tamper evident strips & HAZCOM labels included

Caps

Poly-Vinyl Lining - excellent moisture barrier, suitable for a wide range of applications. Good chemical resistance against mild acids, alkalis, solvents, alcohols, oils and aqueous products. Not suitable for active hydrocarbons and bleaches.

Teflon® Faced Foamed PE Lining - ideal for analytical lab samples, high purity chemicals, strong acids & solvents. Excellent for environmental samples, pharmaceuticals and reagents.



A. Wide Mouth, Clear

Usage: ideal for small to large volume storage, general use

- 125 - 4000 mL (4 - 130 oz)
- Largest bottle available
- Ready-to-use container

Capacity Oz. / ml	Neck Size (mm)	Dia. x Ht. (mm)	Poly-Vinyl Lined Cap Cat. No.	Price/Cs	Teflon® Lined Cap Cat. No.	Price/Cs
A. Standard Wide Mouth, Clear						
4 / 125	48	52 x 84	M103418	\$57.02/24	M103424	\$98.21/24
8 / 250	58	63 x 110	M103419	75.34/24	M103425	125.81/24
16 / 500	63	79 x 133	M103420	93.15/24	M103426	145.05/24
32 / 1000	70	94 x 180	M103421	87.17/12	M103427	135.59/12
65 / 4000	83	122 x 213	M103422	57.07/ 6	M103428	86.26/ 6
130 / 4000	89	157 x 256	M103423	61.39/ 4	M103429	76.45/ 4

B. Wide Mouth, Amber

Usage: ideal for storage of dry or solid powders

- 30 - 1000 mL (1 - 32 oz)
- For light sensitive samples
- Easy removal of contents

Capacity Oz. / ml	Neck Size (mm)	Dia. x Ht. (mm)	Poly-Vinyl Lined Cap Cat. No.	Price/Cs	Teflon® Lined Cap Cat. No.	Price/Cs
B. Wide Mouth, Amber						
1 / 30	28	37 x 65	M103248	\$43.21/24	M103243	\$72.84/24
2 / 60	33	44 x 75	M103249	62.26/24	M103244	87.57/24
4 / 125	38	54 x 95	M103250	73.52/24	M103245	103.69/24
8 / 250	45	66 x 119	M103251	103.56/24	M103246	140.19/24
16 / 500	53	80 x 146	M103252	62.08/12	M103247	89.47/12
32 / 1000	53	99 x 178	M103486	83.35/12	M103487	117.60/12

C. AC Round, Clear

Usage: ideal for wide range of applications

- 30 - 500 mL (1 - 16 oz)
- Taller and narrower profile than a straight sided jar

Capacity Oz. / ml	Neck Size (mm)	Dia. x Ht. (mm)	Poly-Vinyl Lined Cap Cat. No.	Price/Cs	Teflon® Lined Cap Cat. No.	Price/Cs
C. AC Round, Clear						
1 / 30	33	34 x 68	M103466	\$102.55/48	M103471	\$142.33/48
2 / 60	38	42 x 83	M103467	110.13/48	M103472	163.07/48
4 / 125	48	51 x 102	M103468	65.95/24	M103473	106.96/24
8 / 250	58	62 x 127	M103469	82.63/24	M103474	139.44/24
16 / 500	70	76 x 145	M103470	106.48/24	M103475	192.49/24

D. Boston Round, Clear

Usage: ideal for solvent, chemical and sample

- 30 - 1000 mL (1 - 32 oz)
- Narrow mouth design

Capacity Oz. / ml	Neck Size (mm)	Dia. x Ht. (mm)	Poly-Vinyl Lined Cap Cat. No.	Price/Cs	Teflon® Lined Cap Cat. No.	Price/Cs
D. Boston Round, Clear						
1 / 30	20	31 x 79	M103430	\$96.18/48	M103436	\$123.08/48
2 / 60	20	39 x 94	M103431	54.83/24	M103437	65.06/24
4 / 125	22	48 x 112	M103432	60.89/24	M103438	73.87/24
8 / 250	24	60 x 136	M103433	54.83/12	M103439	43.60/12
16 / 500	28	75 x 168	M103434	60.11/12	M103440	60.95/12
32 / 1000	33	94 x 206	M103435	84.12/12	M103441	84.56/12

E. Boston Round, Amber

Usage: ideal for solvent, chemical and sample storage

- 30 - 1000 mL (1 - 32 oz)
- Narrow mouth design
- For light sensitive samples

Capacity Oz. / ml	Neck Size (mm)	Dia. x Ht. (mm)	Poly-Vinyl Lined Cap Cat. No.	Price/Cs	Teflon® Lined Cap Cat. No.	Price/Cs
E. Boston Round, Amber						
1 / 30	20	31 x 79	M103448	\$93.04/48	M103454	\$95.08/48
2 / 60	20	39 x 94	M103449	56.79/24	M103455	65.42/24
4 / 125	22	48 x 112	M103450	70.12/24	M103456	73.95/24
8 / 250	24	60 x 136	M103451	50.00/12	M103457	47.17/12
16 / 500	28	75 x 168	M103452	61.16/12	M103458	64.97/12
32 / 1000	33	94 x 206	M103453	84.59/12	M103459	87.02/12

For more special offers & promotions, visit www.labmart.com for details.

Free Gifts, More Products

Go To labmart.com

10 BAGS

Autoclavable Bio-Hazard Bags, The LabMart®

NEW!



Red Bag with Bio-Hazard Symbol - Superior Strength

- Designed for handling very dangerous materials
- Engineered to meet demanding regulatory specifications worldwide
- Exceed the 480g tear test by ASTM D1299-06A in both directions
- Meets all state requirements for hazardous waste handling, (including Florida & Pennsylvania Depart. of Health codes); Meets impact strength & tear strength for all 50 states
- Bags are red and clearly labeled with biohazard warnings
- Temperature indicator patch printed on
- Can be incinerated if autoclaving is not available
- Meets Federal DOT Regulation 173.197 for HazMat handling & marking

- 2Mil thickness; PP
- Autoclavable

The LabMart
Brand

Cat. No.	Size (in.)	Cap.	Price/Cs
Red Bag with Bio-Hazard Symbol			
M111415	8 x 12	.75 Gal.	\$58.68/200
M111416	12 x 24	3.5 Gal.	131.54/200
M111417	14 x 19	3 Gal.	122.20/200
M111418	19 x 24	7.5 Gal.	176.54/200
M111419	24 x 30	17 Gal.	285.14/200
M111420	24 x 36	22 Gal.	331.02/200
M111421	25 x 35	22.5 Gal.	300.32/200
M111422	37 x 48	55 Gal.	314.48/100
M111430	37 x 48	55 Gal.	259.90/100

*Florida and Pennsylvania have a high requirement for tear resistance at 480 gm. The LabMart® Red Autoclave Bio-Hazard bags are the only approved bags meeting the requirement of 480 gm for autoclavable PP for Florida and Pennsylvania.

Also available:
- Orange Bag, Printed on Bio-Hazard Symbol
- Clear Bag, No Print for Non Hazardous Waste
- Clear Bag, Bio-Hazard Symbol, Superior Strength
See labmart.com for details

Standard Bags



- All purpose for sampling / storage of solids or liquids
- Exceptionally clear film with superior strength
- May be frozen
- Polyethylene

Cat. No.	Cap. (oz.)	Thick. (mil)	W x L (in.)	Price/Pk	Price/Cs
Write-on Strip					
M109911	1	2.25	2 1/2 x 5	\$18.63/100	\$85.39/500
M109912	2	2.25	3 x 5	22.50/100	103.13/500
M109250-18	4	2.25	3 x 7 1/4	19.20/100	87.91/500
M111546	7	2.5	3 3/4 x 7	24.54/100	112.48/500
M111547	13	2.5	5 1/4 x 7 1/2	32.19/100	147.54/500
M109255-18	18	2.5	4 1/2 x 9	27.03/100	123.89/500
M107566	24	3.0	6 x 9	35.64/100	163.19/500
M109913	24	4.0	6 x 9	44.80/100	205.50/500
M111548	27	3.0	5 x 12	42.09/100	192.92/500
M109914	55	4.0	7 1/2 x 12	71.06/100	325.40/500
M111549	69	3.0	7 1/2 x 15	66.00/100	302.50/500
Without Write-on Strip					
M109251-06	2	2.25	3 x 5	\$17.76/100	\$81.30/500
M109255-06	4	2.25	3 x 7 1/4	30.40/100	121.60/500
M109909	13	3.0	5 1/4 x 7 1/2	28.74/100	131.58/500
M109250-06	18	2.5	4 1/2 x 9	42.85/100	171.40/500
M109252-06	24	3.0	6 x 9	33.69/100	154.25/500
M109910	24	4.0	6 x 9	43.74/100	207.77/500
M109907	27	3.0	3 3/4 x 7	22.35/100	102.34/500
M109908	27	3.0	5 x 12	35.10/100	160.88/500
M109253-06	36	3.0	5 x 15	34.23/100	136.90/500
M107567	42	3.0	6 x 15	44.06/100	160.20/500
M107568	69	3.0	7 1/2 x 15	40.33/100	183.30/500

Stand-Up Bags



- Works just like a beaker or bottle, but you can carry in your pocket
- Hands free - when the sample is placed inside, the special gusseted bottom flattens out, allowing the bag to stand up
- Design to easily add or remove material to the bag for testing or analysis
- Takes 80% less storage

Cat. No.	Cap. (ml/oz.)	Thick. (mil)	Price/Cs
M102339	118 / 4	2.5	\$92.62/500
M102340	532 / 18	3.0	136.07/500
M107400	710 / 24	3.0	160.05/500
M111550	798 / 27	3.0	101.53/250
M111551	1,065 / 36	4.0	132.00/250
M111552	1,242 / 42	4.0	149.27/250
M111553	2,041 / 69	4.0	183.04/250

Autoclavables Bags, Clavies®



- Gives maximum protection & convenience for biohazard disposal
- First fill bag with used dishes, culture plates, membrane filters, pipettes, etc., then autoclave and discard
- The 65, 200 and 240 sizes hold standard petri dishes
- Transparent polypropylene .05mm (.002") thick
- Autoclavable Scienceware®

Cat. No.	W x L (cm/in.)	Price/Pk
M109103-0810	20 x 25 (8 x 10)	\$50.85/100
M109103-0812	20 x 30 (8 x 12)	60.15/100
M109103-0815	20 x 38 (8 x 15)	73.27/100
M109103-1010	25 x 25 (10 x 10)	55.23/100
M109103-1012	25 x 30 (10 x 12)	65.07/100
M109103-1015	25 x 38 (10 x 15)	76.37/100
M109103-1224	30 x 61 (12 x 24)	83.84/100
M109103-2430	61 x 76 (24 x 30)	194.65/100
M109103-2436	61 x 91 (24 x 36)	228.55/100

Sample Bags, Zip Seal



- I have a double "zipper" lock track to keep bag sealed tight
- Excellent for storing, sealing and protecting dry or moist samples
- Transparent polyethylene; reusable
- Other sizes available, please inquire

Cat. No.	Size (in.)	Price/Pk
2mil Thickness		
M109650	3 x 5	\$51.47/1000
M109651	4 x 6	63.56/1000
M109652	5 x 8	120.29/1000
M109653	9 x 12	228.28/1000
M109654	12 x 15	389.55/1000
M109655	13 x 15	441.08/1000
2mil Thickness with White Writing Strip		
M109656	3 x 5	\$124.69/1000
M109657	4 x 6	172.97/1000
4mil Thickness		
M109658	4 x 6	\$133.86/1000
M109659	6 x 6	193.88/1000

800-684-1234

fax 800-561-3002

Compact Scale

buy me because

I have TEN different capacities to cover a broad range of apps.

- View in bright or dimly lit areas; 16mm LCD with amber backlight
- Counting mode with Automatic Counting Accuracy Improvement
- 1 Second Stabilization; % Weighing
- **Units of measure:** g, oz, lb, troy, ozt, ct, mom, dwt., grains, newtons and teal
- **Features:** Over-under, specific gravity function and Stackable
- **Options:** RS-232 or USB, underhook, breeze break, carry case or a density determination kit
- AC power or battery (not included)
- 5 YEAR WARRANTY



Cat. No.	Cap. x Res.	Pan Size	Price
M110972	120g x 0.01g	Ø4.3"	\$255.00
M110973	210g x 0.01g	Ø4.3"	285.00
M110974	310g x 0.01g	Ø4.3"	350.00
M110975	410g x 0.01g	Ø4.3"	390.00
M110976	610g x 0.01g	Ø4.3"	490.00
M110977	1500g x 0.1g	5 x 5.5"	\$260.00
M110978	2000g x 0.1g	5 x 5.5"	300.00
M110979	3000g x 0.1g	5 x 5.5"	360.00
M110980	4100g x 0.1g	5 x 5.5"	415.00
M110981	6100g x 0.1g	5 x 5.5"	445.00

Compact Balance, Core™



With Draftshield

- Lightweight and portable with simple 4 button operation
- Color coded, sealed keypad, low profile design with backlit LCD
- Stainless steel pan; 9 weighing units
- ShockProtect™ overload 3-point protection
- External calibration
- Battery power (6 x AA Batteries)
- **Applications:** weighing, below pan weighing
- **Features:** full range tare, zero tracking, dual tare keys, AC adapter, auto sleep, low battery indication
- 2 YEAR WARRANTY

Cat. No.	Cap.	Readability	Pan Size	Price
Windshield Included				
M111528	200g	0.01g	4.7" Dia.	\$240.00
M111529	250g	0.1g	4.7" Dia.	110.00
M111530	600g	0.1g	4.7" Dia.	155.00
M111531	1500g	0.1g	4.7" Dia.	225.00
Windshield Not Included				
M111532	2600g	0.1g	5.7" Dia.	\$265.00
M111533	2000g	1g	5.7" Dia.	110.00
M111534	5000g	1g	5.7" Dia.	155.00

Free Gifts, More Products

Portable Balance, Scout Pro®

buy me because

My totalization software allows summation of multiple weighing results.



- Ideal for laboratory, industrial or education use
- Superior shock resistance & overload protection protects wtgh cell
- **Applications:** Parts Counting, % Weighing, Totalization and Display Hold
- **Units of measure:** g, kg, oz, lbs., lbs.:oz, oz t, dwt
- **Features:** Removable platform, high contrast LCD, security bracket, shipping lock, weigh below hook, stability indicator, over/underload indicators, low battery indicator, auto shut-off
- Sealed front panel & molded spill ring to protect from spills
- Calibration mass included on 200g, 400g and 600g models
- **Includes:** stainless steel pan; AC Adapter or batteries
- Option of either RS232 or USB connectivity
- Optional Accessories: RS232 Interface, Hard Shell, Carrying Case, Sample Scoops and Calibration Masses
- 2 YEAR WARRANTY



Cat. No.	Cap. (g)	Read. (g)	Repeat. (g)	Linear (g)	Price
Pan Size of 4.7" Diameter					
M102938	200	0.01	0.01	±0.01	\$445.00
M106589	400	0.01	0.01	±0.01	624.45
M102939	400	0.1	0.1	±0.1	244.95
Pan Size of 6.5" x 5.5" (W x D)					
M102940	600	0.1	0.1	±0.1	\$363.40
M102943	2000	0.1	0.1	±0.1	460.00
M106591	4000	0.1	0.1	±0.1	672.75
M102944	6000	1.0	1.0	±1.0	380.65
Accessories					
M288402	Security Device				\$65.55
M107745	RS232 Interface				113.85
M288400	Hard Shell Carry Case				87.40
M107746	USB Interface				113.85

Portable Scale

- Ideal for laboratory, industrial, education and home use; lightweight
- **Applications:** forensic testing, quality control, formulation, soil sampling, postal weighing and dietary needs
- **Units of measure:** g, lb:oz, Newton
- Superior RF protection for use near cell phones and production areas
- **Features:** mechanical/software overload protection, low battery indicator, auto shut-off, push button calibration, large LCD
- **Includes:** large, removable stainless steel pan; AC Adapter or batteries
- ABS Compact housing, low profile



buy me because
Cost matters & dependable results are a must!



Cat. No.	Cap. (g)	Read. (g)	Platform Dia.	Price
M102299	200	0.1	145x133mm	\$139.15
M102300	2000	1	145x133mm	139.15
M102301	5000	1	145x133mm	163.30
Accessories				
M102321	Weighing Bowl, 1050 ml			\$35.65
M102317	200 g Calibration Mass for 102299			33.35
M102318	1000 g Calibration Mass for 102300			94.30
M102319	2000 g Calibration Mass for 102301			150.65

Go To labmart.com

12 BALANCES

Analytical & Precision Balances, Explorer®



buy us because Of our ingeniously striking balance between cutting-edge technology and functional design, the Explorer® delivers accurate performance to improve lab efficiency



- **Intuitive Operation** - Large, 5.7" color touch-screen display, 4 programmable touch-free sensors, icon-driven app software - so easy to use and the most advanced in its class
- **Intelligent Calibration** - AutoCal™, automatic internal calibration system on all units
- Flexible modular display detaches from weighing base; use in limited space areas
- Ensures your results are always fast and accurate; $\Delta 1.5^{\circ}\text{C}$ temperature change, 11 hours, and external calibration
- Draftshield comes standard on any model that reads to .001g or .0001g
- Optional draft shield for on .01 or .1g models, use M111290 to order



- **Units of measure:** g, mg, kg, ct, oz, ozt, lb, dwt, gn, N, mom, msg, hkt, sgt,twt,tical, tola, baht, 3 custom
- **Application Modes:** 14 Standard
- **Features:** user friendly application-based graphical software platform, redesigned antistatic draftshield & enhanced weighing performance
- QuadraStance™ design - 4 leveling thumbwheels, up-front backlit level indicator
- Includes in-cover, weigh-below hook and integral security bracket

• 2 YEAR WARRANTY

Cat. No.	Cap.(g)	Readability (g)	Repeatability (std g)	Linearity (g)	Stabilization Time (sec)	Draft Shield	Pan Size (in. / mm)	Price
Analytical								
M111246	120	0.0001	±0.0001	±0.0002	≤2	Yes	Ø 3.5 in / 90	\$4,450.50
M111247	220	0.0001	±0.0001	±0.0002	≤2	Yes	Ø 3.5 in / 90	5,054.25
M111248	320	0.0001	±0.0001	±0.0002	≤3	Yes	Ø 3.5 in / 90	5,744.25
Precision								
M111249	220	0.001	±0.001	±0.002	≤1.5	Yes	Ø 5.1 in / 130	\$3,496.00
M111250	420	0.001	±0.001	±0.002	≤1.5	Yes	Ø 5.1 in / 130	3,806.50
M111251	620	0.001	±0.001	±0.002	≤1.5	Yes	Ø 5.1 in / 130	4,157.25
M111252	1100	0.001	±0.001	±0.002	≤1.5	Yes	Ø 5.1 in / 130	5,031.75
M111253	2200	0.01	±0.01	±0.02	≤1	No	7.5 x 7.9 / 190 x 200	3,507.50
M111254	4200	0.01	±0.01	±0.02	≤1	No	7.5 x 7.9 / 190 x 200	3,806.50
M111255	6200	0.01	±0.01	±0.02	≤1	No	7.5 x 7.9 / 190 x 200	4,163.00
M111256	10200	0.01	±0.01	±0.02	≤1	No	7.5 x 7.9 / 190 x 200	5,054.25
M111257	6200	0.1	±0.1	±0.1	≤1	No	7.5 x 7.9 / 190 x 200	3,565.00
M111258	10200	0.1	±0.1	±0.1	≤1	No	7.5 x 7.9 / 190 x 200	3,829.50

Analytical & Precision Balances



buy us because We are loaded with features that are user-friendly!



- Adjustable filters and selectable digital filtering for animal / dynamic weighing
- Large backlit display with dual text prompts
- Large stainless steel pan mounted in a modern low profile design
- Force restoration mechanism
- Color coded, sealed keypad is splashproof to protect from spills
- Solid metal housing sits on non-slip adjustable leveling feet
- Windshield supplied on models with 0.001g readability
- **Units of Measure:** 18+ weighing units (including one custom unit)
- 3 YEAR WARRANTY



- **Applications:** weighing, net / total, check weighing, % weighing, weight accumulation, Parts counting, animal / dynamic weighing, density determination, below pan weighing
- **Features:** date/time, full range tare, zero tracking, capacity tracker, dual tare keys, RS-232, GLP, AC adapter

Cat. No.	Cap.	Readability	Pan Size	Price	Cat. No.	Cap.	Readability	Pan Size	Price
External Calibration					Internal Calibration				
M111639	150g	0.001g	4.9x5.7"	\$875.00	M111649	150g	0.001g	4.9x5.7"	\$1,125.00
M111640	250g	0.001g	4.9x5.7"	975.00	M111650	250g	0.001g	4.9x5.7"	1,225.00
M111641	450g	0.001g	4.9x5.7"	1,075.00	M111651	450g	0.001g	4.9x5.7"	1,325.00
M111642	600g	0.001g	4.9x5.7"	1,275.00	M111652	600g	0.001g	4.9x5.7"	1,525.00
M111643	750g	0.001g	5.5x5.5"	1,475.00	M111653	750g	0.001g	5.5x5.5"	1,725.00
M111644	1500g	0.01g	7.6x7.6"	875.00	M111654	1500g	0.01g	7.6x7.6"	1,125.00
M111645	2500g	0.01g	7.6x7.6"	975.00	M111655	2500g	0.01g	7.6x7.6"	1,225.00
M111646	3500g	0.01g	7.6x7.6"	1,075.00	M111656	3500g	0.01g	7.6x7.6"	1,325.00
M111647	4500g	0.01g	7.6x7.6"	1,175.00	M111657	4500g	0.01g	7.6x7.6"	1,425.00
M111648	6000g	0.01g	7.6x7.6"	1,575.00	M111658	6000g	0.01g	7.6x7.6"	1,825.00

800-684-1234

fax 800-561-3002

Analytical & Precision Balances, Adventurer™ Pro

buy us because

We are the industry's most versatile compact balance, I count, sum, hold then deliver traceable results.



- Easy access, frameless draftshield; removable doors help avoid contamination
- SmarText™ Software guides users through applications & setup; with 2-line LCD
- QuadraStance™ footprint for stability on any surface & prevent rocking/tipping
- Up front level indicator to ensure balance is level prior to each use
- **Applications:** animal/dynamic weighing, parts counting with auto sample recalibration, % weighing, checkweighing, totalization, display hold
- **Units of measure:** milligram, g, kilogram, oz, lb, carat, pennyweight, ounce troy, grain, Newton, mesghal, tola, custom.
Milligram unit available on 0.1mg to 1mg models.
Kilogram and Pound units available on 0.01g to 0.1g models.

- **Features:** large stainless steel weigh platform, mechanical & software over/underload protection, security bracket, weigh below hook and protective in-use cover
- **Software Features:** stability indicator, a low battery indicator, user selectable span calibration points, auto tare, user selectable communications settings, selectable data print options, definable project & user ID's, a software reset menu and a software lockout
- **Optional InCal™** (internal calibration system) units allow calibration without use of external weights which will ensure accuracy
- Included RS232, factory installed USB (or a second RS232 option) allows connection to multiple peripherals with full GLP/GMP data output for traceability and compliance requirements
- **Selectable Environmental Settings:** For Sensitive - 3 filter modes & adjustable zero tracking for slow filling applications.
For Harsh - set to compensate for vibrations / other disturbances
- Battery or AC Power with auto shut off • CE, FCC, CULUS, CCSAUS, NRTL • 2 YEAR WARRANTY

* Battery operated ** Supplied with draftshield

With InCal™		Without InCal™		Cap. (g)	Read. (g)	Repeatability (Std. Dev.) (g)	Linearity (± g)	Pan Size (in)
Cat. No.	Price	Cat. No.	Price					
		M107519	\$1,173.00	51	0.001	0.001	0.002	3.9 dia.
M102272	\$1,144.25	M107520	1,023.50	210	0.01	0.01	0.02	4.7 dia.
M109809	2,012.50	M101767	1,662.50	210	0.001	0.001	0.002	4.7 dia.
M109810	2,185.00	M101768	1,840.00	310	0.001	0.001	0.002	4.7 dia.
---	---	M107521	1,138.50	410	0.01	0.01	0.02	5.8 dia.
M102273	1,253.50	---	---	410	0.01	0.01	0.02	6.6 dia.
---	---	M107522	1,293.75	810	0.01	0.01	0.02	5.8 x 6.3
M109811	1,426.00	---	---	810	0.01	0.01	0.02	6.6 x 7.1
---	---	M107523	1,023.50	2100	0.1	0.01	0.2	5.8 x 6.3
M102274	1,150.00	---	---	2100	0.1	0.01	0.2	6.6 x 7.1
M109812	1,955.00	M101770	1,638.75	2100	0.01	0.01	0.02	6.6 x 7.1
M109813	2,185.00	M101771	1,863.00	3100	0.01	0.01	0.02	6.6 x 7.1
---	---	M107524	1,121.25	4100	0.1	0.1	0.2	5.8 x 6.3
M102276	1,247.75	---	---	4100	0.1	0.1	0.2	6.6 x 7.1
---	---	M107525	1,265.00	8100	0.1	0.1	0.2	5.8 x 6.3
M102277	1,385.75	---	---	---	---	---	---	6.6 x 7.1

Water Proof / Dust Proof Balance

buy me because I am the worlds first IP-65 rated 1mg resolution balance !

- Ideal for use in environments where other balances are inoperable
- Compact SHS (Super Hybrid Sensor)
- **Applications:** use in extreme, wet or harsh environments
- **Units of measure:** g, oz, lb, lb-oz, ozt, ct, mom, dwt, GN, tl, tol, mes, pcs, percent, MLT
- **Functions:** SCF-Statistical Calculation, Comparator, Digital Calibration, Response Indicator
- 1 Second Stabilization
- Quick USB Interface available
- Sealed pan support
- LAN-Ethernet Interface available with WINCT-Plus Software
- Breeze break, rechargeable battery; waterproof cable; and more
- 5 YEAR WARRANTY



Cat. No.	Cap. x Res.	Pan Size	Price
M110792	122g x 0.001g	130	\$1,355.00
M110793	220g x 0.001g	130	1,425.00
M110794	320g x 0.001g	130	1,525.00
M110994	1220g x 0.01g	150	\$1,355.00
M110795	2200g x 0.01g	150	1,425.00
M110796	3200g x 0.01g	150	1,525.00

*Supplied with 3.4 inch Breeze Break

Free Gifts, More Products

Go To labmart.com

14 BALANCES

Top Loader, Precision



with optional draft shield

buy me because Of my fast Super Hybrid Sensor (SHS) which gives you stabilization in just one second.

- Ideal for use in narrow spaces due to small footprint
- **Units of measure:** g, oz, lb, lb-oz, ozt, ct, mom, dwt, GN, tl, tol, mes, pcs, % and MLT
- **Functions:** SCF-Statistical, SHS Comparator, Digital Calibration, Response Indicator
- Standard RS-232C Interface
- 193 x 262.5 x 85.5 (WxDxH mm) / 2.5kg
- **Options:** USB Interface, Ethernet Interface with WINCT-Plus Software, break breaks, animal weighing pan & rechargeable battery
- 5 YEAR WARRANTY

Cat. No.	Cap. x Res.	Pan Size	Price
M110786*	122g x 0.001g	130	\$925.00
M110787*	220g x 0.001g	130	965.00
M110788*	320g x 0.001g	130	995.00
* Above Supplied with 3.4 inch Breeze Break			
M110789	1220g x 0.01g	150	\$925.00
M110790	2200g x 0.01g	150	965.00
M110791	3200g x 0.01g	150	995.00

Compact Scale



buy me because You can color code/categorize scale with the included color bars; red green orange.

- Durable, economical, low profile, lightweight simple to use
- Units of measure: g, oz, Troy oz, lb, lb-oz, N, tael, and tola
- **Features:** Large 5.1" x 5.2 pan, large 13.5mm digital display, security slot for an anti-theft device, auto off
- So portable; use scale as it sits in the case – no need to remove
- **Includes:** stackable carry case (has a pen holder); battery (450hr)
- **Optional Accessories:** AC adapter, weigh pan
- 2 YEAR WARRANTY

Cat. No.	Cap. x Res.	Price
M110948*	310g x 0.1g	\$125.00
M110949	510g x 0.1g	145.00
M110950	3100g x 1g	125.00
M110951	5100g x 1g	145.00
Accessories		
M110952	SS Weigh Pan	\$25.00
M110953	AC Adapter	32.00

* lb-oz not available

Precision, Highlander™



NEW!

buy me because We have overload 3-point protection, ShockProtect™.

- Removable anti-static draft shield (120mm pan size only)
- Stainless steel pan housed in unit with non-slip adjustable leveling feet
- Color coded, sealed keypad with backlit LCD display
- Handical™ manual internal calibration with built-in mass
- External calibration
- **Units of Measure:** 15 weighing units
- **Applications:** weighing, percentage weighing, parts counting, below pan weighing, weight accumulation
- **Features:** full range tare, zero tracking, capacity tracker, dual tare keys, RS-232, USB, AC Adapter, auto off, low battery indication, rechargeable battery
- 2 YEAR WARRANTY

Cat. No.	Cap. (g)	Readability (g)	Pan Size	Price
M111520	120	0.001	4.7" Dia.	\$425.00
M111521	150	0.005	4.7" Dia.	345.00
M111522	300	0.01	4.7" Dia.	325.00
M111523	600	0.01	4.7" Dia.	395.00
M111524	600	0.02	4.7" Dia.	345.00
M111525	1000	0.01	4.7" Dia.	465.00
M111526	1500	0.05	4.7" Dia.	345.00
M111527	3000	0.1	4.7" Dia.	345.00

Multi-Purpose Scale

- Ideal for personal dietary portion control, home kitchens, general office use, jewelry or art studios
- Digital, large LCD, blue backlight
- **Compact pan size:** 140x140mm
- **Units of measure:** g/lb/oz/ct (carats/jewelry), Tael, DWT (Pennyweight)
- **Features:** All Stainless Steel body and removable platter, counting feature (secondary), Tare Function, auto off
- Adapter (incl.) or batteries (not incl.)
- 90 DAY WARRANTY



buy me because Of my compact size & compact \$.

Cat. No.	Description	Price
M110955	Cap.: 3 kg / 6.6 lb / 105 oz / 15,000 ct Grad.: 0.1 g / 0.0002 lb / 0.005 oz / 0.5 ct	\$61.00

Commercial / Industrial

- Ideal for industrial and commercial food service; kitchens, salad bars, portion control, testing warehouse & production areas, QC & hydroponics
- Electronic, large LCD, easy to navigate
- **Indicators:** low battery, scale at zero, reading is stable
- **Units of measure:** g, kg, oz, lbs., lbs.:oz
- **Features:** All Stainless Steel body and removable platter, counting feature (secondary), Zero/Tare key, selectable auto backlight, auto off
- Adapter (incl.) or batteries (not incl.)
- 1 YEAR WARRANTY



buy me because You can't beat my price for the variety of weighing I do.

Cat. No.	Cap. (g)	Grad. (g)	Platform Dia.	Price
M110954	5000	1	170x180mm4	\$220.00

800-684-1234

fax 800-561-3002

Moisture Analyzer

- Moisture % by gravimetric method
- Timed or auto shut-off modes
- Process Temperatures to 200C
- Resolution from 0.1% to 0.001%
- All pans sizes are 85mm
- Bi-directional RS232C
- Conforms to GLP, GMP, ISO
- 5 YEAR WARRANTY

• M109817 / M107723

- Fast & uniform heating with straight halogen lamp (life 5000 hours) and SRA (Secondary Radiation Assist) filter technology
- High repeatability; With SHS (Super Hybrid Sensor) featured as the weight sensor, ultra accurate moisture content determination is based on high precision weighing of even a small sample
- M109817 measures a high moisture content, at 0.001% resolution, suitable for low moisture content samples as well as Karl Fischer method, requires no training and produces no harmful waste
- WinCT-Moisture software for real-time graph displaying
- Sodium Tartrate Dihydrate for accuracy checking calibrator (optional)
- Memory function for test parameters and results, (20 sets)
- **Five choices of measurement programs;** Standard, Automatic, Quick, Timer, and Manual
- Selectable Heating Modes of standard, quick, step and ramp
- Clear and easy-to-see, large VFD display; design eliminates burns

• M107722

- Heating process can be checked through translucent window
- Self Defect Check function
- Temperature control function
- Quick Reference Card on bottom of unit
- **Memory func.;** parameters & results, (10 sets)
- WinCT software

• **Includes:** sample pans, pan Handles, tweezers, spoon, test sample, WinCT, glass fiber sheet, display cover, dust cover, manual, fuse

Cat. No.	Cap. x Res.	Moisture Content Display	Price
M107722	51g x 0.002g	0.05% / 0.1% / 1%	\$2,725.00
M107723	51g x 0.001g	0.01% / 0.1%	3,395.00
M109817	71g x 0.0001g	0.001% / 0.01% / 0.1%	5,525.00



M107723



M107722

Moisture Determination Pans Moisture Analyzer



- Inexpensive disposable aluminum foil
- Smooth sides; ideal for milk testing
- Ideal for routine weighing, moisture testing, wastewater, dairy, chemical and pharmaceutical applications

Cat. No.	Dia. x Depth (in.)	Compatible With	Price/Cs
M103895	4 x 5/16	Mettler, Sartorius, Denver	\$180.00/ 500
M103896	4 3/4 x 3/16	Ohaus	242.00/1000
M103897	5 x 3/8	Ohaus	213.15/1000



buy me because
Quick and easy configuration
and memory storage.

- 3 Heat settings (fast ramp up, step and standard)
- Automatic test start setting for when the lid is closed
- Calibration facilities for temperature and weight
- Large backlit display with dual text prompts
- Non-slip, adjustable, levelling feet, lock down mounting slot
- Color coded, sealed keypad, in a splashproof housing
- Pan lifter to easily remove sample from the stainless steel pan
- **Features:** date and time, full range tare, zero tracking, overload protection, multilingual display, capacity tracker and spirit level
- RS-232 and USB interface, GLP print outs, 1 Halogen lamp (400W)
- 3 YEAR WARRANTY

Cat. No.	Cap. (g)	Readability	Pan Size	Price
M111674	50	0.001g / 0.01%	3.5" Dia.	\$2,195.00
M111675	200	0.01g / 0.05%	3.5" Dia.	1,795.00

Sign-up at www.labmart.com for
exclusive offers & sales

Free Gifts, More Products

Go To labmart.com

16 BALANCES

General Purpose Weighing Dishes

Aluminum

The LabMart Brand



buy me becauseI am oil free.

- Ideal for sampling, weighing, dispensing, storage, environmental clean-up, food processing, evaporating, or general lab use
- Contaminate and oil-free
- All pans have a curled lip
- Dishes are stackable
- Light-gauge aluminum

Cat. No.	I.D. (mm)	O.D. X D	Wgt.	Cap. ml	Price/Cs
M111136	44	51mm x 1/2 in	0.6gr	20	\$152.75/1000
M111135	63	71mm x 11/16 in	1.6gr	70	226.10/1200
M111138	62	70mm x 13/16 in	1.8gr	75	166.25/1000
M111139	110	127mm x 1 1/8 in	3.8gr	200	21.00/ 50

Micro Weighing Dishes

Aluminum

The LabMart Brand



buy me becauseMy min-size has big uses.

- Ideal for microbalances, organic micro elementary and thermal analysis, and pharmaceutical use
- Compatible with analyzers & micro balances
- Packaged in easy-to-use plastic containers for storage & dispensing

Cat. No.	Cap. (ml)	L x W x H (mm)	Price/Cs
M109831	0.04	6.5 x 3.5 x 2.5	\$90.38/250
M109832	0.11	10 x 4 x 4.5	101.40/250
M109833	0.12	12 x 4 x 2.7	115.35/250
M109834	0.12	12 x 2 x 4.5	125.85/250
M109835	1.12	25 x 7 x 7	42.00/ 50

Cat. No.	Cap. (ml)	Dia. x H (mm)	Price/Cs
M109837	0.35	13 x 3.5	\$115.35/250
M109836	0.035	6 x 2.5	48.90/100

mini Beakers

Polystyrene

The LabMart Brand



- Withstand indirect heat to 200F
- The 5, 10, 20 & 50 ml sizes are excellent for use with atomic absorption, flame photometers and blood cell counters
- Excellent chemical resistance to dilute or weak acids, aqueous solutions, alcohols and bases
- Four-way pour spouts

Cat. No.	Cap. (ml)	Top x Bot. O.D. (in.)	H (in.)	Price/Cs
M125010	10	1 7/16 x 7/8	1	\$72.21/1000
M125020	20	1 3/4 x 1 1/8	1 1/4	67.19/ 500
M125050	50	2 3/8 x 1 3/8	2	95.09/ 500

Smooth Walled Dishes

Aluminum

The LabMart Brand



buy me because I will not leave material behind.

- Smooth-sided, flat bottom, multi-purpose "utility" dish
- Oil-free and non-coated, no tab, ideal for storage, dispensing, general purpose sampling and testing
- Dish contour facilitates stacking and dispensing.

Cat. No.	Dia. x D	Wgt.	Cap.	Price/Pk	Price/Cs
M111137	73mm x 11/16"	2.5gr	80ml	\$29.05/100	\$269.75/1000
M111144	103mm x 3/4"	7.0gr	150ml	45.94/100	439.34/1000

Round Dishes with Tabs

Aluminum, Crinkled

The LabMart Brand



buy me because Of my heavier gauge aluminum.

- Multi-use evaporating dish, weighing dish, parts container, dust cover and more
- Clean, no oil residue, no vinyl coating to create contamination problems for the user
- Strong crimped sides for rigidity and are angled for easy separation
- Large tab for sample numbers
- Flat bottom to improve sample handling
- Sturdy gauge for heavy duty use

Cat. No.	Dia. x D	Wgt.	Cap.	Price/Pk	Price/Cs
M108242	28mm x 3/8"	.3gr	8ml	Bulk	\$128.10/ 500
M217243	43mm x 1/2"	1gr	20ml	\$15.68/100	145.60/1000
M217257	57mm x 5/8"	1.3gr	60ml	18.76/100	174.20/1000
M217270	70mm x 5/8"	2.0gr	80ml	26.18/100	243.10/1000

Specimen Containers

Polypropylene

The LabMart Brand



- Durable, translucent, unbreakable
- Resist acids, bases, most organic solvents and common lab reagents
- Dual graduations in oz. and ml., internally molded, easy to read, in increments of 20 ml. and (1) oz.
- Flexible packaging, "bulk", sleeved, non-sterile for general and industrial use
- Bulk - Non-Sterile, with out lid

Cat. No.	Cap. (oz.)	Top x Bot. O.D x H (in.)	Price/Cs
M136004	4 1/2	2 5/8 x 2 x 2 9/16	\$68.90/500
M136008	8	2 5/8 x 2 x 4 1/16	99.10/500
M136000		Lids, PE	47.70/500

800-684-1234

fax 800-561-3002

Square Weighing Dishes

Polystyrene (Anti-Static)



buy me because
My white translucent makeup is great for traditional uses.



buy me because
My blue color is great for sample contrast.

- Disposable, general purpose sample holders
- Anti-static material reduces foreign particles contamination
- Rubberized polystyrene withstands temperatures to 180 F
- Hundreds of uses; with balances, in microwaves, moisture analyzers
- Biologically inert; resistant to dilute acids, aqueous solutions, alcohols, bases
- Flexes for easy pouring
- Flat bottom resists tipping
- Contoured sides permit no-slip handling
- Blue contrasts for white powders and solids, increases sample visibility/recovery, improves measuring accuracy

Cat. No.	Size	Top ID x D"	Color	Price/Cs
M129110	Small	1 5/8 x 5/16	White	\$50.70/500
M129111	Medium	3 1/2 x 1	White	87.15/500
M129112	Large	5 1/2 x 7/8	White	175.00/500
M129116B	Small	1 5/8 x 5/16	Blue	52.98/500
M129117B	Medium	3 1/2 x 1	Blue	91.98/500
M129118B	Large	5 1/2 x 7/8	Blue	175.18/500

Pour-Boat Weigh Dishes

Polystyrene (Anti-Static)



buy me because You will love my 'pour spout'.

- Facilitates pouring and dispensing
- No need to flex dish to dispense liquids or solids
- 20-30% thicker material for strength, stability, handling ease and safety
- Flat bottom; smooth, uniform
- Withstand 200 F
- Disposable, and inexpensive

Cat. No.	Cap.	W x L x D (in.)	Price/Cs	8+ Cs
M129114	Small, 20ml	1 3/4 x 2 1/4 x 5/16	\$41.50/250	\$37.35
M129115	Med., 140ml	3 1/2 x 5 3/8 x 1	71.75/250	64.57
M129116	Large, 270ml	4 3/4 x 7 1/2 x 1	107.95/250	95.25

Free Gifts, More Products

Weighing Vessels

Polystyrene (Anti-Static)



- Excellent for weighing static-affected materials
- Translucent polystyrene flexes easily for weighing, dispensing, or pouring liquids or solids
- Unique design for non-slip handling / pouring and flat bottom resist tipping
- Biologically inert; resistant to most dilute acids, aqueous solutions, and alcohol bases
- Three convenient sizes for any sampling or weighing application
- Disposable



buy me because
I am great for liquid samples.

Cat. No.	Cap.	L x W x D (in.)	Price/Pk	Price/Cs
M111145	Small, 20ml	2 1/8 x 1 1/2 x 1/2	\$52.00/500	\$384.00/4000
M111146	Med., 120ml	5 1/4 x 3 1/4 x 1		83.20/ 500
M111147	Large, 240ml	7 x 4 1/4 x 1		171.02/500

Hexagon Weighing Dishes

Polystyrene (Anti-Static)



- Flexes easily for weighing, dispensing, or pouring liquids or solids
- Unique hexagonal design for non-slip handling and pouring
- Biologically inert; resistant to most dilute acids, aqueous solutions, and alcohol bases
- Flat bottoms resist tipping
- Hundreds of sampling and weighing applications
- Translucent, disposable



buy me because
Of my unique design.

Cat. No.	Cap.	O.D. x Dia. (in.)	Price/Pk	Price/Cs
M111140	Small, 20ml	1 3/4 x 3/8	\$44.60/500	\$332.64/4000
M111141	Med., 50ml	3 x 3/4		58.36/ 500
M111142	Large, 200ml	4 3/4 x 7/8		109.56/ 500
M111143	XLarge, 350ml	5 1/2 x 1 1/4		136.86/ 500

The LabMart
Brand

Great Price
Great Quality
Ready to Ship

labmart.com 800-684-1234

Go To labmart.com

18 CENTRIFUGES

Mini Centrifuge, My Fuge™ Mini



buy me because

I fit in the palm of your hand so color it with your fav color.

Speed: Fixed 6000 rpm / 2000 xg

Cap.: 8 x 1.5/2.0ml tubes 16 x 0.2ml PCR tubes 2 x 0.2ml PCR strips

Dim.: 4.5 x 5.9 x 4.5 in., 1.1 lbs.

Cat. No.	Lid Color	Price
M110941	Blue	\$259.50
M110942	Clear	259.50
M110943	Neon Green	259.50
M110944	Purple	259.50
M110945	Red	259.50
M111116	Replacement Adapters for 0.5 ml	24.00/6
M111117	Replacement Adapters for 0.2 ml	24.00/6

- Eight Position Microtube rotor 8 x 1.5/2.0ml (comes installed)
- Rotor for 0.2ml PCR tubes & strips (included) is stored in a convenient compartment on bottom of unit
- Ideal for quick spin; Near silent operation
- Starts and stops in seconds with open/close of lid
- **Includes:** both rotors and adapters for 0.5ml & 0.2ml

Mini Centrifuge, My Fuge™ 12



buy me because

No rotor changing with twice the capacity; I am flexible

Speed: Fixed 5500 rpm / 2000 xg

Cap.: 12 x 1.5/2.0ml tubes 32 x 0.2ml PCR tubes 4 x 0.2ml PCR strips

Dim.: 5.5 x 7.9 x 4.4 in., 2.1 lbs.

Cat. No.	Description	Price
M110938	MyFuge ¹²	\$349.00
M110939	Replacement Adapters for 0.5 ml	26.25/6
M110940	Replacement Adapters for 0.2 ml	26.25/6

- Unlike traditional mini centrifuges, unit eliminates need to change rotors when switching between microtubes & PCR strips
- Runs (12) microtubes and (4) PCR strips simultaneously with the COMBI-Rotor™ (included)
- 5.5 Inches wide; near silent operation
- Starts/stops with open/close of lid
- Perfect for quick spin downs
- Quickly ramps up to 5500 rpm
- **1 YEAR WARRANTY**

Personal Mini-Centrifuge High Speed



Speed: 15000 rpm (200-15000rpm), 100rpm increments

Max. RCF: 15100 x g, 100 rpm x g increments

Run Time: 30 secs to 99 mins Timer or Continuous

Dim.: Compact, 9.8W x 9.6L x 5.5H inches, 13.2 lbs.

Cat. No.	Description	Price
M111319	Centrifuge, 2ml / 12-Place Rotor	\$850.00
M111320	12 Place Rotor Kit, 2ml x 12	\$275.00
	Rotor Adapters Use with	
M111325	0.2ml Rotor Adapter M111320	\$60.00/24
M111326	0.5ml Rotor Adapter M111320	60.00/24

- Powerful centrifugal force of 15100 g
- High speed, 12-Place Rotor is fully autoclavable and is made of high strength aluminum alloy
- Unique cooling design, minimizes rotor heating
- Over-speed detection; whisper quiet operation
- Brushless motor drive, maintenance free
- Pulse operation for quick spins
- Large LCD, auto door lock
- **2 YEAR WARRANTY**

Microcentrifuge, Refrigerated Prism™ R

buy me because

I'm a chilling machine with a powerful motor, small footprint & cooling capacity to spare.



- Design of the 24 place rotor allows easy access to the top of sample tubes & is easy to remove and clean
- Solid aluminum rotor support tubes via individual slots and will contain sample if the tube fails
- Rotor accepts 1.5/2.0ml tubes, smaller tubes need adapters
- StripSpin adapter (optional) snaps on the top of the rotor for spinning 0.2ml tubes and PCR strips
- Load imbalance identification system with auto shut-off
- A momentary spin function is activated by pressing and holding the quick key
- The powerful refrigeration system maintains temperatures as low as -10°C and is designed to reach 4°C (from room temperature) in less than 8 minutes
- "Quick-COOL" function; 4°C in 8 minutes
- User friendly, large LCD control panel provides intuitive control over all operating parameters
- Set and view speed in both rpm or rcf
- Brushless motor; maintenance free with quiet operation
- Autoclavable **2 YEAR WARRANTY**

Speed Range: 13500 rpm (accelerates to max in 16 secs.)

Maximum RCF: 17135 x g

Temperature Range: -10 to 40°C

Timer: 0.5 to 99 min. or continuous & momentary

Cooling Time: 8 min. (Room Temperature to 4°C)

Dim. (WxDxH): 10.9 x 17.75 x 9.75 in. / 44 lbs

Cat. No.	Description	Price
M110738	Microcentrifuge with 24 Place Rotor	\$5,144.85
	Adapters	
M107414	StripSpin for 0.2 ml Tubes and 8 Position PCR Strips	\$101.65/1
M158167	Individual for 0.5/.06 ml Tubes	54.26/6
M158168	Individual for .04/0.25 ml Tubes	54.26/6
M158169	Individual for 0.2 ml Thermo Cycling Tubes	54.26/6

Microcentrifuge, Spectrafuge™ 24D



buy me because

I am available in different colors for your personal needs.

Speed: 500 to 13300 rpm / 16300 x g

Timer: 1 to 30 mins. or continuous "Quick" button for momentary operation

Dim.: 9.25W x 11.5D x 8.5H" / 18 lbs.

Cat. No.	Description	Price
M107409	Grey	\$1,765.50
M107410	Blue	1,765.50
M107411	Teal	1,765.50
M107412	Purple	1,765.50
M107413	Red	1,765.50
M107414	StripSpin™ Adapter for 0.2 ml Strip Tubes	101.65

- Precise microprocessor control
- "MultiFlo" airflow pattern keeps samples cool
- Powerful, maintenance-free brushless motor, quiet operation
- Simple knob adjustment maintains precise control; digital display
- Solid aluminum rotor (24 x 1.5/2.0ml included) is easy to remove for cleaning and autoclaving
- Optional StripSpin™ adapter for PCR strips or 16 individual 0.2µl tubes

800-684-1234

fax 800-561-3002

Universal Lab Centrifuge



buy me because

Versatility... I accept 11 different rotor types.

- Ideal for routine clinical or research applications
- Spins everything from microplates and tubes in 0.2 to 100 ml sizes
- Includes a digital display, microprocessor control, a brushless motor and automatic brakes
- Lid lock system shuts down the centrifuge if the lid is opened or not closed properly
- Features an imbalance indicator with safety cutoff and automatic over speed prevention
- 1 YEAR WARRANTY

Speed Range: 250 to 13500 rpm
Maximum RCF: 17130 x g
Temperature Range: -10° to 40°C
Timer: 1 to 60 minutes or continuous "Quick"
 Button for momentary operation
Dims. (WxDxH): **M158180:** 14 x 18.1 x 13 in. / 88 lbs
M105746: 16.5 x 26.4 x 13.2 in. / 167.2 lbs.

Cat. No.	Description	Price
M158180	Universal Centrifuge w/o Rotor	\$3,856.01

Angle Rotors

M158181-00	24 x 15 ml w/ Shields	\$1,429.80
M158181-01	6 x 50 ml	1,064.81
M105849	12 x 15 ml	1,131.08
M105851	44 x 1.5 / 2.0 ml	967.57
M105853	24 x 1.5 / 2.0 ml & 24 x 0.5 ml	930.35
M105861	24 x 1.5 / 2.0 ml	943.23

Swing Out Rotors

M158181-04	4 x 100 ml w/ Buckets & Covers	\$1,886.27
M105862	4 x 50 ml	912.97
M105863	8 x 15 ml	912.97

Inserts for M105862 & M158181-01

M100708	Adapters for 15 ml Tubes	\$107.15/4
M100709	Adapters for 7 ml (13 x 100 mm) Tubes	107.15/4

Inserts for M105863, M105849 & M158181-00

M100713	Adapters for 10 ml (16 x 100 mm) Tubes not for 158181-00)	\$67.24/4
M100714	Adapters for 5 ml, 7 ml & 10 ml Tubes	64.65/4
M107867	Adapters for 1.5 ml Tubes for 15 ml Rotor	121.89/4

Inserts for M158181-04

M158181-05	1 x 100 ml Inserts	\$176.23
M158181-06	1 x 15 ml Conical Inserts	176.23
M158181-08	1 x 50 ml Conical Tube Inserts	176.23
M158181-09	4 x 10 ml Inserts	176.23
M158181-11	1 x 7 ml Conical Tube Inserts	176.23
M158181-12	1 x 5 ml Tube Inserts	176.23

High Speed Micro Centrifuge

buy me because My high speed at a low price.

NEW!

- Maintains 4°C at maximum speed to protect precious samples
- Brushless motor drive is maintenance free and whisper quiet
- Bio-containment rotors are safe and autoclavable; 24 place rotor
- Special double cooling air design, minimizes rotor heating
- Pulse operation for quick spins
- Large LCD display; auto door lock
- Over-speed detection
- 2 YEAR WARRANTY



Speed: 15000 rpm (300-15000rpm), 10rpm increments
Max. RCF: 21380xg, 10xg increments
Run Time: 30 secs to 99 mins Timer or Continuous
Dim.: 11.0W x 14.3L x 10.4H inches, 27 lbs.

Cat. No.	Description	Price
M111324	Micro Centrifuge, 2ml / 24-Place Rotor	\$1,825.00
Rotor Kit: includes Bio-Cover, Fixing Clips & O-Ring, 15000RPM		
M111321	24 Place Rotor Kit, 2ml x 24	\$275.00
M111322	36 Place Rotor Kit, 0.5ml x 36	275.00
M111323	4 x 8 Tube PCR Strip Rotor Kit	275.00
Rotor Adapters		Use with
M111325	0.2ml Rotor Adapter	M111321 \$60.00/24
M111326	0.5ml Rotor Adapter	M111321 60.00/24
M111327	0.2ml Rotor Adapter	M111322 90.00/36

Screw Cap Microtubes

- Provides strongest seal possible
- Forms visible positive seal for protection from leaks or contamination
- Frosted writing area for labeling
- Easily opened with one hand
- Pierceable cap
- Suitable for vapor-phase and liquid nitrogen storage, boiling and autoclaving
- Natural color
- Colored screw caps available



Cat. No.	Description	Price/Cs
1.5ml, Non-Free Standing, Non-Graduated		
M173102-1	Tube Only	\$57.53/500
M173102-2	Tube and Cap with O-Ring	151.86/500
M173102-3	Sterilized Tube & Cap with O-Ring	236.94/500
1.5ml, Free Standing, Non-Graduated		
M173109-1	Tube Only	\$57.53/500
M173109-2	Tube and Cap with O-Ring	153.51/500
M173109-3	Sterilized Tube & Cap with O-Ring	242.99/500
2.0ml, Non-Free Standing, Non-Graduated		
M173104-0	Tube Only	\$57.53/500
M173104-1	Tube & Cap with O-Ring	151.86/500
M173104-2	Sterilized Tube & Cap with O-Ring	236.94/500
2.0ml, Free Standing, Graduated		
M173103-1	Tube Only	\$63.97/500
M173103-2	Tube & Cap with O-Ring	151.86/500
M173103-3	Sterilized Tube & Cap with O-Ring	236.94/500
Screw Caps - Fits All Size Microcentrifuge Tubes		
M173108-0	Screw Caps	\$57.53/500
M173108-1	Screw Caps with Fitted O-rings	102.36/500

Free Gifts, More Products

Go To labmart.com

20 CENTRIFUGES

Flat Top Microtubes, G-Tubes™



- Safe sample deposit
- No special locking cap devices needed
- Spin to over 30,000 x g w/out cap locks
- Highest impact tube strength with smoothest interior surface
- Flat, textured writing patch on top
- 1.5 and 2.0 ml tubes have an additional side writing patch & grad.
- Autoclavable; withstands temp. -80 to 121°C
- Certified to be RNase/Dnase free
- Audible "snap" indicates secure closure



buy me because
I am virtually transparent and have superior toughness.

Color	Cap. 0.6 ml	Price Pk/500	Cap. 1.5 ml	Price Pk/500	Cap. 2.0 ml	Price Pk/500
Natural	M102410	\$24.03	M102437	\$24.03	M102419	\$25.83
Red	M102411	24.03	M102402	24.03	M102420	25.83
Yellow	M102412	24.03	M102403	24.03	M102421	25.83
Blue	M102413	24.03	M102404	24.03	M102422	25.83
Green	M102414	24.03	M102405	24.03	M102423	25.83
Orange	M102415	24.03	M102406	24.03	M102424	25.83
Lavender	M102416	24.03	M102407	24.03	M102425	25.83
Amber	M102417	24.03	M102408	24.03	M102426	25.83
Rainbow	M102418	28.95	M102409	28.95	M102427	30.75

1.5 ml Microcentrifuge Tubes



- Attached caps are tight fitting withstands centrifugation
- Polypropylene
- Ungraduated
- Autoclavable



Cat. No.	Description	Price/Cs	50+Cs
CL2360	Natural	\$34.23/1000	\$29.34t/1000

Sterile Centrifuge Tubes



15 & 50ML

- Graduations on clear tubes are printed in bold easy-to-read black ink and accurate to ± 2%
- High quality polypropylene

- 50mL clear tubes include a black printed 50mL graduation line and 1, 2 and 3mL graduations molded into the conical bottom
- Large white marking area provides excellent contrast for identification
- Smooth, flat surface polyethylene (HDPE) caps
- Maximum RCF is 12,000g for 15mL and 16,000g for 50mL tubes
- Temperature range of -80°C to 120°C
- Available in recyclable racks or bulk packaged in zip-closure bags
- Sterile (gamma irradiated)

Cat. No.	Description	Price
Centrifuge Tubes - 15mL		
M112538	25/Paperboard Rack with 2 Racks/Bag	\$84.00/500
M112539	25/Re-Sealable Bag	80.00/500
M112540	50/Foam Rack	54.00/300
Centrifuge Tubes - 50mL		
M112541	25/Paperboard Rack with 1 Rack/Bag	\$95.00/500
M112542	25/Re-Sealable Bag	90.00/500
M112543	25/Foam Rack	62.00/300
Self Standing		
Cat. No.	Volume (RCF) g	Price/Cs
M112586	50ml 6,000 RCF	Re-Seal Bag /25 \$98.00/500

Sterile Centrifuge Tubes



buy me because
I am ideal for culture work and general lab use.

- Black printed graduations
- Large white marking spot
- Sterile and certified non-pyrogenic
- Plug seal caps or flat top rim seal caps
- Sold 500 per case; bulk pack sleeves or subpacked in styrofoam racks

Cat. No.	Material	Max. RCF	Qty/Pk	Price/Cs
15 ml Conical Bottom, Plug Seal Cap				
M105784	PET	3600	25/Sleeve	\$246.05/500
M170251	PET	3600	50/Rack	257.07/500
M170253	PP	8400	50/Rack	257.49/500
M105785	PP	8400	25/Sleeve	246.05/500
15 ml Conical Bottom, Flat Top Cap				
M105786	PP	8400	50/Rack	\$245.58/500
M105787	PP	8400	25/Sleeve	236.96/500
50 ml Conical Bottom, Plug Seal Cap				
M170262	PP	9400	25/Rack	\$345.42/500
M105788	PP	9400	25/Sleeve	334.78/500
50 ml Conical Bottom, Flat Top Cap				
M170269	PP	9400	25/Rack	\$339.60/500
M170264	PP	9400	25/Sleeve	322.38/500
50 ml Self Standing, Plug Seal Cap				
M107956	PP	3000	25/Rack	\$365.73/500
50 ml Self Standing, Flat Top Cap				
M107957	PP	300	25/Rack	\$352.67/500

LabMart® Centrifuge Tubes



M111353



M111354



- Polypropylene construction w/ red HDPE caps
- White graduation marks and writing area
- Autoclavable without screwcap
- Sterile tubes are RNASE/DNASE free, non-pyrogenic and non-cytotoxic

Temp. Range: Tube: -196°C to + 121°C

Cap: -50°C to + 100°C

Spin Rate: 10,000 rpm (12,320 x g)

Cat. No.	Size	Price/Cs
M111353	15 ml	\$214.81/500
M111354	50 ml	323.57/500

Flip Top Caps Centrifuge Tube



- The ergonomic leak-free flip top cap design allows easy one hand opening of caps while preventing loss of a separate cap
- Flip top caps are smooth, flat surface polyethylene
- Graduations are printed in a bold easy-to-read black and are accurate to ± 2%
- Large white marking area provides excellent contrast for identification
- Temperature range is -80 to 120°C



- Made of high-clarity polypropylene
- Manufactured in a class 100,000 clean room
- Available in either paperboard recyclable racks or bulk packaged in sterile re-sealable (zip closure) bags
- Gamma irradiation sterilized, RNase-free, DNasefree, Non-pyrogenic

Cat. No.	Volume	Max Force (RCF) g	Packed	Price/Cs
M112554	15ml	9,400 RCF	Rack /25	\$118.00/500
M112555	15ml	9,400 RCF	Bag /25	112.00/500
M112556	50ml	9,400 RCF	Rack /25	156.00/500
M112557	50ml	9,400 RCF	Bag /25	150.00/500

800-684-1234

fax 800-561-3002

Color Coded Storage Boxes

buy me because I will not degrade when exposed to moisture and ultra-cold temperatures as low as -80°C.

- Sturdy unbreakable PPE; autoclavable
- Frosted area to mark samples
- Hinged lid allows visibility of tube caps, labels or markings
- Stackable to conserve freezer space
- 100 Vial capacity; microtube or cryogenic
- Max. tube length of 49mm
- Available in assortment pack (contains 1 of each color)
- Dimensions: 2³/₈ x 5¹/₂ x 5¹/₂ in.



Cat. No.	Color	Price/Pk
M463907	Translucent	\$54.50/6
M463907-BL	Blue	58.56/6
M463907-GR	Green	58.56/6
M463907-OR	Orange	58.56/6
M463907-P	Pink	58.56/6
M463907-Y	Yellow	58.56/6
M463907-A	Assorted Colors	52.74/5

Storage Boxes

buy me because I won't degrade or hold moisture like cardboard.

- Telescoping lid adjusts to varying tube heights
- Holds 50 microtubes or vials
- Translucent to view samples and labels without removing the lid
- Durable polypropylene
- Autoclavable
- Dims. 144L x 75W x 35-55H mm



Cat. No.	Holds Tube Size	Color	Price/Pk
M463903	1.5 ml	Natural	\$48.77/6
M463904	0.5 ml	Natural	40.20/6

Cube Racks

- Interlocking cubes slide together, allows you to work with different tubes and connect multiple cubes together
- Accommodates (4) 50mL tubes, (10) 15mL conical tubes, (12) 12 x 75 or 12 x 100 tubes, or (16) 1.5 to 2.0mL microcentrifuge
- Interlock on all sides
- PP, Autoclavable



buy me because
I can organize all sizes of tubes.

Cat. No.	Color	Price/Pk	Price/Cs
M110049	Assorted Color	\$49.50/5	\$474.24/60

Wire Tube Racks



Cat. No.	Tube Cap. (ml)	Places	L x W x H (in.)	Price
M436413	50	8	5 ⁷ / ₈ x 3 x 3 ¹ / ₂	\$43.03
M436413-00	50	16	6 x 6 x 3 ¹ / ₂	57.69
M436413-01	50	36	9 x 9 x 3 ¹ / ₂	83.92
M106238	15	15	3 x 5 x 3	58.81
M436414	250	6	6 ³ / ₁₆ x 6 ⁵ / ₁₆ x 4	30.89

Microtube Rack, One Hand™

- Compact, lightweight, most attractive rack for your bench top
- Made of highly resistant acetal polymer, it will not shatter or stain in contact with most laboratory chemicals
- No coating to chip, peel or rust in a water bath



- Unit is submersible, it will sink and maintain stability without tipping over
- Stackable with interlocking feet for safe stacking; saves space
- Ideal for incubators, refrigerators, freezers, under lab hoods
- Made of 2 tiers to facilitate the insertion and stability of microtubes; will lock in the upper tier, thanks to a series of teeth grasping the collar of the microtube
- With one hand, you can easily unscrew just about any type of microcentrifuge tube with a screw-on closure
- An innovative locking system, the self-standing Microwtubes® will securely lock in each well of the base tier and will not turn
- Accepts all models of microtubes by various manufacturers
- Carry handles on each side will ensure a safe grip
- Individually wrapped **Dim.:** 293 mm x 115 mm x 39 mm H

Cat. No.	Color	Price/Cs
M112545	Blue	\$180.44/10
M112546	Green	180.44/10
M112547	Lilac	180.44/10
M112548	Orange	180.44/10
M112549	Yellow	180.44/10

Pop-Up™ Racks



- Collapse flat for compact storage, saves space when not in use
- Simple, easy action to expand & collapse when racks are needed
- Designed to help organize 15 and 50mL tubes
- Imprinted grid aides quick retrieval
- Can stack racks in open or closed position
- Robust polypropylene construction
- Not recommended for cleaning in autoclave
- Measures 255 x 137 x 72mm when expanded
- Measures 21mm H when collapsed

Cat. No.	Tubes	Wells	Color	Price/Pk
M112550	15mL	45	Purple	\$32.50/2
M112551	50mL	18	Green	32.50/2
M112552	15mL & 50mL	21 & 12	Blue	32.50/2
M112553	15mL & 50mL	21 & 12	Pink	32.50/2

22 CARTS / CLEANING

Lab Carts

buy us becauseTrays can be inverted for flat work surface



- Finger tip control in confined areas; tubular push handle
- 2 rigid and 2 swivel 5 in. rubber casters
- Heavy duty steel trays with three, 3 1/2 in. deep flanges
- Safety folded edges, all steel construction
- 1000 lbs capacity, 32 in. high; gray in color

Cat. No.	Description	Tray Size (in.)	Price
M152620	2 Tray Cart	16 x 30	\$240.00
M152622	2 Tray Cart	24 x 36	300.00
M152623	3 Tray Cart	16 x 30	279.00
M152625	3 Tray Cart	24 x 36	351.00

Utility Carts

buy us becauseyou can choose between the angle or "U" frame



- Sturdy Stainless steel with convenient push handle on wheels
- Creates instant space and organizes your equipment

- **M107619** Cart Dim. (WxLxH) : 16 1/4 x 27 1/2 x 32 1/8 in. ; Shelf Dim. : 15 1/2 x 24 in.
- **M101174** Cart Dim. (WxLxH) : 19 x 31 x 33 3/8 in. ; Shelf Dim. : 18 x 27 in.
- **M101175** Cart Dim. (WxLxH) : 22 3/8 x 38 5/8 x 37 1/8 in. ; Shelf Dim. : 21 x 33 in.; "U" Frame

Cat. No.	# of Shelves	Capacity	Price
M107619	3	200 lbs.	\$395.00
M101174	3	400 lbs.	569.60
M101175	2	650 lbs.	1,310.30

Heavy Duty Lab Cart



- Tough Duramold® construction, beige in color, won't dent, chip or flake
- Seamless construction for easy cleaning; rustproof
- Comes with 2 shelves for plenty of storage space with specially constructed casters for quiet maneuverability
- No sharp edges to nick or scrape walls and furniture

Cat. No.	Dimensions (in.)	Price
M152150	16 x 30 x 32 1/4	\$550.80
M152152	24 x 36 x 32 1/4	625.50

Brushes

buy us becauseDurable bristles and quality construction for all types of cleaning.



Beaker

Cat. No.	Beaker Brush	Lgth x Dia. (in)	Price/Pk
M215670	16 in. Long	6 x 2 7/8	\$61.46/1
M215671	12 in. Long	4 x 2 1/2	51.85/1

Cylinder



Cat. No.	Cylinder Brush	Bristle Lgth x Dia. (in)	Price/Pk
M215677	20 in. Long	6 x 2 3/8	\$51.08/4

Flask



Cat. No.	Flask Brush	Bristle Lgth x Dia. (in)	Price/Pk
M215676	16 in. Long, Black	4 1/2 x 1 3/4	\$34.22/3
M215673	12 in. Long, 250 ml	3 1/2 x 1 3/8	31.50/3
M215674	14 in. Long, 500 ml	4 x 1 1/2	32.58/3
M215683	12 in. Long, Swivel Joint	4 1/4 x 1 1/2	38.48/3
M215684	16 in. Long, Swivel Joint	4 1/4 x 1 3/4	40.75/3

Pipet



Cat. No.	Pipet Brush	Lgth x Dia. (in)	Price/Pk
M215678	19 in. Long	Body: 2 3/8 x 3 3/8 Nose: 4 x 1 1/8	\$53.32/12

Test Tube



Cat. No.	Test Tube Brush	Bristle Lgth x Dia. (in)	Price/Pk
M215681	8 in. Long, Small	3 x 1 1/2	\$21.53/3

Large Variety Brush Kit

buy me becauseThis kit cleans everything.



- 16 Piece kit consists of the most popular brushes for cleaning
- Kit includes: one each Cylinder/Bottle, Buret/Pipet, Beaker/Jar/Cylinder, 25ml Buret/Pipet, 15ml Centrifuge Tube, 250ml Flask Brush
- Kit includes: two each Micro-Tube Narrow Tube
11 - 14mm Test Tube
15 - 20mm Test Tube
21 - 36mm Test Tube

Cat. No.	Description	Price
M345044	Variety Brush Kit	\$126.99

Foam Glassware Brushes



- Foam bristles will not chip, scratch or break glassware
- Foam will not absorb water & become soggy or limp
- Durable enough to be reused - yet economical enough to be disposable
- **M105492** adjusts to fit any size test tube
- **M102941** & **M102942** can be used in large beakers and cylinders
- **M102504** is ideal for washing odd shaped glassware because it bends to fit any container shape

Cat. No.	Type	Length (in)	Price/ea	6+
M105492	Test Tube	8.5	\$9.01	\$8.01
M102941	Glassware	9	13.00	11.00
M102942	Glassware	18	16.90	14.50
M102504	Bendable	15	13.00	11.00
M106560	Variety Pack (1 each of above)		54.45	

800-684-1234

fax 800-561-3002

Touch-Free Soap Dispenser




buy me because I reduce contact with germs that linger on a dispenser.

- Delivers precise amount of soaps, detergents, lotions or anti-bacterial gels
- Creates germ free environment; no contamination
- Two preset dispensing amounts
- Built-in Infrared AI Smart-Chip
- 100% handsfree operation
- Easy soap landing, no mess access, no clogs or drips
- Table-top or wall-mount with docking holder included

Capacity:	500 ml / 16 oz.
Sensor Range:	3 in.
Finish:	Mirror Stainless Steel
Power:	4AA batteries (not included); 10,000+ dispensing cycles
Dims. (DxWxH):	5.5 x 3.5 x 8.25 in. / 1 lb.
Cat. No.	Description
M111013	Touch-Free Sensor Soap Dispenser
	Price
	\$102.00

Surface Soakers, Versi-Dry[®]



- Top layer is durable, cloth-like and won't fall apart when wet
- Backing is waterproof, chemical-resistant polyethylene that draws wetness away from the surface; skid-resistant
- Thirsty Cells[™] quickly absorb spills and cushion breakable labware
- Usages: bench top protection, shelf, cabinet, hood or tray liner, floor soaker/mat, wiping up spills, shipping liner for hazardous materials, clinical / surgical applications, animal cage liners
- Ideal for use with radiologicals, acids or dyes
- Nalgene[®]

Cat. No.	Description	Size	Price/Cs
Super Absorbency (Absorbs 1050 ml/sq. meter)			
M103008	Mat	18 x 20 in.	\$512.45/350
M103009	Mat	18 x 40 in.	512.45/175
M103010	Table Mat	20 x 43 in.	702.09/150
M103011	Rolls	20 in. x 250 ft.	257.68/ 1
M103012	Rolls	20 in. x 100 ft.	533.34/ 4
M106357	Floor Mat	18 x 40 in.	403.61/ 50
M106358	Floor Mat	40 in. x 200 ft.	384.39/ 1
Standard Absorbency (Absorbs 750 ml/sq. meter)			
M103013	Mat	18 x 20 in.	\$415.47/350
M103014	Dispenser Rolls	20 in. x 100 ft.	430.83/ 4
M103015	Dispenser Rolls	20 in. x 300 ft.	240.31/ 1
M103016	Rolls	20 in. x 150 ft.	240.31/ 2
M192715	Rolls	20 in. x 300 ft.	427.05/ 2
Standard Absorbency (Absorbs 750 ml/sq. meter)			
M106356	Roll	20 in. x 300 ft.	\$322.82/ 2

Kimwipes[™] & Holder



- **Kimwipes[™]**
 - Fine crepe surface is super absorbent, strong & non-abrasive
 - Lintguard polyshield reduces lint, protects personnel from contamination
 - Kimwipes[™] come in pop-up dispenser boxes
 - M192720 (small) are 4 1/2 x 8 1/2 inches; 280 sheets per box
 - M192730 (large) are 15 x 17 inches; 140 sheets per box
- **Kimwipes[™] Holder**
 - Holders provide easy access to Kimwipes[™]
 - Mounts to walls or cabinets in seconds
 - Add suffix to specify: Neon Red (-NR), Neon Blue (-NB), or Neon Green (-NG)

Cat. No.	Kimwipes [™]	Price	Price
Kimwipes[™]			
M192720	Small	\$7.86/Bx	\$6.92/30-59 Bx
	(1 Case = 60 Boxes)	392.70/Cs	336.60/ 5-10 Cs
M192730	Large	\$25.20/Bx	\$22.40/12-15 Bx
	(1 Case = 15 Boxes)	293.90/Cs	

Cat. No.	Color	Holder	Holds	Price/Ea	6+
Kimwipes[™] Holder					
M192710L	Clear	Large	M192730	\$43.13	\$38.98
M107627	Neon	Small	M192720	23.65	21.60
M107628	Neon	Large	M192730	48.67	44.24

Benchtop Covers

buy me because I will keep ur surfaces clean.



- Absorbent benchtop covers available in several sizes
- Economical alternative to other absorbent covers

Cat. No.	Size (in.)	Price/Cs
M105794	17 x 24	\$107.53/300
M105797	23 x 24	81.94/200
M105799	23 x 36	109.46/150

Liquid Cleaner, Micro 90[®]

- Unique cleaner with complexing and sequestering agents, a solubilizer, anionic and nonionic surface agents
- Use as chromic acid substitute
- Contains no phosphates
- Mixes instantly with water is safe and biodegradable
- Removes difficult residues
- Extremely low toxicity. Rinses 100% clean. pH of 9.7



Cat. No.	Size	Price/Ea	Price/Cs
M214650	1 Quart	\$26.88	\$258.00/12
M214652	1 Gallon	78.75	280.00/ 4
M214653	5 Gallons	270.00	

24 CLEANING



All Alconox® Products Are:

- Free Rinsing - No Interfering Residues
- USDA Authorized
- Biodegradable
- EPA Referenced
- Corrosion Inhibited

FREE SAMPLES!



Alcojet® Low Foaming Powdered Detergent

- Use: Nonionic, low foaming cleaner for use in labware washers, parts washers, power-spray systems, manual/ultrasonic cleaning
- **Recommended For:** Corrosion inhibited formula for glassware, metals, plastic, ceramic, porcelain, rubber & fiberglass
- Dilute 1:200, pH 12; sold 4 lbs. per box

Cat. No.	Price/Ea	Price/Cs
M215694-01	\$34.58/Bx	\$256.94/9

Alconox® Powdered Precision Cleaner

- Use: Anionic for manual/ultrasonic cleaning
- **Recommended For:** Cleaning contaminants from glassware, metals, plastic, ceramic, porcelain, rubber and fiberglass
- Excellent replacement for corrosive acids & hazardous solvents
- Concentrated, dilute 1:100, pH 9.5; sold 4 lbs. per box

Cat. No.	Price/Ea	Price/Cs
M215694	\$35.90/Bx	\$266.76/9

Alcotabs® Critical Cleaning Detergent Tablets

- Use: Effervescent detergent tablet
- **Recommended For:** Maximum cleaning in syphon pipette washers to clean pipettes and tubes
- Slow release bubble action
- pH 6.5; sold 100 tablets per bottle

Cat. No.	Price/Ea	Price/Cs
M100898	\$26.82/Btl	\$132.84/6

Luminox® Low Foaming Neutral Cleaner

- Use: Safe-handling detergent used for non-corrosive cleaning without chelation or alkalinity waste treatment problems
- **Recommended For:** Aluminum & soft metal, medical devices, pharmaceutical equipment & alkaline sensitive labware
- Detergent for use in manual, ultrasonic & machine cleaning
- Dilute 3:100, pH 7.0

Cat. No.	Price/Ea	Price/Cs
M100899	\$71.04/Gal	\$249.48/4

Dust-Off® XL



- Environmentally safe
- Non-ozone damaging Difluoroethane
- Triple filtered for highest purity available
- Cleans delicate electronic equipment

Cat. No.	Description	Price
M224105	Dust-Off® XL, 10 oz. can	\$54.61

Citranox® Liquid Acid Cleaner & Detergent

- Use: Cleaner and metal brightener, phosphate free
- **Recommended For:** High performance removal of metal oxides, scale, salts & inorganic residues in manual & ultrasonic cleaning
- Corrosion inhibitive; ideal for trace metal analysis
- Concentrated, dilute 2:100, pH 2.5

Cat. No.	Price/Ea	Price/Cs
M215690	\$59.52/Gal	\$196.56/4

Det-O-Jet® Low Foaming Liquid Detergent

- Use: Highly emulsifying & penetrating
- **Recommended For:** Heavy-duty alkaline for use in labware & parts washers, power-spray systems & ultrasonic cleaning systems
- Protects interior working parts of washers
- Dilute 1:100, pH 13

Cat. No.	Price/Ea	Price/Cs
M102397	\$15.87/Qt	\$169.20/12

Liqui-Nox® Critical Cleaning Liquid Detergent

- Use: Anionic detergent for manual & ultrasonic cleaning
- **Recommended For:** A neutral detergent for long instrument life; manual and immersion cleaning of vessels and equipment
- Extremely mild and completely soluble in hard and soft water
- Phosphate-free to eliminate phosphate interference
- Concentrated Liquid, dilute 1:100, pH 8.5

Cat. No.	Price/Ea	Price/Cs
M215695	\$21.51/Qt	\$197.64/12
M215695-1	69.00/Gal	227.88/4

Citra-Jet® Low Foaming Acid Cleaner

- Use: Low foaming, phosphate-free cleaner & metal brightener
- **Recommended For:** High performance removal of metal oxides, scale, salts and inorganic residues
- Corrosion inhibited and free rinsing
- Concentrated liquid, dilute 2:100, pH 2.5

Cat. No.	Price/Ea	Price/Cs
M107963	\$58.21/Gal	\$192.24/4

Scrub Pads



- Tougher than a regular sponge yet safe for glass, formica, tile, plastic and most lab surfaces
- Polyurethane and polyester construction for months of hard use without absorbing odors
- Non-allergenic

Cat. No.	Description	Price
M190500	Scrubs	\$42.76/12

800-684-1234

fax 800-561-3002

Icewares, Ice Buckets & Ice Pans, Magic Touch 2™



- Ideal for ice, dry ice, dry ice-salt or solvent slurries or liquid nitrogen
- Temperature range of -196 to 100°C (-320 to 212°F)
- Superior insulation and chemically resistant
- Expand urethane is lightweight for easy transport; virtually unbreakable
- Built-in spouts to pour off unwanted liquid*
- True-to-size with fill line indicators
- Non-sweating, won't absorb moisture or odors
- Lightly textured non-slip finish, stackable
- Snug fitting lids for additional insulation and protection of samples
- Lid fits in slot on underside of bucket/pan

Made in USA

Cat. No.	Color	Dia. x Hgt. (in.)	Price
2.5L Lab Ice Buckets w/ Lid			
M111599	Blue	10 x 7	\$95.00
M111600	Black	10 x 7	95.00
M111601	Red	10 x 7	95.00
M111602	Green	10 x 7	95.00
4.0L Lab Ice Buckets with Lid			
M111603	Blue	10 x 9	\$105.00
M111604	Black	10 x 9	105.00
M111605	Red	10 x 9	105.00
M111606	Green	10 x 9	105.00

Cat. No.	Color	Lgth x Width x Hgt. (in.)	Price
1L Lab Mini Ice Pans with Lid (*do not have pouring spout or fill line)			
M111607	Blue	7 x 7 x 5	\$65.00
M111608	Black	7 x 7 x 5	65.00
M111609	Red	7 x 7 x 5	65.00
M111610	Green	7 x 7 x 5	65.00
4.0L Lab Midi Ice Pans with Lid			
M111611	Blue	12 x 9 x 8.5	\$105.00
M111612	Black	12 x 9 x 8.5	105.00
M111613	Red	12 x 9 x 8.5	105.00
M111614	Green	12 x 9 x 8.5	105.00
9.0L Maxi Ice Pan without Lid			
M111615	Blue	16 x 12 x 8	\$105.00
M111616	Black	16 x 12 x 8	105.00
M111617	Red	16 x 12 x 8	105.00
M111618	Green	16 x 12 x 8	105.00
9.0L Maxi Ice Pan with Lid			
M111619	Blue	16 x 12 x 8	\$140.00
M111620	Black	16 x 12 x 8	140.00
M111621	Red	16 x 12 x 8	140.00
M111622	Green	16 x 12 x 8	140.00

Cryogenic Vials



- All Vials**
- Self-standing with external threads for aseptic technique
 - Conical bottom allows for full retrieval of sample
 - PP with HDPE closure
 - Vial base interlocks with vial boxes

Sterile Vials Only

- Radiation-sterilized and non-cytotoxic, non-pyrogenic
- White marking area with "fill line" and graduations printed on vial
- Packed with closures attached
- NALGENE®

Non-Sterile Vials Only

Not autoclavable

Cat. No.	Size (ml)	O.D. x Hgt (mm)	Packed	Price/Cs
Sterile				
M210307-12	1.2	13.5 x 38.1	25/Bag	\$335.16/ 500
M210307-20	2.0	13.5 x 48.3	25/Bag	335.16/ 500
M210307-50	5.0	13.5 x 92	10/Bag	217.65/ 500
M210301-00	1.2	13.5 x 38.1	Bulk	586.82/1000
M210301-01	2.0	13.5 x 48.3	Bulk	586.82/1000
Non-Sterile, Ungraduated				
M210300-01	1.2	13.5 x 38.1	Bulk	\$485.68/1000
M210300-02	2.0	13.5 x 48.3	Bulk	485.68/1000

Cryogenic Boxes



- Stores Nalgene Cryogenic vials or most other 1.2, 2.0, 5.0ml vials
- Vented for rapid freeze-down
- Temp. range of: -196° to 121°C
- Boxes and lids have numerical grid system
- Can be be marked for sample identification
- Polycarbonate
- NALGENE®

Cat. No.	Grid	L x W x H (in.)	Price/Pk	Price/Cs
5 x 5 Array for 1.2 & 2.0 ml Vials				
M210309-05	White	3 x 3 x 2	\$97.82/8	\$378.67/48
9 x 9 Array for 1.2 & 2.0 ml Vials				
M210309-05	White	5 1/4 x 5 1/4 x 2	\$97.82/4	\$378.67/24
M106439	Red	5 1/4 x 5 1/4 x 2	76.86/4	297.53/24
M106440	Yellow	5 1/4 x 5 1/4 x 2	76.86/4	297.53/24
M106441	Green	5 1/4 x 5 1/4 x 2	76.86/4	297.53/24
M106442	Blue	5 1/4 x 5 1/4 x 2	76.86/4	297.53/24
M106443	Gray	5 1/4 x 5 1/4 x 2	76.86/4	297.53/24
M106444	Asst.	5 1/4 x 5 1/4 x 2		297.53/24
9 x 9 Array for 5.0 ml Vials				
M210309-10	White	5 1/2 x 5 1/4 x 3 3/4	\$100.56/4	\$389.25/24

Cryo-Rack with Drawers



- Built-in drawers allowing access to boxes at the back of freezer
- Easily remove sample without taking the entire rack from freezer
- Corrosion resistant stainless steel
- Racks available for 5.25 x 5.25 in. square boxes in 2 or 3 high styles

Cat. No.	Cap.	L x W x H (in.)	Price
Holds 2 In Boxes			
M106248	9	16 ¹ / ₂ x 5 ¹ / ₂ x 7 ¹ / ₈	\$153.38
M106249	12	22 x 5 ¹ / ₂ x 7 ¹ / ₈	204.75
M106250	12	16 ¹ / ₂ x 5 ¹ / ₂ x 9 ⁷ / ₁₆	204.75
M106251	16	22 x 5 ¹ / ₂ x 9 ⁷ / ₁₆	273.03
M106252	15	16 ¹ / ₂ x 5 ¹ / ₂ x 11 ¹³ / ₁₆	258.37
M106253	20	22 x 5 ¹ / ₂ x 11 ¹³ / ₁₆	341.00
Holds 3 In Boxes			
M106254	6	16 ¹ / ₂ x 5 ¹ / ₂ x 6 ³ / ₄	\$105.00
M106255	8	22 x 5 ¹ / ₂ x 6 ³ / ₄	139.78
M106256	9	16 ¹ / ₂ x 5 ¹ / ₂ x 10 ¹ / ₄	157.16
M106257	12	22 x 5 ¹ / ₂ x 10 ¹ / ₄	209.78

Upright Freezer Racks



- Holds each box securely and separately
- Hold 2 in. high boxes
- Allows for easy retrieval of boxes
- Corrosion resistant stainless steel

Cat. No.	Array	Dims. L x W x H (in.)	Price
M107696	3 x 3	16 ⁵ / ₁₆ x 5 ¹ / ₂ x 6 ¹ / ₂	\$105.00
M107697	3 x 4	16 ⁵ / ₁₆ x 5 ¹ / ₂ x 8 ³ / ₄	139.75
M107698	4 x 3	21 ⁵ / ₈ x 5 ¹ / ₂ x 6 ¹ / ₂	139.75
M107699	4 x 4	21 ⁵ / ₈ x 5 ¹ / ₂ x 8 ³ / ₄	167.22
M107700	3 x 5	16 ⁵ / ₁₆ x 5 ¹ / ₂ x 11	175.00
M107701	3 x 6	16 ⁵ / ₁₆ x 5 ¹ / ₂ x 13 ¹ / ₈	224.38
M107702	4 x 5	21 ⁵ / ₈ x 5 ¹ / ₂ x 11	241.25
M107703	4 x 6	21 ⁵ / ₈ x 5 ¹ / ₂ x 13 ¹ / ₈	289.87

HDPE Dewar Flasks

buy me because

My polyethylene coated bail-type steel handle for added safety and ease of use



- For short-term storage of dry ice and liquid nitrogen from -196° to +100°C
- Large opening for easy access
- Built in spout for easy pouring
- Finger grip on bottom for secure handling Metal tabs keep lid securely in place
- Double wall molded of HDPE filled with CFC free foamed urethane insulation
- NALGENE®

Cat. No.	Liter	Price/Pk	Price/Cs
M241700	1	\$654.53/1	\$914.93/4
M241701	2	374.58/1	483.33/2
M241702	4	407.39/1	525.67/2
M241703	9		489.21/1

Freezer Storage Boxes

100 Place



buy me because

Tubes fit "A-1" position for a true 10-place rack.

- 100-place, compact, safe storage for 0.5, 1.5 & 2.0ml tubes & cryo vials
- Alphanumeric indexing
- Stackable, 'no slide' feature



- Black for light sensitive samples
- Hinged translucent lid for easy access and viewing
- Compact storage, keep organized on bench, in freezer, or transport
- Colored box to organize & categorize
- Boxes: 15.4 x 14.3 x 5.6cm (6 x 5.7 x 2.2"H)
- Use at -80 to 121°C, (-112 to +249°F)
- Autoclavable polypropylene

Cat. No.	Color	Price/Pk
M111341	Natural	\$42.75/5
M111342	Blue	42.75/5
M111343	Green	42.75/5
M111344	Orange	42.75/5
M111345	Purple	42.75/5
M111346	Assorted, 1 Each Color Above (except black)	42.75/5
M111347	Black	42.75/5

Cryo Boxes and Dividers

Cardboard




- Can be stored in liquid nitrogen or mechanical freezers
- Ideal for identification and sorting purposes
- Paper wrapped cardboard cryo boxes and dividers
- Dividers available to create 64, 81, or 100 cells
- Boxes are available in 50 or 75 mm tall sizes
- Small footprint 133 x 133 mm
- Boxes and dividers are sold separately
- Assorted pack contains four each of blue, red and yellow

Cat. No.	Size	Color	Price/Pk
Cardboard Boxes			
M106242	50 mm	White	\$42.50/12
M106243	75 mm	White	47.79/12
M111337	50 mm	Assorted	43.50/12
M111338	50 mm	Blue	43.50/12
M111339	50 mm	Red	43.50/12
M111340	50 mm	Yellow	43.50/12
Cardboard Dividers			
M106244	64 Cell		\$39.58/12
M106245	81 Cell		41.68/12
M106246	100 Cell		41.68/12

Vacuum Desiccators

- Holds a vacuum of 740mm (29 in.) Hg for 24 hours; shatterproof
- PP constructed lower section with excellent chemical resistance
- Transparent, light amber tint polycarbonate cover
- Non-corrosive, removable pan holds drying agents; requires no grease
- Neoprene "O" ring on the bottom section for an excellent seal with the upper section



buy me because
There is no danger of implosion, even under full vacuum.

Vacuum retention valve is operated by slowly turning the plug to allow entrance of air w/o damage to crucibles. Lid, with retention valve, may be used with standard glass desiccators

Cat. No.	Flange O.D. (in.)	Inside Dia. (in.)	Overall Hgt. (in.)	Price
M101158	6 ³ / ₄	5 ⁷ / ₈	7 ¹ / ₂	\$80.39
M101159	9 ¹ / ₄	7 ³ / ₄	9 ¹ / ₂	107.94
M101160	11 ¹ / ₄	9 ³ / ₄	11 ¹ / ₂	149.85

Desiccator Plates, Semi-Expanded Polypropylene

Cat. No.	Use w/ Desiccator	Size (mm.)	Price
M101161	M101158	141	\$38.40
M101162	M101159	190	41.54
M101163	M101160	239	48.37

Desiccants, Drierite[™]

- All-purpose drying agent for air, industrial gasses, refrigerants, organic liquids or mixed solvents
- Maintains dry atmosphere in storage spaces, vaults, packages, etc.
- Protection of hygroscopic materials or materials subject to mildew, corrosion, rust or other deterioration
- Made from naturally occurring gypsum



Mesh	lb./Pkg.	Regular	Price	Indicating	Price
4	1	M214700	\$31.25	M214605-001	\$50.14
4	5	M214701	138.69	M214605-005	223.39
8	1	M106678	57.09	M214605-1	132.95
8	5	M106679	193.88	M214605-5	323.61
10-20	1	M214704	31.25	M107415	112.44
10-20	5	M214705	144.18	M107416	212.63

Drying and Retaining Trays

- Ideal for drying and staining
- Great for paper or gel electrophoresis or paper chromatography
- All trays are slightly oval in shape except M100843
- Autoclavable PYREX[®] glass



Note: Do not place over direct heat, for oven use only. Dimensions are internal and do not include handles.

Cat. No.	L x W x D (mm)	Approx. Cap. (L)	Price/Cs
M100842	272 x 180 x 50	1.75	\$60.55/4
M100843	201 x 201 x 55	2	58.92/4
M100845	349 x 249 x 60	3.5	92.44t/4

Free Gifts, More Products

Agarose LE

- High purity and reduced background
- Green Choice - free from organic solvents
- Enhanced resolution and clarity
- Use for analyses of proteins and nucleic acids of various sizes (150 bp to 6 kbp)
- Low EEO promotes increased electrophoretic mobility for improved resolution & shorter run times
- Applications: variety of molecular biology as well as multi-purpose use
- High hysteresis, improved thermal stability



Moisture:	≤ 7%
EEO (electroendosmosis):	≤ 0.13 -mr
Sulfate:	≤ 0.2%
Gelling Temp. (at 1.5%):	36° ± 1.5°C
Melting Temp. (at 1.5%):	88° ± 1.5°C
Gel Strength (at 1.0%) / (at 1.5%):	1200g/cm ² / 2500g/cm ²
DNase / RNase, Protease, Endonuclease:	None Detected

Cat. No.	Agrose LE	Price
M111113	25g	\$37.80
M111114	100g	104.00
M111115	500g	405.90

Staining Boxes

- Ideal to stain, fix, destain and handle electrophoresis gels and membranes
- Resists temp. from -70 to +70°C
- Good chemical resistance to acids, bases and organic solvents
- LDPE plug provides leakproof seal and allows easy liquid drainage
- 2 sizes that hold 500 - 750ml of liquid
- Handles for secure transportation and stackable to save space



Cat. No.	Interior L x W x H (cm)	Price/Ea	Price/Cs
M461020	12.5 x 12.5 x 5	\$43.34	\$77.04/2
M461021	22.5 x 22.5 x 5	56.44	100.33/2

Desiccator Cabinets, Secador[®]

- Co-polyester material assures blockage of 99% of UV light
- Door-mounted dial hygrometer for convenient tracking of RH
- Patented, airtight seal design provides moisture / dust-free storage of items or chemicals sensitive to dampness; sturdy latch
- Has loops to secure contents with tamper evident seal or padlock
- Resistant to staining, grazing and chemical attack
- Stackable; space-saving, small footprint

Amber Tinted

- Excellent protection for expensive light sensitive materials, reduces visible light penetration by more than 50%
- Clear polystyrene shelves plastic; perforated holes for air circulation
- The Auto-Desiccators Units feature a patented electronic dehumidification system that quickly regenerates desiccant, reduces relative humidity to 25%, and circulates dry air routinely to assure safe, dry storage even when the cabinet door is opened frequently



Amber Tinted

Cat. No.	Unit	No. of Shelves	Internal Size	Price
M110802	1.0	1	8.4 x 13.4 x 16.3	\$271.24
M110803	2.0	2	12.4 x 13.4 x 16.3	505.45
M110804	2.0 Auto	2	12.4 x 13.4 x 16.3	1,999.65
M110805	3.0	3	16.4 x 13.4 x 16.3	634.05
M110806	3.0 Auto	3	16.4 x 13.4 x 16.3	942.08

For other Desiccators Cabinets go to www.labmart.com

Go To labmart.com

Filter Paper Circles, Whatman®



- **Qualitative Filters:** Used for qualitative analytical techniques to determine and identify materials. **Grade 1** has a medium retention for soil analysis and seed testing procedures, food industry testing, air pollution monitoring and gas retention. **Grade 4** has a high flow rate with good retention of larger particles and gelatinous precipitates such as ferric hydroxide and aluminum hydroxide.
- **Glass Microfiber:** Filters have fast flow rates, high loading capacity and high retention of fine particles. Produced from the highest grades of borosilicate glass and binderfree. Filters will withstand temperatures up to 550°C and can be used in gravimetric analysis where ignitions are involved or in the filtration of hot gases. **934-AH** for water and air pollution monitoring, cell harvesting, liquid scintillation counting.
- **Ashless Quantitative:** Produced under carefully controlled conditions which ensure low ash levels of 0.01%. Ideal for the widest range of critical analytical filtration operations. **Grade 40's** applications include gravimetric analysis, filtration of solutions prior to atomic absorption spectrophotometry and monitoring air pollution. **Grade 41** is for analytical procedures involving large particles for gelatinous precipitates such as iron or aluminum hydroxides. **Grade 42's** typical analytical precipitates include barium sulfate, metastannic acid and finely precipitated calcium carbonate.

Cat. No.	Grade Number	Particle Retention	Dia. (cm)	Price/Pk
Ashless Quantitative				
M106699	40	8 µm	5.5	\$33.21/100
M106700	40	8 µm	7	34.65/100
M106598	40	8 µm	9	48.20/100
M101945	40	8 µm	11	57.25/100
M101946	40	8 µm	12.5	64.81/100
M106701	40	8 µm	15	85.94/100
M106702	41	20-25 µm	5.5	27.09/100
M106703	41	20-25 µm	7	34.65/100
M101947	41	20-25 µm	9	45.29/100
M106704	41	20-25 µm	11	54.32/100
M101948	41	20-25 µm	12.5	63.36/100
M101949	41	20-25 µm	15	85.94/100
M106705	42	2.5 µm	5.5	30.16/100
M106706	42	2.5 µm	7	36.12/100
M106707	42	2.5 µm	9	48.20/100
M106708	42	2.5 µm	11	58.85/100
M106709	42	2.5 µm	12.5	67.86/100
M106710	42	2.5 µm	15	85.94/100

Cat. No.	Grade Number	Particle Retention	Dia. (cm)	Price/Pk
Qualitative				
M106689	1	11 µm	5.5	\$12.06/100
M106690	1	11 µm	7	12.06/100
M101938	1	11 µm	9	15.15/100
M101939	1	11 µm	11	18.08/100
M101940	1	11 µm	12.5	18.08/100
M101941	1	11 µm	15	27.09/100
M101942	1	11 µm	18.5	37.72/100
M106691	4	20-25 µm	5.5	13.57/100
M106692	4	20-25 µm	7	13.57/100
M106693	4	20-25 µm	9	16.62/100
M106596	4	20-25 µm	11	21.11/100
M101943	4	20-25 µm	12.5	27.09/100
M101944	4	20-25 µm	15	34.65/100
M106694	4	20-25 µm	18.5	51.27/100
Glass Microfiber				
M106695	934-AH	1.5 µm	2.1	\$31.92/100
M106696	934-AH	1.5 µm	2.4	31.11/100
M106597	934-AH	1.5 µm	4.25	50.30/100
M106697	934-AH	1.5 µm	4.7	55.42/100
M101950	934-AH	1.5 µm	5.5	64.64/100
M101951	934-AH	1.5 µm	7	82.21/100
M101952	934-AH	1.5 µm	9	121.83/100
M101953	934-AH	1.5 µm	11	137.26/100
M101954	934-AH	1.5 µm	12.5	188.22/100
M106698	934-AH	1.5 µm	15	245.58/100

Syringe Filters, CELLTREAT®



- Available in a variety of membrane types, porosities and diameters
- Color coded for easy identification
- All syringe filters have luer-lock connections with polypropylene housings
- Filters are molded in the housings, providing a reliable seal without the use of adhesives
- Individually packed in peel-to-open paper/plastic blister packs
- Supplied sterile (gamma irradiated)

Cat. No.	Membrane Pore Size	Membrane Dia.	Price/Cs
Blue in Color; PVDF Material			
M112702	0.10 µm	13 mm	\$48.00/75
M112703	0.10 µm	30 mm	40.00/30
M112704	0.22 µm	13 mm	48.00/75
M112705	0.22 µm	30 mm	40.00/30
M112706	0.45 µm	13 mm	48.00/75
M112707	0.45 µm	30 mm	40.00/30
Green in Color; PES Material			
M112708	0.22 µm	13 mm	\$48.00/75
M112709	0.22 µm	30 mm	40.00/30
M112710	0.45 µm	13 mm	48.00/75
M112711	0.45 µm	30 mm	40.00/30

Cat. No.	Membrane Pore Size	Membrane Dia.	Price/Cs
Yellow in Color; MCE Material			
M112712	0.22 µm	13 mm	\$48.00/75
M112713	0.22 µm	30 mm	40.00/30
M112714	0.45 µm	13 mm	48.00/75
M112715	0.45 µm	30 mm	40.00/30
Pink in Color; Nylon Material			
M112716	0.45 µm	13 mm	\$48.00/75
M112717	0.45 µm	30 mm	40.00/30
White in Color; PTFE Material			
M112718	0.22 µm	13 mm	\$80.00/75
M112719	0.22 µm	30 mm	55.00/30
M112720	0.45 µm	13 mm	80.00/75
M112721	0.45 µm	30 mm	55.00/30

Table Top Buchner Funnel



- **With Porous Filter Plates** 1 Piece design with a fixed or a removable porous filter plate supported by a multiple ring grid. Filter plates are made of high density polyethylene $\frac{1}{4}$ in. h (6.4mm) thick. A non-porous ring at the periphery of the plate seals filter paper when used. Vacuum connector accepts $\frac{1}{2}$ in. ID tube. Available in 2 porosities, coarse (90-130 microns) and medium (45-90 microns). Special sizes & features made to order. Use below 125°F.
- **With Perforated Filter Plates Section** Fixed or removable perforated filter plate. The plate is made of $\frac{3}{16}$ in. (4.8mm) thick high density polyethylene and has $\frac{3}{16}$ in. perforations on $\frac{7}{16}$ in. (11 mm) centers. The fixed version is for coarse filtration or use with a cloth or paper filter. A removable filter plate is also available. Use below 125°F. 24 and 36 Sizes come crated.
- **Filter Paper Disks** Fit table top Buchner funnels are E-D 615 type for fast filtering. Rough crepe surface with a thickness of 0.25mm, weight 70 g/sq. meter, flow rate 235 ml/min., retention of 24 microns and wet strength of 40 cm.

Cat. No.	Description	Inside Dia. x Overall Hgt. x Rim to Plate (in.)	Price
Porous Fixed			
M253604-00	Coarse	10.25 x 7 x 5	\$357.88
M253604-01	Coarse	18 x 11.5 x 9	887.46
M253604-02	Coarse	24 x 13 x 10.25	1,844.89
M253604-03	Coarse	36 x 14.75 x 12	2,899.89
M253604-11	Medium	10.25 x 7 x 5	362.67
M253604-12	Medium	18 x 11.5 x 9	887.46
M253604-13	Medium	24 x 13 x 10.25	1,844.89
M253604-14	Medium	36 x 14.75 x 12	2,899.89
Porous Removable			
M253604-15	Coarse	10.25 x 7 x 5	\$362.69
M253604-16	Coarse	18 x 11.5 x 9	887.46
M253604-17	Coarse	24 x 13 x 10.25	1,844.89
M253604-18	Coarse	36 x 14.75 x 12	2,899.89
M253604-19	Medium	10.25 x 7 x 5	362.69
M253604-20	Medium	18 x 11.5 x 9	887.46
M253604-21	Medium	24 x 13 x 10.25	1,844.89
M253604-22	Medium	36 x 14.75 x 12	2,899.89
Perforated			
M253604-07	Fixed	10.25 x 7 x 5	\$362.69
M253604-08	Fixed	18 x 11.5 x 9	767.10
M253604-09	Fixed	24 x 13 x 10.25	1,216.45
M253604-10	Fixed	36 x 14.75 x 12	2,168.63
M253604-23	Removable	10.25 x 7 x 5	362.69
M253604-24	Removable	18 x 11.5 x 9	767.10
M253604-25	Removable	24 x 13 x 10.25	1,216.45
M253604-26	Removable	36 x 14.75 x 12	2,168.63
Filter Papers			
M140400-18	18 in. Diameter		\$243.06/100
M140400-24	24 in. Diameter		309.35/100
M140400-36	36 in. Diameter		1,232.97/100

Complete Vacuum Filter Systems

Corning[®]



- Color-coded by membrane type for easy identification
- Angled hose connector simplifies vacuum line attachment
- Receiver bottles have easy grip sides
- Sterile and certified non-pyrogenic
- Prefilters sold separately

CA: Cellulose Acetate; NY: Nylon; PES: Polyethersulfone;
CN: Cellulose Nitrate

Cat. No.	Membrane Material	Pore Size	Funnel/Receiver Cap. (ml)	Price
60 mm Membrane Diameter				
M110308	CA	0.45	115 / 115	89.70/12
50 mm Membrane Diameter				
M110309	CA	0.22	150 / 150	\$89.70/12
M110310	CA	0.45	150 / 150	89.70/12
M110311	PES	0.22	150 / 150	89.70/12
50 mm Membrane Diameter				
M231070	CA	0.22	250 / 250	\$97.33/12
M231072	CA	0.45	250 / 250	97.33/12
M231071	NY	0.2	250 / 250	101.92/12
M110312	CN	0.2	250 / 250	94.27/12
M104907	PES	0.22	250 / 250	98.43/12
70 mm Membrane Diameter				
M231075	CA	0.22	500 / 500	\$165.75/12
M231076	CA	0.45	500 / 500	165.75/12
M231077	NY	0.2	500 / 500	179.46/12
M110317	CN	0.2	500 / 500	168.57/12
M104908	PES	0.22	500 / 500	160.32/12
90 mm Membrane Diameter				
M104910	CA	0.22	1000 / 1000	\$244.83/12
M110313	CA	0.22	500 / 500	219.68/12
M104909	CA	0.45	1000 / 1000	244.83/12
M110314	CA	0.45	500 / 500	219.68/12
M110315	NY	0.2	1000 / 1000	263.77/12
M110316	CN	0.2	1000 / 1000	240.63/12
M104911	PES	0.22	1000 / 1000	238.23/12

Free Gifts, More Products

Go To labmart.com

30 FILTRATION

Filter Systems & Bottle Top Filters



- Angled hose barb adapter fits 3 size hose diameters & increases unit stability
- Polyethersulfone (PES) membrane for high flow and low binding
- Two membrane pore sizes: 0.22 or 0.45µm
- Filter systems include bottle top filter and solution bottle with cap
- Bottle top filters fit on CELLTREAT solution bottles or other standard 45mm threaded solution storage bottles
- Bottle top filters do not include solution bottles and are packaged sterile (gamma irradiated) in bags

Cat. No.	Capacity	Filter Pore Size	Filter Diameter	Price/Cs
Filter Systems				
M112673	150 mL	0.45 µm	50 mm	\$63.00/12
M112674	250 mL	0.45 µm	50 mm	65.00/12
M112675	500 mL	0.45 µm	75 mm	98.00/12
M112676	1000 mL	0.45 µm	90 mm	149.00/12
M112677	150 mL	0.22 µm	50 mm	64.00/12
M112678	250 mL	0.22 µm	50 mm	66.00/12
M112679	500 mL	0.22 µm	75 mm	99.00/12
M112680	1000 mL	0.22 µm	90 mm	150.00/12
Bottle Top Filters				
M112681	150 mL	0.45 µm	50 mm	\$89.00/24
M112682	250 mL	0.45 µm	50 mm	100.00/24
M112683	500 mL	0.45 µm	75 mm	137.00/24
M112684	1000 mL	0.45 µm	90 mm	221.00/24
M112685	150 mL	0.22 µm	50 mm	90.00/24
M112686	250 mL	0.22 µm	50 mm	102.00/24
M112687	500 mL	0.22 µm	75 mm	139.00/24
M112688	1000 mL	0.22 µm	90 mm	223.00/24

Filtering Flasks



- Made from polypropylene
- Molded in one piece to withstand full vacuum to 30-in. Hg. Tubulation at 45 degree angle prevents tipping
- Barbed adapter accepts 1/4- to 3/8-in. I.D. tubing
- Oval marking area
- Autoclavable

Cat. No.	Cap. ml	Fits tubing I.D., in.	Fits tubing I.D., mm	Stopper No.	Price
M101218	500	1/4 to 3/8	6.4 to 9.5	7	\$23.99
M101219	1000	1/4 to 3/8	6.4 to 9.5	8	37.99
M101220	1700	3/8	9.5	10	45.22

HPLC Dissolution Syringe

Filters, LabMart®



- All syringe filters are constructed of a polypropylene housing with Luer locks on the inlet and outlet
- Designed to provide critical and consistent results with uninterrupted performance
- Confirmed physical specifications for retention, burst pressure and flow rate
- Certified HPLC performance for interference free data results and clarity test for max efficiency at stated pore size
- Lot controlled w/ retention sample program for full documentation
- Designed for results, engineered for performance
- Unequaled reproducibility, filter to filter, lot to lot
- Certified HPLC performance
- Cost effective, quality alternative for improved analysis
- The 17 mm filter housings are white and the 4 mm and 30 mm are transparent
- Packaged 25 per jar with 4 jars per case
- Polysulfone and polypropylene syringe filters also available, please inquire

Cat. No.	Dia. (mm)	Pore Size (µm)	Price/Cs
Nylon Filters			
M103093	4	0.45	\$155.43/100
M103094	4	0.2	130.00/100
M103095	17	0.45	153.94/100
M103096	17	0.2	153.97/100
M103097	30	0.45	204.82/100
M103098	30	0.2	222.63/100
M103099	30	1.5	200.77/100
M103100	30	5.0	200.77/100
Glass Microfiber Filter			
M103112	30	0.7	\$181.43/100
M103113	30	1.2	181.45/100
M103114	30	2.7	181.45/100
PTFE Filter			
M103103	4	0.45	\$130.00/100
M103104	4	0.2	129.97/100
M103105	17	0.45	171.42/100
M103106	17	0.2	171.44/100
M103107	30	0.45	204.20/100
M103108	30	0.2	204.22/100
M103109	30	1.2	204.22/100
Cellulose Acetate Filter			
M103128	4	0.45	\$154.20/100
M103129	4	0.2	154.20/100
M103130	17	0.45	172.07/100
M103131	17	0.2	172.07/100
M103132	30	0.45	209.28/100
M103133	30	0.2	209.24/100

800-684-1234

fax 800-561-3002



Free Samples on High Five Gloves.
call 800-684-1234

Nitrile Facts

- 100% Latex free for people who are sensitive to latex
- No MBTs, Thiurams used in manufacturing
- No Carbamates detectable using HPLC test

Nitrile, Latex, Vinyl Gloves



- Passes viral penetration test (ASTM F1671)
- 1.5 or 2.0 AQL pinhole rating, ISO 9002 Certification
- 510K Approved for medical use; 100% tested for pinholes/defects
- Non-sterile, ambidextrous with beaded cuff for easing donning

Nitrile - Powder Free

Aloe Coated



Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Green
Packaging: 100/pack; 10 packs / case

buy me becauseContains a soothing layer of aloe to protect your hands.

Cat. No.	Size	Price/Pk	Price/Cs
M102945	S	\$40.73	\$380.10
M102946	M	40.73	380.10
M102947	L	40.73	380.10
M102948	XL	40.73	380.10



Nitrile - Powder Free

Premium



Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.9 mil (finger)
Color: Light Blue
Packaging: 100/pack; 10 packs / case

buy me becauseI'm s oft and stretchy with exceptional durability. I have superior puncture and chemical resistance.

Cat. No.	Size	Price/Pk	Price/Cs
M109188	XS	\$26.33	\$245.70
M109090	S	26.33	245.70
M109091	M	26.33	245.70
M109092	L	26.33	245.70
M109093	XL	26.33	245.70



Nitrile - Powder Free

Cobalt Blue



Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.5 mil (finger)
Color: Cobalt Blue
Packaging: 100/pack; 10 packs / case

buy me becauseSoft and stretchy with exceptional durability. Ideal for jobs requiring tactile sensitivity, puncture-resistant.

Cat. No.	Size	Price/Pk	Price/Cs
M106360	S	\$27.68	\$258.30
M106361	M	27.68	258.30
M106362	L	27.68	258.30
M106363	XL	27.68	258.30



Nitrile - Powder Free

Black



Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.9 mil (finger)
Color: Black
Packaging: 100/pack; 10 packs / case

buy me becauseIdeal for work areas where jobs get messy.

Cat. No.	Size	Price/Pk	Price/Cs
M110475	S	\$29.70	\$277.20
M110476	M	29.70	277.20
M110477	L	29.70	277.20
M110478	XL	29.70	277.20



Nitrile - Powder Free

Long Cuff



Finish: Textured
Powder: Powder Free
Length: 12 inches
Thickness: 6.0 mil (palm),
7.0 mil (finger)
Color: Teal
Packaging: 50/pack; 10 packs / case

buy me becauseI am longer & thicker for added protection.

Cat. No.	Size	Price/Pk	Price/Cs
M105479	S	\$30.60	\$285.60
M105480	M	30.60	285.60
M105481	L	30.60	285.60
M105482	XL	30.60	285.60



Nitrile - Powder Free

White or Blue



Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.5 mil (finger)
Color: White or Blue
Packaging: 100/pack; 10 packs / case

Cat. No.	Color	Size	Price/Pk	Price/Cs
M100801	White	S	\$40.05	\$373.80
M100802	White	M	40.05	373.80
M100803	White	L	40.05	373.80
M100804	White	XL	40.05	373.80
M103506	Blue	S	39.60	369.60
M103507	Blue	M	39.60	369.60
M103508	Blue	L	39.60	369.60
M103509	Blue	XL	39.60	369.60



32 GLOVES



Free Samples on High Five Gloves.
call 800-684-1234

Nitrile - Powder Free

Aloe Coated, Textured Fingers

HIGH FIVE



Finish: Textured Fingers
Powder: Powder Free
Length: 9.5 inches
Thickness: 3.0 mil (palm),
3.1 mil (finger)
Color: Blue-Green
Packaging: 100/box; 10 boxes / case

buy me because Extra soft, Medical Grade with exceptional fit and feel.

Cat. No.	Size	Price/Pk	Price/Cs
M110683	S	\$31.27	\$291.90
M110684	M	31.27	291.90
M110685	L	31.27	291.90
M110686	XL	31.27	291.90

Nitrile - Powdered

Food Handling, Non-Medical

HIGH FIVE



Finish: Textured
Powder: Lightly Powdered
Length: 9.5 inches
Thickness: 5.5 mil (palm),
5.9 mil (finger)
Color: Blue
Packaging: 100/pack; 10 packs / case

buy me because Industrial grade & approved for food handling.

Cat. No.	Size	Price/Pk	Price/Cs
M100805	S	\$38.70	\$361.20
M100806	M	38.70	361.20
M100807	L	38.70	361.20
M100808	XL	38.70	361.20

Vinyl - Powder Free

Clear

HIGH FIVE



Finish: Smooth
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.0 mil (palm),
5.5 mil (finger)
Color: Clear
Packaging: 100/pack; 10 packs / case

buy me because I can stretch and conform also come with double layer construction.

Cat. No.	Size	Price/Pk	Price/Cs
M481000-S	S	\$22.55	\$213.20
M481000-M	M	22.55	213.20
M481000-L	L	22.55	213.20
M481000-XL	XL	22.55	213.20

Vinyl - Powdered

Clear

HIGH FIVE



Finish: Smooth
Powder: Lightly Powdered
Length: 9.5 inches
Thickness: 5.0 mil (palm),
5.5 mil (finger)
Color: Clear
Packaging: 100/pack; 10 packs / case

buy me because I am powdered for easy donning and comes with a double layer construction.

Cat. No.	Size	Price/Pk	Price/Cs
M273020-S	S	\$22.86	\$193.36
M273020-M	M	22.86	193.36
M273020-L	L	22.86	193.36
M273020-XL	XL	22.86	193.36

Synthetic

Latex-Free, Applause®

HIGH FIVE



Finish: Smooth
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Opaque/Natural
Packaging: 100/pack; 10 packs / case

buy me because Proprietary synthetic formulation with exceptional elasticity & tensile strength.

Cat. No.	Size	Price/Pk	Price/Cs
M103140	S	\$21.15	\$197.40
M103141	M	21.15	197.40
M103142	L	21.15	197.40
M103143	XL	21.15	197.40

Latex Alternative

Chloroprene Exam, NEOGARD®

HIGH FIVE



Finish: Smooth
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.1 mil (palm),
6.7 mil (finger)
Color: Green
Packaging: 100/pack; 10 packs / case

buy me because I have an excellent resistance to a variety of chemical exposures. 100% synthetic glove offer a fit & feel like latex.

Cat. No.	Size	Price/Pk	Price/Cs
M110271	S	\$32.40	\$302.40
M110272	M	32.40	302.40
M110273	L	32.40	302.40
M110274	XL	32.40	302.40

800-684-1234

fax 800-561-3002



Free Samples on High Five Gloves.
call 800-684-1234

Latex - Powder Free

Aloe Coated

HIGH FIVE

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

buy me because Contains a soothing layer of aloe to protect your hands.

Cat. No.	Size	Price/Pk	Price/Cs
M107392	XS	\$38.48	\$359.10
M102949	S	38.48	359.10
M102950	M	38.48	359.10
M102951	L	38.48	359.10
M102952	XL	38.48	359.10



Latex - Powder Free

Long Cuff

HIGH FIVE

Finish: Textured
Powder: Powder Free
Length: 12 inches
Thickness: 9.5 mil (palm),
10.0 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

buy me because Thicker, stronger and longer for added protection.

Cat. No.	Size	Price/Pk	Price/Cs
M105719	S	\$32.40	\$302.40
M105720	M	32.40	302.40
M105721	L	32.40	302.40
M105722	XL	32.40	302.40



Latex - Powder Free

Micro-Textured, E-Grip

HIGH FIVE

Finish: Micro-Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.5 mil (palm),
6.0 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

buy me because My enhanced gripping power & excellent tactile sensitivity.

Cat. No.	Size	Price/Pk	Price/Cs
M107393	XS	\$28.50	\$256.50
M103351	S	28.50	256.50
M103352	M	28.50	256.50
M103353	L	28.50	256.50
M103354	XL	28.50	256.50



Latex - Powder Free

Premium

HIGH FIVE

Finish: Textured
Powder: Powder Free
Length: 9.5 inches
Thickness: 5.9 mil (palm),
5.9 mil (finger)
Color: Natural
Packaging: 100/pack; 10 packs / case

buy me because I have excellent taticity and close fit.

Cat. No.	Size	Price/Pk	Price/Cs
M481010-S	S	\$35.33	\$314.00
M481010-M	M	35.33	314.00
M481010-L	L	35.33	314.00
M103148	XL	35.33	314.00



Antimicrobial Hand Soap

buy me because I replenish the natural oils of the skin when frequent washing is a must.

SoftCIDE®

- Contains 1% PCMX, an anti-bacterial agent effective against both gram positive & negative bacteria, yeast & fungi
- Formula is extra mild for frequent washings and will Balanced pH with skin
- Convenient wall bracket available



Cat. No.	Description	Size	Price/Ea	Price/Cs
M218950	Pump Bottle	32 oz.	\$37.68	\$188.40/ 6
M218952	Wall Bracket for above		6.96	83.52/12
M218951	Refill Jug	128 oz.	75.27	273.70/ 4

Barrier Hand Cream

buy me because I help prevent skin irritation caused by frequent washing & gloving

SoftGUARD®

- Latex, nitrile, vinyl and CHG compatible
- Extra-strength antimicrobial preservative system to prevent cross-contamination
- Petroleum, mineral oil and fragrance free
- Non-greasy and immediate absorption
- pH Balanced with skin



Cat. No.	Description	Size	Price/Ea	Price/Cs
M202400	Tube	3 oz.	\$7.26	\$79.20/12
M202403	Bottle	16 oz.	23.99	128.65/ 6

Glove Box Holder, Two Faced

buy us because I am an awesome 2-glove-box-holder-in 1

- Two-Faced design lets you install face front or face back
- Wall mountable with front or back keyholes
- Super clear to view content
- Tough PETG plastic twice as strong as acrylic
- Choose from oval or rectangular opening
- Lifetime guarantee, Made in the USA



Cat. No.	Description	Size (in.)	Price
M112749	Single Two Faced	11 x 5 x 4	\$16.00
M112750	Double Two Faced	11 x 10 x 4	21.00
M112751	Triple Two Faced	11 x 15 x 4	26.00

NEW!

34 GLOVES

Heavy Duty Gloves, Playtex®

- Durable, long wearing and resistant to a wide range of chemicals and acids
- Extremely touch-sensitive; seamless with a soft absorbent lining
- Skid-proof tread provides a sure grip; lightweight



Cat. No.	Length (in.)	Color	Size	Price/Doz.	4+ Doz.
M273833S	11 1/2	Orange	S	\$45.19	\$39.90
M273833M	11 1/2	Orange	M	45.19	39.90
M273833L	11 1/2	Orange	L	45.19	39.90
M273833EL	11 1/2	Orange	XL	45.19	39.90
M273832S	14	Blue	S	\$44.88	\$39.90
M273832M	14	Blue	M	44.88	39.90
M273832L	14	Blue	L	44.88	39.90
M273832EL	14	Blue	XL	44.88	39.90

Latex Seconds



- Powdered
- Minimum order is 10 packages
- 100 Gloves per pack

Cat. No.	Size	Price/Cs
M488500-S	S	\$249.90/1000
M488500-M	M	249.90/1000
M488500-L	L	249.90/1000
M103149	XL	249.90/1000

MicroFlex® Gloves

The most trusted name in gloves



Latex

- Exceeds proposed FDA & current ASTM standards for reduced protein content
- Premium, low-modulus latex glove
- Comfortable and durable
- Reduces hand fatigue
- Non-sterile, ambidextrous

Nitrile

- 100% Latex Free for people sensitive to latex
- Same features as Latex

Free Samples on MicroFlex® Gloves.
call 800-684-1234



Latex

Finish: Textured
Powder: Powder Free
Length: 9.8 inches
Thickness: 6.3 mil (palm), 9.1 mil (finger)
Packaging: 100/bx; 10 boxes per case

Diamond Grip™

buy me becauseSuperior wet & dry gripping.

- Thicker, longer for added protection
- Resistance to a broad range of chemical & biological hazards

Cat. No.	Size	Price/Cs
M109986	XS	\$505.12/1000
M109987	S	505.12/1000
M109988	M	505.12/1000
M109989	L	505.12/1000
M109990	XL	505.12/1000

Latex

Finish: Textured
Powder: Powder Free
Length: 9.8 inches
Thickness: 6.7 mil (palm), 7.9 mil (finger)
Packaging: 100/bx; 10 boxes per case

Diamond Grip™ PLUS

buy me becauseBeaded cuff for wrist protection.

- All the features as above, but with added protection at wrist

Cat. No.	Size	Price/Cs
M109991	XS	\$435.00/1000
M109992	S	435.00/1000
M109993	M	435.00/1000
M109994	L	435.00/1000
M109995	XL	435.00/1000

Latex

Finish: Textured
Powder: Powder Free
Length: 11.8 inches
Thickness: 11.4 mil (palm), 16.5 mil (finger)
Packaging: 50/bx; 10 boxes per case

High Risk, Safe Grip®

buy me becauseUp to 4x thicker than standard examination gloves for greater overall protection - Meets/exceeds the emergency medical glove requirements of NFPA 1999, Standard on Protective Clothing for Emergency Medical Operations, 2003 Edition.

- Extra thickness at fingertips
- Extended beaded cuff protects wrist

Cat. No.	Size	Price/Cs
M110002	S	\$496.10/500
M110003	M	496.10/500
M110004	L	496.10/500
M110005	XL	496.10/500

Latex

Finish: Fully Textured
Powder: Powder Free
Length: 10 inches
Thickness: 6.7 mil (palm), 8.7 mil (finger)
Packaging: 100/bx; 10 boxes per case

Polymer-Coated, Evolution One®

buy me becauseInterior 5-Polymer matrix system provides superior anti-sticking properties resulting in highly effective donning in wet, damp or dry conditions.

- Extended beaded cuff protects wrist

Cat. No.	Size	Price/Cs
M109997	S	\$483.00/1000
M109998	M	483.00/1000
M109999	L	483.00/1000
M110001	XL	483.00/1000

Nitrile

Finish: Textured Fingers
Powder: Powder Free
Length: 9.6 inches
Thickness: 5.5 mil (palm), 8.9 mil (finger)
Packaging: 100/bx; 10 boxes per case

Supreno® SE

buy me becauseExclusive, patented "super-soft" formulation feels like latex.

- Interior polymer coating; easy to don
- Strong, true fit and has a beaded cuff

Cat. No.	Size	Price/Cs
M110012	S	\$484.83/1000
M110013	M	484.83/1000
M110014	L	484.83/1000
M110015	XL	484.83/1000

Nitrile

Finish: Micro Textured Fingers
Powder: Powder Free
Length: 9.6 inches
Thickness: 5.1 mil (palm), 6.3 mil (finger)
Packaging: 100/bx; 10 boxes per case

FreeForm® SE

buy me becauseIdeal for EMS, labs and healthcare professionals.

- Micro textured for secure grip
- Extended cuff protects wrist
- Polymer-coated for quick donning
- Blue in color

Cat. No.	Size	Price/Cs
M110006	XS	\$471.50/1000
M110007	S	471.50/1000
M110008	M	471.50/1000
M110009	L	471.50/1000
M110010	XL	471.50/1000

800-684-1234

fax 800-561-3002

LabMart® Digital Dry Baths



buy us because I provide accurate "set and walk away" digital temperature selection, eliminating the need for external thermometers and repetitive "fine tuning" of a temperature control knob.

- Digital accurate temperature with real time monitoring
- Digital timer alerts user when chosen time interval has timed out
- Baths offer a built-in user recalibration function, to guarantee long term temperature accuracy
- Single, double and four block capacity
- Assorted blocks for a wide variety of tube sizes, custom blocks available upon request
- Includes block lifter tool for removal of hot blacks
- 2 YEAR WARRANTY

Specifications:

Temp. Range:	Ambient 5° to 150°C / Single & Double	
	Ambient 5° to 130°C / Four Position	
Temp. Accuracy:	±0.2°C	
Temp. Increments:	0.1°C	
Temp. Uniformity:	±0.2°C	
Timer:	1 to 999 minutes	
Dims. (W x D x H) (in.):	Single Position: 7.8 x 9 x 3.2 in.	
	Double Position: 8.7 x 10.3 x 3.2 in.	
	Four Position: 8.7 x 14 x 3.2 in.	

Block Dims. (W x D x H):	3 x 3.75 x 2 in.	
Chamber:	Fast Heating, High Grade Aluminum	
Cat. No.	LabMart® Digital Dry Bath	Price
M284000	Single Position	\$369.00
M284001	Double Position	469.00
M284002	Four Position	799.00

Optional Blocks

M284003	24 x 1.5 ml	\$98.00
M284004	24 x 1.5 / 2.0 ml	98.00
M284005	24 x 0.5 ml	98.00
M284006	12 x 15 ml (Block Height is 3.25 in.)	98.00
M284007	5 x 50 ml (Block Height is 3.25 in.)	98.00
M284008	20 x 10 mm (or 20 x 2.0 ml)	98.00
M284009	20 x 13 mm (or 20 x 5/7 ml)	98.00
M284010	12 x 15-16 mm (or 12 x 10 ml)	98.00
M284012	48 x 0.2 ml or 6 PCR Tube Strips	98.00
M284013	1 x 96-Well PCR Plate (2 & 4 Block Models)	210.00
M284014	1 x 96-Well PCR Plate (1 Block Model)	215.00
M284015	1 x Micro Plate (2 & 4 Block Models)	165.00
M284011	Solid Block- For Slides	98.00
	Petri Dishes or Custom Machining	

Large Capacity Incubators



- Compact, low-cost and dependable
- Designed for general purpose as well as clinical, industrial, school laboratories or physician's offices
- Has a full PID microprocessor control that maintains accurate temperature
- Settings within 1°C, even in varying ambient conditions
- Has a unique temperature tracking feature that stores maximum process temperature deviation from set point in 0.1°C units
- Cold rolled steel-ivory baked-on enamel exterior
- Interior is aluminum and fiber glass insulated with chrome plated adjustable shelf and fixed bottom shelf
- See-thru tinted acrylic door for viewing all samples
- Beakers, flasks, petri dishes and test tube trays can be processed together
- A lab thermometer is included
- Additional wire shelves with adjustable supports are available
- Each incubator is tested and approved before shipment
- °C or °F readout
- 2 YEAR WARRANTY (on heating element)

Specifications:

Stability at 35°C:	± 1/10°C
Display Resolution:	1.0° or 0.1°
Temperature Uniformity:	Ambient to 62°C
Weight:	23 to 41 lbs.

Cat. No.	Description	Dims. (WxHxD)(in.)	Price
M279505	Analog 0.7 ft ³	12 x 10 x 10	\$404.25
M279502	Analog 2.0 ft ³	18 x 16 x 12	519.75
M107590	Digital 0.7 ft ³	12 x 10 x 10	738.00
M107591	Digital 2.0 ft ³	18 x 16 x 12	882.00

Mini Incubator

- Ideal for microbiology or hematology applications
- Excellent uniformity and temperature stability
- Chamber is corrosion resistant
- Three shelf levels
- Door with large viewing area
- Pilot light indicates heating
- 1 YEAR WARRANTY



Specifications:

Capacity:	0.375 ft ³ (9.2L)
Temperature Range:	Ambient +5° to 60°C
Stability:	± 0.6°C at 37°C (N.I.S.T. Traceable Thermometer)
Uniformity:	0.65°C at 37°C
Controls:	Analog
Exterior Dims. (in.):	11.2 x 11 x 13.2
Interior Dims. (in.):	9 x 7.9 x 7.9
Weight:	18.4 lbs. / 8.3 kg
Electrical:	120V, 50 / 60 Hz, 0.6A

Cat. No.	Description	Price
M107984	Mini Incubator	\$452.82
M107985	Additional Shelf, 22 x 18 cm	30.90
M107966	Non-toxic, Teflon Coated Thermometer	26.80

Free Gifts, More Products

Go To labmart.com

36 INCUBATORS

Incu-Shaker™ Family: Mini & 10L with Magic Clamp™

Both Models

- Integral microprocessor for constant monitoring of set program and for exceptional temperature uniformity
- Over temp. and over speed controls for long unit life, safety and the integrity of sample
- Digitally regulated uniform temperature with precisely controlled, horizontally circular (orbital) mixing
- Standard platform included, non-slip rubber coated surface
- Accepts (optional) MAGIC Clamp™ platform to customize vessels being mixed
- 2 YEAR WARRANTY

Specifications:

Temp. Range:	5 to 60°C, increments of 0.1°C
Temp. Uniformity:	±0.25%
Temp. Accuracy:	±0.1%
Shaking Speed:	30 to 300 rpm, increments of 1
Shaking Orbit:	19mm
Timer:	1 min to 48 hours or continuous
Unit Dims.:	
Mini	11 x 15.7 x 10.5 in. / Wgt.: 25 lbs.
10L	20 x 26 x 19 in. / Wgt.: 120 lbs.



MAGIC Clamp™ Platform (optional): A convenient, magnetic platform, allows you to instantly change & attach clamps in as little as 1 second! Mix various sized vessels at same time! Saves time & money! So easy - no tools - just place clamps with vessels on the magnetic platform! For use with Erlenmeyer flasks and test tube racks. Platform (PATENT PENDING) requires clamps for your vessels. Clamps sold separately, see below.

Mini, 11 Inch, Incu-Shaker™




buy me because
I am the most compact shaking incubator in its class.



- Small footprint, just 11.5 inches wide
- 11.5 x 9.5 platform
- Accepts several platforms and variety of flasks, Petri dishes or staining trays
- Common Applications: Bacterial Suspensions, Tissue / Cell Culture, Solubility Studies, Diagnostics, Staining / Destaining, Gel Washing, General Incubation case

Cat. No.	Mini	Price
M111212	Incu-Shaker™ with Platform 11.5 x 9.5"	2,495.00
M111213	MAGIC Clamp™ Universal Platform	209.00
Dedicated Platforms with Flask Clamps		
M111214	5 x 500ml Erlenmeyer Flasks	\$279.00
M111215	8 x 250ml Erlenmeyer Flasks	279.00
M111216	12 x 125ml Erlenmeyer Flasks	279.00
M111217	For 4 Microplates (Standard or Deepwell)	465.00
M111218	Universal Spring Rack Platform For Uncommon Vessels	445.00

High Capacity, 10L Incu-Shaker™



buy me because
I am designed for heavy work loads and continuous use.



- Capacity of 5 x 2L with a large 18 x 18 platform
- Use for high capacity applications
- Inconsistencies due to stratification are reduced to negligible levels & the selected temperature is precisely maintained within 0.25%, even in corners
- Motor isolation system for reduce noise and vibration
- Optional shelf for Petri dishes, microplates and more

Cat. No.	10L	Price
M111219	Incu-Shaker™ with Platform 18 x 18"	\$4,995.00
M111220	MAGIC Clamp™ Universal Platform	295.00
Dedicated Platforms with Flask Clamps		
M111221	For 6 Microplates (Standard or Deepwell)	\$599.00
M111222	Universal Spring Rack Platform For Uncommon Vessels	499.00
M111223	Extra Shelf, 14 x 5.5", max 3	112.50




	MAGIC Clamp™ Clamps	For use with	M111213 Platform	M111220 Platform	Price/ea
M111224	Flask Clamp, 50ml Erlenmeyer		Max of 20	Max of 49	\$25.00
M111225	Flask Clamp, 125ml Erlenmeyer		Max of 12	Max of 36	26.00
M111226	Flask Clamp, 250ml Erlenmeyer		Max of 8	Max of 25	28.00
M111227	Flask Clamp, 500ml Erlenmeyer		Max of 5	Max of 16	29.50
M111228	Flask Clamp, 1000ml (1L) Erlenmeyer		N/A	Max of 9	48.00
M111229	Flask Clamp, 2000ml (2L) Erlenmeyer		N/A	Max of 5	59.50
M111230	Tube Rack, 15ml, Conical Tubes, 32 x 15ml		Max of 2	Max of 8	129.00
M111231	Tube Rack, 50ml, 12 x 1.5/2.0ml, Horizontal		Max of 2	Max of 6	89.00
M111232	Tube Rack, 50ml, Conical Tubes, 15 x 50ml		Max of 2	Max of 8	129.00
M111233	Tube Rack, 4 x 15ml, Horizontal		Max of 4	Max of 8	89.00
M111234	Tube Rack, 2 x 50ml, Horizontal		Max of 4	Max of 9	89.00
M111235	Tube Rack, 4 x 500ml or 600ml Conical Bottles		Max of 1	Max of 4	149.00
M111236	Microplate Clamp		Max of 4	Max of 6	68.50
M111237	Combi-Tube Rack, 12 x 50 & 21 x 15ml Conical Tubes		Max of 1	Max of 4	129.00

800-684-1234

fax 800-561-3002

Labeling Tape



Shown with dispenser

- Ideal for use in waterbaths, refrigerators, deep freezers, sterilizers or incubators. Tape is oil-proof, water-proof and acid-resistant
- Transfers cleanly from one surface to another no messy residue
- Withstands temperatures ranging from -70 to +250°F
- Use on dry glass, plastic, metal, paper, rubber, etc.
- May use pen, pencil or marker
- Durable, tape won't curl up while in use, multi-purpose
- 26 Colors, 5 widths, on 500 or 2160 inch rolls
- Multi-tape dispensers, (M303095 and M303097), provide easy dispensing and keep all your tape in one location. Unique design allows for easy addition or replacement of rolls.

Colors may be assorted for quantity price.

Add the color number as a suffix to the catalog number when ordering.

1-white, 2-yellow, 3-green, 4-red, 5-orange, 6-blue, 7-pink, 8-tan, 9-salmon, 10-copper, 11-rose, 12-violet, 13-lavender, 14-gray, 15-lime, 16-aqua, 17-chartreuse, 18-gold, 19-silver, 20-magenta, 21-dark red, 22-maroon, 23-dark brown, 24-dark blue, 25-dark green, 26-black

Cat. No.	Width	6+ / Ea	24+ / Ea	72+ / Ea
Price/500 Inch Roll		(Minimum Order 6 Rolls)		
M303085A	1/2 in.	\$8.67	\$7.42	\$6.50
M303085B	3/4 in.	11.50	9.86	8.63
M303085C	1 in.	14.53	12.46	10.90
M303085D	1 1/2 in.	20.67	17.71	15.50
M303085E	2 in.	23.87	20.46	17.90
M303095	Multi-Tape Dispenser, 1 in. Core		\$81.46/ea	

Cat. No.	Width	6+ / Ea	24+ / Ea	72+ / Ea
Price/2160 Inch (60 yd.) Roll		(Minimum Order 6 Rolls)		
M303086A	1/2 in.	\$22.20	\$19.03	\$16.65
M303086B	3/4 in.	30.67	26.29	23.00
M303086C	1 in.	39.57	33.91	29.68
M303086D	1 1/2 in.	55.73	47.77	41.80
M303086E	2 in.	64.23	55.06	48.18
M303097	Multi-Tape Dispenser, 3 in. Core		\$156.40/ea	

Lab Notebooks



- Pages have either a 1/4 in. grid or horizontal lines
- Chemically resistant and waterproof polyethylene cover
- M210350 and M210351 have paper pages, 8 1/2 x 11 1/4 in.
- M347100 have uncoated pages, 9 1/4 x 11 1/4 in
- NALGENE[®]

Cat. No.	Page Format	Cover Color	Price/Ea	Price/Cs
M210350	1/4 in. Grid	Green	\$49.52	\$191.69/6
M210351	Lined	Burgundy	52.56	203.45/6
M347100	1/4 in. Grid	Black	121.52	470.40/6

Marking Pens, Sharpie[®]

- Precise tip for crisp, accurate, permanent marking
- Pen style barrel with pocket clip
- Use on glass, metal, foil, plastics, films ceramic or rubber
- Certified AP non-toxic Quick drying and waterproof

Ultra Fine Line



Fine Line



Ultra Fine Line

Cat. No.	Color	12/Pk	Cat. No.	Color	12/Pk
M302694	Red	\$36.00	M101270	Yellow	\$36.00
M302695	Blue	36.00	M101271	Orange	36.00
M302794	Black	36.00	M101272	Brown	36.00
M302795	Green	36.00	M101273	Purple	36.00
M302694S	3 Packs / 4-Color Set, Black, Red, Blue & Green \$74.93				

Fine Line

- Same features as above with a slightly broader point
- Can easily be removed from non-porous materials with alcohol

Cat. No.	Color	12/Pk	Cat. No.	Color	12/Pk
M302696	Black	\$36.00	M101265	Yellow	\$36.00
M302698	Blue	36.00	M101266	Orange	36.00
M302697	Red	36.00	M101267	Brown	36.00
M302699	Green	36.00	M101268	Purple	36.00

M302696S 3 Packs / 4-Color Set (Black, Red, Blue & Green) \$40.00
M101269 2 Packs / 8-Color Set (1 of Each Listed Above) 48.00

Temperature Tape

- **Hi/Lo Temperature Tape**
- Cloth-textured to mold tightly; holds fast in +550°F dry ovens
- Withstands acids, alkalis, oils & grease
- Use in dry ice, liquid gases or deep cryogenic freezes
- **Hi Temperature Tape for Dry Ovens**
- Same features as above; the word "STERILIZED" appears in bold black letters after sterilization process



Width	Hi / Lo	250 in. Roll	Dry Oven	250 in. Roll
1/2 in.	M303010	\$35.70	M101277	\$67.80
3/4 in.	M303011	43.62	M101278	87.72
1 in.	M303012	59.42	M101279	109.26

Autoclave Tape

- Use to seal and identify materials before and after steam autoclaving process
- Shows the word "STERILIZED" after exposed to +250°F
- Crepe tape, markable



Width	Hi / Lo	250 in. Roll	Dry Oven	2160 in. Roll
1/2 in.	M303092-12	\$13.38	M303092-120	\$35.37
3/4 in.	M303092-34	16.59	M303092-340	80.10
1 in.	M303092-10	20.94	M101280	95.30

38 LAB ACCESSORIES

Infrared Microsterilizer



BactiZapper™

- Instant sterilization of platinum inoculating loops, needles, glass tube/pipette mouths and various metal & borosilicate glass instruments
- Asbestos-free ceramic core element
- Heating element is safely enclosed in a perforated stainless steel guard to protect user from accidental burn
- Extremely compact and convenient
- Used in anaerobic & aerobic chambers

Max. Temp.: 815°C / 1500°F Chamber Dia. x Lght: 0.55 x 3.94 in.
 Sterilization Time: 5 to 7 Seconds Dims. (WxDxH): 4 x 6 x 6.5 in.

Cat. No.	Description	Price
M111359	BactiZapper™ Infrared MicroSterilizer	\$309.00

Universal Round File Lighter



- Ideal for safe ignition of flammable gas and more
- Shielded; spring action
- Lights gas burners with ease
- Replaceable flint sold separately

Cat. No.	Description	Price/Roll
M110912	Universal Round File Lighter	\$84.40/10
M110913	Universal Single Flint Renewal	95.36/40

Portable Micro Burner



- Heat output of 1300-2000°F
- Die-cast polished zinc metal body for added durability and stability
- Solid State Push Button Ignition
- Adjustable Flame Size
- Meeker style burner head provides a stronger and more consistent flame
- Optional tripod beaker stand available
- Unit Size: 3.5"X5"
- Unit Wgt: 1.3lbs
- Fuel Capacity: 40 gms

Cat. No.	Description	Price
M111994	Portable Micro Burner	\$57.90
M111995	Tripod Stand	17.90
M111996	Butane Fuel Refill Cartridge	56.40/12

Portable Bunsen Burner



- Large Capacity Fuel Chamber
- One knob gas control
- Manual or continuous flame
- On-Off Safety switch
- No Flaring in inverted position
- Max. Temp: 2800°F
- Tripod beaker stand available
- Unit size: 4" x 7"
- Fuel Capacity: 60 gms
- Max. Temp.: 2800°F

Cat. No.	Description	Price
M111992	Portable Bunsen Burner	\$59.90
M111993	Tripod Stand	19.90
M111996*	Butane Fuel Refill Cartridge	56.40/12

* Butane Fuel Refill Cartridge ships without extra hazard charges

Parafilm M™



- Moisture resistant, thermoplastic self-sealing film
- Permeable to gases and protects contents of tubes, flasks, culture tubes and petri dishes
- Adheres to glass
- Ideal for working with culture media
- Turn a beaker into a storage container
- Dispenser available for easy one handed cutting

- Small dispenser holds (1) 4 x 250 ft. roll or (2) 2 x 250 ft. rolls
- Large dispenser holds (3) 2 in. rolls or (1) 2 in. roll & (1) 4 in. roll

Cat. No.	Description	Price/Roll
M366420	2 in. x 250 ft. on 1 in. Core	\$23.04
M366426	4 in. x 125 ft. on 3 in. Core	23.36
M366428	20 in. x 50 ft.	51.98
M366429	4 in. x 250 ft.	52.60
M110592	Small Parafilm Dispenser	\$123.33
M110593	Large Parafilm Dispenser	141.21

Label-Off Label Remover



- Excellent for use with sample bottles
- Removes labels quickly and easily including the gummy residue other cleaners leave behind
- Kit contains 59ml (2 oz.) of label adhesive solvent and 20 lint free 102mm (4 in.) square wipes

Cat. No.	Description	Price
M105343	Cleanware Label Off Label Remover	\$29.05

Polyethylene Plastic Wrap



- Plastic wrap for general purposes in your lab or in the field
- Easy to use dispenser

Cat. No.	Length	Price/Roll
M192717	12 in. x 2000 ft.	\$61.22
M192718	18 in. x 2000 ft.	72.04

Aluminum Foil



- For wrapping and sealing
- Serrated blade safely cuts sheets


Cat. No.	Thickness (in.)	Width (in.)	Roll (ft.)	Price/Roll
M366435	0.0007	12	25	\$14.75
M366436	0.0015	18	25	60.03
M366437	0.001	15	1000	492.80

800-684-1234

fax 800-561-3002

Desktop Calculator

- Classic mini-desktop calculator for home/office/retail - big keys
- Change sign key (+/-) simplifies entry of negative numbers
- Solar and battery powered to work anywhere
- Display: giant SuperView display is angled for easy viewing
- Features: well-spaced keyboard; large, contoured keys for easy operation
- 1 YEAR WARRANTY



Cat. No.	Description	Price
M150240	Desktop	\$38.24

Scientific Calculator


- 2-Line, student scientific calculator, that is solar powered
- 229 Built-in functions, including fractions, statistics, standard deviation, linear regression and polar-rectangular conversions
- One independent memory and six constant memories
- Display: 2-line/10-digit; shows formulas & results simultaneously
- Features: displays example/input as it is written to simplify entry
- Includes: slide-on hard case
- Size is 9L x 6W in. x H 1.5H in; wgt is 0.4lb



Cat. No.	Description	Price
M150430	2-Line	\$44.25

Stainless Steel Lab Jack

- Constructed of Type 304 stainless steel
- Designed for use in corrosive environments
- Autoclavable, resistant to sanitizing agents
- 2 YEAR WARRANTY



*Maxi-Lift models (M109075 & M109076) have a maximum height that is approximately 30% higher than traditional lab jacks for special applications

Cat. No.	Deck Size	Max Height	Max Load	Price
M106593	3.9 x 3.9 in.	4.7 in.	22 lbs.	\$234.00
M106594	6.3 x 5.1 in.	10.8 in.	44 lbs.	250.00
M109075*	6.3 x 5.1 in.	15.7 in.	44 lbs.	309.00
M106595	7.9 x 7.9 in.	10.8 in.	44 lbs.	309.00
M109076*	7.9 x 7.9 in.	15.7 in.	44 lbs.	377.00
M106739	9.4 x 9.4 in.	10.8 in.	44 lbs.	329.00
M106740	11.8 x 11.8 in.	18.5 in.	176 lbs.	1,600.00
M106741	15.7 x 15.7 in.	18.5 in.	176 lbs.	1,799.00

M106742 Ratchet Handle for Lab Jacks w/ an 11.8 x 11.8 in. or 15.7 x 15.7 in. deck to facilitate raising & lowering deck \$61.00

Jar and Bottle Opener

- Opens caps from 4" diameter down to tiny tube caps
- Strong infallible plier grips
- Built-in cap lifter/can piercer
- Grips, opens and pries, twists, pops and flips
- Chrome plate with ABS plastic handles; 9" long



Cat. No.	Price
M129490	\$37.80

Refridgerator

- Energy efficient, quiet operation with the hermetically sealed compressor
- High density thin wall polyurethane door and cabinet insulation; white
- Full range temperature control
- Freezer compartment with ice cube tray
- Magnetic door gasket
- Bottle rack on refrigerator door
- All units 110V & 60 Cycle
- May be shipped by truck
- 1 YEAR WARRANTY



- M463000 Euro-style rounded edge door and sturdy slide-out shelf.
- M463002 Offers attractive laminated top, bottle racks, door shelves and 3 sturdy slide-out shelves.

	M463000	M463002
Capacity:	1.7 Ft ³	4.5 Ft ³
HxWxD (in.):	20 ³ / ₄ x 18 ³ / ₄ x 20 ³ / ₄	32 x 20 ¹ / ₄ x 21 ² / ₃
Ship Weight:	42 lbs.	75 lbs.
Price:	\$364.00	\$577.50

Organizational Bins



M127376



M127375

- Perfect for samples, small parts, or general supplies
- Easy visibility; obtain items quickly and efficiently
- For any lab or industrial setting
- Stackable or suspend from wall mount rack or benchtop panel
- Large label slot for easy identification



M127370

Cat. No.	L x W x H (in.)	Price/Ea	Price/Cs
M127370	5 ³ / ₈ x 4 ¹ / ₈ x 3	\$3.92	\$63.55/24
M127371	7 ³ / ₈ x 4 ¹ / ₈ x 3	7.10	116.95/24
M127372	10 ⁷ / ₈ x 5 ¹ / ₂ x 5	17.82	200.18/12
M127380	10 ⁷ / ₈ x 11 x 5	25.43	128.90/ 6
M127381	10 ³ / ₄ x 8 ¹ / ₄ x 7	29.63	165.45/ 6
M127373	14 ³ / ₄ x 8 ¹ / ₄ x 7	48.49	544.68/12
M127374	14 ³ / ₄ x 16 ¹ / ₂ x 7	45.62	256.33/ 6
M127375	Wall Mount Rack, 36 x 19	99.48	
M127376	Benchtop Panel, 28 x 8 x 21	170.42	

40 LIQUID HANDLING

Transfer Pipets, Polyethylene



- One-step biohazard disposal
- Can be frozen in liquid nitrogen
- Low density PE; non-toxic and inert
- Ideal for use with volumetric flasks, multiple well plates, centrifuge tubes or cryogenic vials, that's a large variety
- Attached bulb to avoid cross-contamination
- Also used in procedures with beakers, dishes, flasks, slides, vials, test tubes or roller bottles

Cat. No.	Description	Cap. (ml)	Length (cm)	Draw (ml)	Sterile	Price/Pk	10+/Pk
General Purpose							
M373570	Standard	7.7	15.6	3.2	No	\$51.74/500	\$46.00
M373570-S	Standard	7.7	15.6	3.2	Yes	107.03/500	90.66
M373571	Blood Bank, 6 in.	5.0	15.4	1.9	No	47.64/500	40.36
M373579	Extra Long, 9 in.	6.0	22.5	2.3	No	53.78/400	47.80
M373579-S	Extra Long 9 in.	6.0	22.5	2.3	Yes	146.05/400	123.71
Graduated							
M373572	1ml, Lg. Bulb	5.8	15.5	3.4	No	\$49.30/500	\$41.76
M373572-S	1ml, Lg. Bulb (single)	5.0	15.0	3.1	Yes	134.26/500	120.83
M373572-2S	1ml, Lg. Bulb (20's)	7.5	15.0	5.0	Yes	94.49/500	85.04
M373573	3ml, Lg. Bulb	7.0	15.5	3.2	No	50.37/500	42.66
M374100	3ml, Standard	3.0	13.75	1.5	No	50.58/500	42.84
M373574	2ml, Blood Bank	4.8	15.2	1.8	No	53.13/500	45.00
Fine Tip							
M373575	Standard	5.8	14.7	3.3	No	\$83.83/500	\$71.00
M373576	Extended, Sm. Bulb	1.5	10.4	1.0	No	59.93/400	50.76
Narrow Stem							
M373578	Standard	4.6	15.5	3.3	No	\$42.78/500	\$36.24

Transfer Pipets, Disposable Lquipette™



buy me becauseI can be heat sealed for sample storage.



- Low density polyethylene is a safe alternative to glass by eliminating risk of injury or infection from broken glass
- One piece, flexible, chemically inert
- Delivers controlled, reproducible drop sizes
- Ideal for all types of buffers, reagents & more
- Non sterile - bulk packed
- Sterile - individually wrapped

Cat. No.	Description	Cap. (ml)	Length (mm)	Grad. (ml)	Sterile	Price/Pk	10+/Pk
Bulb Draw of 1.5ml							
M374100	Small Bulb	3.0	140	1.0	No	\$50.58/500	\$42.84
M374100-S	Small Bulb	3.0	140	1.0	Yes	108.43/400	91.85
Bulb Draw of 3.5ml							
M374000	Standard 1.0ml	5.0	152	1.0	No	\$49.30/500	\$41.76
M373559H	Standard 3.0ml	7.0	152	3.0	Yes	50.15/500	42.48
M373570-S	Standard 3.0ml	7.0	152	3.0	Yes	107.03/500	90.66
Blood Bank; Draw of 3.5ml							
M373559L	Extra Long	6.0	229	-	No	\$75.38/400	\$67.00
M373559L-S	Extra Long	6.0	229	-	Yes	146.05/400	123.71

Pipette Filler, Multi-Colored



buy me becauseI am color coded for user identification.

- Standard 3 valve bal that is easy to use
- 100% Natural rubber with a 1/4" diameter opening
- Up to 50ml pipets
- Meets OSHA requirements


Cat. No.	Price
M101508	\$26.20

*For special offers, free gifts
& promotions visit
www.labmart.com*

800-684-1234

fax 800-561-3002

Serological Pipets, Polystyrene



	Cat. No.	Size (ml)	Stripe Color	Sterile	Tip Style / Packaging	Length (mm)	Price/Pk
• Smooth one-piece Polystyrene (PS) construction	M103065	1.0	Yellow	Yes	Standard / Ind. Wrapped	270	\$103.50/ 500
• Calibration is certified for accuracy	M103076	1.0	Yellow	Yes	Standard / 25 per pack	270	189.75/1000
• Aerosol barrier filter plug	M111277	1.0	Yellow	No	Standard / 25 per pack	270	150.60/1000
• Ergonomic Design for use in tight spaces	M103068	2.0	Green	Yes	Standard / Ind. Wrapped	270	\$111.00/ 500
• Reverse graduations	M103079	2.0	Green	Yes	Standard / 25 per pack	270	190.08/1000
• Negative graduations (except for M109172 & M111281)	M111278	2.0	Green	No	Standard / 25 per pack	270	151.80/1000
• Fits all major brands of pipettors	M103070	5.0	Blue	Yes	Standard / Ind. Wrapped	296	\$81.75/ 250
• Calibrated to deliver (TD)	M103081	5.0	Blue	Yes	Standard / 25 per pack	296	106.65/ 375
• Meets ASTM E934	M111279	5.0	Blue	No	Standard / 25 per pack	296	81.60/ 375
• Pyrogen-free, non-hemolytic (ISO 10993-4), non-cytotoxic (ISO 10993-5) and LAL tested (0.5Eu/mL)	M103072	10.0	Orange	Yes	Standard / Ind. Wrapped	297	\$71.25/ 200
• Sterility: Sterilized by gamma irradiation, RNase-free and DNase-Free	M103084	10.0	Orange	Yes	Standard / 25 per pack	297	75.60/ 250
	M111280	10.0	Orange	No	Standard / 25 per pack	297	54.00/ 250
	M109172	25.0	Red	Yes	Standard / Ind. Wrapped	300	\$79.50/ 100
	M111281	25.0	Red	No	Standard / Ind. Wrapped	300	58.32/ 100
	M103075	50.0	Black	Yes	Standard / Ind. Wrapped	365	\$166.50/ 100

Bacteriological & Open Mouth Pipets are available,

please call 1-800-684-1234 or visit us online at

www.labmart.com

Serological Pipets

- Ideal for cell culture applications
- Manufactured from optically clear polystyrene
- Calibrated "To Deliver" (TD) for accurate dispensing to w/in ±2%
- 1, 2 and 5mL pipets are a one piece construction
- 10, 25, 50 and 100mL are made with a durable ultrasonically welded 3 piece construction
- RNase-free, DNase-free, DNA-free, and Non-pyrogenic
- Bi-directional graduations are printed in bold easy-to-read black ink
- Color coded stripes and packaging enable quick volume identification
- Contain a premium material filter plug
- Supplied sterile (gamma irradiated)
- Individually wrapped pipets available in economical bags or shelf packs that facilitate dispensing through a perforated end panel



Shorties



Cat. No.		Price/Cs
Shorties, Individually Wrapped / Bag		
M112041	5 mL	\$55.00/200
M112042	10 mL	60.00/200
M112043	25 mL	52.00/100

Standard

- Improved longer length 25mL Serological Pipet with -10mL graduations (M112699 only)
- Large Volume 100mL Serological Pipet available

Cat. No.		Price/Cs
Standard, Individually Wrapped / Bag		
M112695	1 mL	\$109.00/800
M112696	2 mL	104.00/600
M112697	5 mL	38.00/200
M112698	10 mL	41.00/200
M112699	25 mL	79.00/200
M112700	50 mL	109.00/ 90
M112701	100 mL	120.00/ 50



Package Choice
Bag or Carton



Cat. No.		Price/Cs
Standard, Individually Wrapped / Carton		
M112689	1 mL	\$114.00/800
M112690	2 mL	106.00/600
M112691	5 mL	39.50/200
M112692	10 mL	42.50/200
M112693	25 mL	81.00/200
M112694	50 mL	111.00/ 90

42 LIQUID HANDLING

Serological Pipets, Disposable Glass



buy me because I am individually wrapped and sterile.

- Calibrated "to deliver" with blow-out
- Long slender taper tips are fire-polished for burr-free, even flow rates resulting in faster pipetting
- Easy-open Steri-View™ wrappers have one side paper, one side plastic
- Tear Strip wrap pipets are multi-packed in plastic bags
- Both wrappers have color-coded sizes printed directly on wrapper for easy identification by size
- Negative graduations
- Conforms to ISO Standards
- Plugged ends prevent contamination from over filling
- PYREX®, CORNING®

Cat. No.	Cap. (ml)	Negative Grad. (ml)	Grad. Interval (ml)	Price/Cs
Steri-View™ Wrapped				
M370000-00	1.0	0.2	.01	\$360.22/ 800
M370000-01	2.0	0.2	.01	379.27/ 720
M370000-02	5.0	1.0	.1	507.90/ 720
M370000	10.0	2.0	.1	465.11/ 600
Tear Strip, For Larger Volume User				
M369900-05	0.5	0.2	.01	\$230.43/ 500
M369900-01	1.0	0.2	.1	418.02/1000
M369900-02	1.0	0.2	.01	402.55/1000
M369900-03	2.0	0.2	.01	313.47/ 700
M369900-04	5.0	1.0	.1	585.75/ 960
M369900-00	10.0	2.0	.1	503.44/ 720

Serialized Pipets, Class A



buy me because I am reusable and volumetric.

- Permanently marked individual serial number on pipet
- Supplied with a Certificate of Graduation Accuracy
- Carefully selected to meet the requirements for accuracy, appearance, glass quality, calibration line, and inscription of former NBS Circular 602
- Meets ASTM specification E969
- Bulb is marked indicating capacity
- Color-coded (ASTM E1273) for ease in sorting and selecting the correct pipet; legend of brown stain
- Calibrated to deliver
- Autoclavable KIMAX®

Cat. No.	Cap. (ml)	Tol. (±), (ml)	Coding Band	Price/Cs
M369720	1	0.006	Blue	\$186.53/12
M369721	2	0.006	Orange	239.27/12
M369722	3	0.01	Black	275.79/12
M369723	4	0.01	2 Red	303.62/12
M369724	5	0.01	White	308.24/12
M369725	10	0.02	Red	325.82/12
M369726	20	0.03	Yellow	413.55/12
M369727	25	0.03	Blue	413.56/12
M369728	50	0.05	Red	327.75/ 8
M369729	100	0.08	Yellow	297.44/ 6



Pipetting Ball, The Flip™

buy me because I have a one-handed design.

- Simple to use with only two operating points
- Rubber ball is easy to use and clean
- The top valve can be removed and reinserted
- Press bulb in for evacuate, press up arrow for intake, press down arrow to drain

Pasteur Pipets, Disposable




The **LabMart** Brand

- Adaptable for use as serum pipets, Winthrope tube fillers, etc.
- Free from sharp edges and burrs
- Seat for cotton plugging
- Low price, high quality
- Uniform dimensions

Cat. No.	Description	Price/Cs	5+/Cs
Flint Pipet			
M272311	Short Form, 5 ³ / ₄ in.L	\$128.48/1000	\$102.79
M272313	Long Form, 9 in.L	142.45/1000	99.72
Borosilicate Pipets, Non Leaching			
M272314	Short Form, 5 ³ / ₄ in.L	\$234.27/1000	\$195.23
M272316	Long Form, 9 in.L	185.55/1000	150.76

Pipet Holder



- Fast and easy pipet storage
- For glass or plastic pipettes
- Useful for organizing pipettes in small areas - saving bench space
- Tilted shelves keep pipets from sliding out
- Free-standing sturdy construction requires no hardware or installation

Cat. No.	Description	Price
M201220	Pipet Holder	\$259.90

Syringes, without needles



- Choose from luer regular tip or luer locking tip syringes, w/ graduations
- Polypropylene; disposable
- Sterile or non sterile
- See pages 28 & 30 for syringe filters.

Cap. (cc)	Regular Luer Tip	Luer Locking Tip	Price/Cs
Sterile Soft Pack			
3	M106277	M106283	\$103.50/ 800
6	M106278	M106284	103.50/ 400
12	M106279	M106285	138.00/ 480
20	M106280	M106286	121.90/ 160
35	M106281	M106287	128.10/ 160
60	M106282	M106288	127.51/ 120
Non Sterile Bulk Pack			
3	M106289	—	\$219.00/1000
6	M106290	—	195.62/ 500
12	M106291	—	195.01/ 500
20	M106292	—	224.41/ 250
35	M367783	—	115.60/ 100
140	M106293	—	135.38/ 20

800-684-1234

fax 800-561-3002

Portable, Pipet-Aid[®]

buy me becauseof my reputation - reliable, durable and safe!.

- Ideal for field use delivering equal aliquots of sample into various containers
- Great for measuring & dispensing reagents & culture media
- Accepts 1 - 100ml pipets
- Self-locking filter - when challenged with an aqueous solution, the hydrophobic layer prevents liquid from entering the handle & the wetted hydrophilic layer restricts the flow of air, which locks the unit from further use - positive fail safe protection for the electronic components & to prevent cross-contamination
- Can be used while recharging
- Tissue Culture nosepiece - design eliminates the possibility of cross-contamination due to over-pipetting; quick disconnect/assembly
- 1 YEAR WARRANTY



Included Item: Ni-MH battery, 4 filters

Cat. No.	Description	Price
M368200-07	Portable Pipet-Aid	\$317.00
M101482	Ni-MH Battery	19.35
M368200-06	Replacement Filters	29.04
M101483	Rubber Inserts (2)	8.60
M101484	TC Nosepiece Housing	21.50
M437801	Pipet Stand	208.44

Pipet Controller, accu-jet[®] Pro

- Speed control!- range dial sets maximum pipetting speed with touch-sensitive, continuously adjustable speed control
- Speed limiter & pressure-sensitive buttons for smooth, intuitive meniscus control for cell culture and chemical applications
- No meniscus "jumping", even with small volume pipettes
- Mode for both powered & gravity dispensing
- Integral check valve and filter protects instrument from aspirated liquids; unique exhaust port vents vapors
- Soft blowout minimizes disturbance of cells
- Ergonomic grip, ambidextrous
- 0.2µm Hydrophobic filter for culture work
- 8 hrs. full speed pipetting (on 4 hrs. charge); 2 hr time left indicator
- 1 YEAR WARRANTY



Included Items: Battery, wall holder, 2 sterile filters & charger

Cat. No.	Description	Price
M107501	Magenta	\$399.00
M109056	Dark Blue	399.00
M109057	Green	399.00
M109058	Royal Blue	399.00
Replacement Filters		
M109059	0.2µm Sterile	\$90.00/10
M109060	0.2µm Non-Sterile	110.00/10
M102978	3µm Non-Sterile	75.00/10
M109055	3µm Non-Sterile	14.00/ 1
Accessories		
M110411	Charger, 120V, 60Hz	\$70.00
M110518	Nickel-Metalhydride Battery	30.00
M110421	Silicone Adapter w/ PTFE check valve	25.00
M110422	Snap Tapes for Wall Support	22.00
M110423	Wall Support	45.00

Motorized Pipette Filler

Levo Plus

- Lightweight, ergonomic design with comfortable concave triggers
- Fill a 25ml pipette in 5 seconds
- Touch sensitive trigger for fine speed control
- Coarse and fine speed control
- Gravity dispense, with blow-out for TD pipettes
- Autoclavable nose-cone
- LCD Display
- 0.45 µm & 0.2 µm hydrophobic filters
- LCD display shows battery charge & coarse speed setting
- Powerful lithium-ion battery, no 'memory'
- Can be used while charging, no down-time
- 8hr. Continuous use per charge
- 3 YEAR WARRANTY



Cat. No.	Description	Price
M111835	Levo Plus Motorized Pipette Filler	\$300.00

Replacement Items

M111836	0.45 µm Hydrophobic Filter	\$4.50
M111837	0.2 µm Sterile Hydrophobic Filter	8.00
M111838	Lithium Battery	33.00
M111839	Silicone Adapter	3.00
M111840	Replacement Nose Cone	14.65

Manual Pipette Filler

Levo



- For use with 1-100ml pipets
- 50ml of liquid can be pipetted from one squeeze of the bulb
- Comfortable design with precise pipetting control
- Autoclavable silicone pipette holder
- Supplied with integral and replaceable 3µm filter
- Available in 5 great colors
- 3 YEAR WARRANTY

Levo is an easy to use serological pipette controller for use with 1-100ml pipettes. Simply attach a pipette into the silicone holder and squeeze the bulb and you are ready to pipette. The thumb lever controls both the aspirate and dispense speed. A press of the central button blows-out any remaining drops in the pipette. An easily replaceable 3µm hydrophobic filter prevents liquids from contaminating the inside of the Levo.

Cat. No.	Description	Price
M111842	Blue	\$40.00
M111843	Red	40.00
M111844	Green	40.00
M111845	Yellow	40.00
M111846	Pink	40.00
M111847	Replacement 3µm Hydrophobic Filter	3.00

Free Gifts, More Products

Go To labmart.com

44 LIQUID HANDLING

Bottletop Dispenser



Dispensette®

buy me becauseOf my improved accuracy, safety and reagent conservation for a broad range of applications.



- Mount directly on most solvent and reagent bottles
- One-handed operation, right down to the bottom
- Digital Easy Calibration™ allows adjustment in seconds (no tools) - great for labs with multiple users
- SafetyPrime™ valve discharge system reduces risk of inadvertent dispensing & splashes

- One-twist cap protects reagent contact, easy to remove
- Rotating valve block to view label
- Calibration flag to alert changes
- Autoclavable; use with sterile reagents
- ISO 9000 & GLP standards
- 1 YEAR WARRANTY

• **MANY ACCESSORIES PLEASE INQUIRE**

Dispensette® III Applications: for most acids, bases, saline solutions & polar solvents. Made of high-grade corrosion-resistant materials.

Dispensette® HF Applications: for hydrofluoric acid up to 52%. Analog-adjustable, rapid volume adjustments, calibration is simplified with included tool.

Dispensette® Organic Applications: for HPLC solvents, combinatorial chemistry solvents, THF, TFA, DME, DMSO, concentrated fuming acids, organic solvents and peroxides. (no HF). Not listed, please call for pricing.

Included Items: Discharge tube, performance certificate, valve mounting/calibration tool, adapters/filling tube & manual

Cat. No.	Size (ml)	Resolution	Price
Dispensette® III, Digital-Easy Calibration			
M100853	0.2 - 2	0.01	\$504.00
M100854	0.5 - 5	0.02	504.00
M100855	1 - 10	0.05	504.00
M100856	2.5 - 25	0.1	669.00
M100857	5 - 50	0.2	679.00
Dispensette® III, Analog-Adjustable Models			
M100858	0.05 - 0.5	0.01	\$432.00
M100859	0.2 - 2	0.05	432.00
M100860	0.5 - 5	0.1	432.00
M100861	1 - 10	0.2	432.00
M100862	2.5 - 25	0.5	603.00
M100863	5 - 50	1.0	617.00
M100864	10 - 100	1.0	947.00
Dispensette® HF, Analog-Adjustable Models			
M107417	1 - 10	0.2	\$1,067.00

Bottletop Dispenser



Seripettor®

buy me becauseI am an economical wiping seal dispenser



- Designed for many of the fluids used in biological labs - buffers, bases, culture media, even sodium azide solutions
- Notched volume selector for exact adjustment
- Spring-driven refill function for semi-auto operation
- Designed for simple disassembly & rapid replacement of parts, extending the unit's life
- Mounts on most reagent bottles with its 45mm thread and 45/33mm and 45/38mm adapters
- 1 YEAR WARRANTY

- Replacement parts available; optional MediaMate™ Kit for sterile dispensing

Applications: for weak acids, alkaline solutions, polar solvents, isotonic solutions, acetone, methanol & acetylacetone

Included Items: Spare dispensing cartridge, discharge tube, filling tube, polypropylene thread adapters and manual

Cat. No.	Volume (mL)	Accuracy (± %)	Coefficient of Var. (≤)	Subdiv. mL	Price
M101003	1 - 10	0.2	1.2	0.2	129.00
M101004	2.5 - 25	0.5	1.2	0.2	164.00

Bottletop Dispenser

DispensMate Plus



- Quick and precise volume adjustment
- Anti-drip cap prevents accidental discharge
- Chemically resistant to most aggressive liquids and acids
- Easy to clean and maintain, tool supplied
- 4 sizes cover the volume range 0.5 - 50 ml
- Dispensers come with adapters to fit all common lab bottles
- Fully autoclavable
- 3 YEAR WARRANTY

Cat. No.	Volume (mL)	Grad. (mL)	1 Liter Bottle	Price
M111333	0.5 - 5	0.10	No	\$215.00
M111334	1 - 10	0.20	No	215.00
M111335	2.5 - 25	0.50	No	320.00
M111336	5 - 50	1.00	No	320.00
M111359	0.5 - 5	0.10	Yes	277.00
M111360	1 - 10	0.20	Yes	277.00
M111361	2.5 - 25	0.50	Yes	382.00
M111362	5 - 50	1.00	Yes	382.00

Bottletop Dispenser, Variable Volume, Accupencer Junior®



buy me becauseMy contact parts are chemically resistant.

- Volume indicator may be placed on side without altering volume settings
- May add liquid without changing the settings
- Dispense via extension tube without moving the device or bottle
- Rugged and chemical resistant
- Easy to dismantle
- Accuracy: ± 1.0%, Precision: <0.1%
- Includes bottle, fully autoclavable
- Accupencer Junior®

Cat. No.	Range (mL)	Increments (ml)	Bottle Size (ml)	(WxH) mm	Price
M110878	0.2 - 1	0.05	250	75 x 210	\$328.58
M110879	0.4 - 2	0.1	250	75 x 210	328.58
M110880	1 - 5	0.1	500	100 x 210	328.58
M110881	2 - 10	0.25	1000	146 x 210	328.58

Optional Teflon® Extension Dispensing Tube Set

M110883	Use with M110878	\$41.74
M110884	Use with M110879	41.74
M110885	Use with M110880	41.74
M110886	Use with M110881	41.74

800-684-1234

fax 800-561-3002

Repeating Pipette

HandyStep® S

- Comfortable, slim design is lightweight, well-balanced, and provides a convenient control layout for smooth dispensing and one handed volume selection
- Reliable, robust construction, inspired design and innovative polymers deliver a dependable instrument
- Purely mechanical design; no batteries to charge/ replace
- Convenient integrated volume table provides a quick reference for dispensed volumes
- Flexible, ten sizes of PD-Tip syringe tips allow the HandyStep® S to dispense 59 different volumes
- Open design allows use of third party tips
- Tip ejection system allows user to remove tips without handling
- **Includes:** shelf/rack mount, one each 0.1mL, 1mL, 10mL PD-Tip syringe tips, operating manual & performance certificate
- 2 YEAR WARRANTY



Cat. No.	Description	Price
M1000840	HandyStep®S	\$370.74

Syringe Tips, PD-Tip™

- PD-Tip™ syringe tips are available in both non-sterile and sterile, endotoxin-free varieties
- Syringe tips are compatible with BRAND HandyStep® Electronic, HandyStep® S repeating pipettes, & most standard repeating pipettes



Description	Non-Sterile		Sterile	
	PD-Tip	Price/Cs	Endotoxin-Free	Price/Cs
0.5 mL	M104629	\$115.00/100	M104637	\$157.00/100
1.25 mL	M104630	115.00/100	M104638	157.00/100
2.5 mL	M104631	115.00/100	M104639	157.00/100
5 mL	M104632	115.00/100	M104640	157.00/100
12.5 mL	M104633	115.00/100	M104641	157.00/100
25 mL	M104634	72.00/ 50	M104642	46.00/ 25
50 mL	M104635	41.00/ 25	M104643	47.00/ 25
M104636	NonSterile Multi-pack, 20 each of 0.5, 1.25, 2.5, 5 and 12.5 mL tips			155.00

Reagent Reservoirs

Multi-Channel

- Features thicker walls, crush-resistant "turrets" at the corners and improved pour spouts
- 25 mL graduation marks
- Includes tabs that prevent stacked reservoirs from sticking together
- Bottom tapers down into narrow trough to get the last drop of liquid
- Sterile reservoirs are sold in packs of 50, individually sealed in Sani-Tear: gamma-irradiated HDPE bag



Cat. No.	Material	Sterile	Price/Pk
55 mL			
M367876	Clear PVC	No	\$60.54/100
M367877	White Polystyrene	Yes/ Ind. Wrapped	93.03/ 50
100 mL			
M101184	White Polystyrene	No	\$74.82/100
M101185	White Polystyrene	Yes/ Ind. Wrapped	116.26/ 50

Free Gifts, More Products

The LabMart ProPette™

The LabMart Brand

NEW!

- SINGLE CHANNEL, HIGH PRECISION, AUTOCLAVABLE
- Continuously adjustable, digital micrometer for volume selection
- Non-mandatory locking wheel (positioned at the top of the handle for simple one-handed activation/deactivation)
- Finely polished stainless piston & chemically resistant, maintenance-free seals for unsurpassed accuracy
- Air-jacketed handle protects the micrometer mechanism from the inaccuracies that can be caused by thermal expansion; thus continued pipetting precision
- Outstanding user comfort, lightweight and balanced
- Ergonomically shaped and contoured to minimize pressure on the thumb
- Actuation forces and spring pressures have been significantly reduced
- 2 YEAR WARRANTY



Cat. No.	Vol. Range	Accuracy (± %)	Reproducibility (≤ ± %)	Price
M112760	0.1-2 µL	12.0 - 1.5	6.00 - 0.70	199.00
M112761	1-10 µL	2.5 - 1.0	1.50 - 0.40	199.00
M112762	2-20 µL	2.5 - 1.0	1.50 - 0.30	199.00
M112763	5-50 µL	2.0 - 1.0	1.50 - 0.25	199.00
M112764	10-100 µL	1.8 - 0.8	0.50 - 0.15	199.00
M112765	20-200 µL	1.8 - 0.8	0.50 - 0.15	199.00
M112766	100-1000 µL	1.5 - 0.8	0.30 - 0.15	199.00
M112767	1-5 mL	1.2 - 0.6	0.30 - 0.15	199.00
M112768	1-10 mL	2.5 - 0.6	0.30 - 0.15	199.00
M112769	6-Place Carousel Stand			79.00



Universal Pipette Tips

The LabMart Brand

buy me becauseLow cost!

- High purity polypropylene for the highest translucence
- Precision molded for a great fit
- Clean, hydrophobic surface to minimize fluid retention
- Fit Transferpette®, Eppendorf®, Fispipette®, Pipetman® and more



Tip-Refill

- Inserts packed in space-saving dispenser carton

Tip-Box SL

- Lid slides open left or right, forward or back for convenient 8- or 12-channel pipetting
- Unused tips remain covered to reduce risk of contamination; rubber feet prevent slipping
- Fits tip-refill 60 & 96, Autoclavable polycarbonate



Tip-Box, Polypropylene

- Push-on lid with space saving design
- Refill with 96 tip inserts (60 tips for 1000µl)



Cat. No.	Vol. Range (µl)	Color	Packed	Price
M105920	2-200	Yellow	Bulk Pack	\$23.70/1000
M105921	50-1000	Blue	Bulk Pack	26.13/1000
M109215	2-200	Neutral	Tip-Box SL	49.00/ 96
M109222	50-1000	Neutral	Tip-Box SL	50.00/ 60
M109216	2-200	Neutral	Tip-Box PP; 5 bx/96	22.40/480
M109217	2-200	Neutral	Tip-Refill; 10 inserts/96	34.60/960
M109224	50-1000	Neutral	Tip-Refill; 16 inserts/60	47.60/960

Go To labmart.com

46 LIQUID HANDLING

MicroPette Plus™ Variable Pipettors



Single Channel

- 8 Volumes models to choose from 0.1 - 5000µl
- Thumb plunger for volume adjustment
- Lightweight, ergonomic design w/ a clear digital display
- Integral tip ejector for access into narrow tubes
- Easy to calibrate & maintain with tool supplied
- Fully autoclavable including tip-cone
- Used with 'universal' pipette tips
- Calibrated ISO/DIS 8655; supplied w/certificate
- 3 YEAR WARRANTY

8 or 12 Channel

- Lightweight and ergonomic design
- Clear digital display
- Staggered tip ejector for easy tip ejection
- Head rotates 360° for user comfort
- Easy to calibrate with tool included
- Used with 'universal' pipette tips
- 3 YEAR WARRANTY



MicroPette™ Plus Single Channel Pipettors

Cat. No.	Vol. Range	Increments	Accuracy(±)	Price
M111296	0.1-2.5µl	0.05µl	2.50%/3.00%/12.00%	\$159.00
M111297	0.5-10µl	0.1µl	1.00%/1.50%/2.50%	159.00
M111298	2-20µl	0.5µl	0.90%/1.20%/3.00%	159.00
M111299	5-50µl	0.5µl	0.60%/0.90%/2.00%	159.00
M111300	10-100µl	1.0µl	0.80%/1.00%/3.00%	159.00
M111301	20-200µl	1.0µl	0.60%/0.80%/1.00%	159.00
M111302	100-1000µl	5.0µl	0.60%/0.70%/2.00%	159.00
M111303	1000-5000µl	50.0µl	0.50%/0.60%/0.70%	159.00

MicroPette™ Plus 8-Channel Pipettors

Cat. No.	Vol. Range	Increments	Accuracy(±)	Price
M111304	0.5-10µl	0.1µl	1.50%/2.50%/4.00%	\$399.00
M111305	5-50µl	0.5µl	1.00%/1.50%/3.00%	399.00
M111306	50-300µl	5µl	0.70%/1.00%/1.50%	399.00

MicroPette™ Plus 12-Channel Pipettors

Cat. No.	Vol. Range	Increments	Accuracy(±)	Price
M111307	0.5-10µl	0.1µl	1.50%/2.50%/4.00%	\$425.00
M111308	5-50µl	0.5µl	1.00%/1.50%/3.00%	425.00
M111309	50-300µl	5µl	0.70%/1.00%/1.50%	425.00

MicroPette™ Plus Pipettors Accessories

Cat. No.	Pipettor Stand	Price
M111351	Linear, holds 6 MicroPette Pipettors	\$40.00
M111352	Carousel, holds 6 MicroPette Pipettors	50.00

Transferpette® Pipettes

Single Channel

- Unique hook-shaped handle relieves repetitive stress forces - an ergonomic alternative to the clenched hand/hyper-extended thumb grip of conventional pipettes.
- Can pipette submicro volumes
- Adjustable volume; equipped with Easy Calibration™ technology to simplify ISO/GLP compliance and eliminate the need for inconvenient offsite recalibration
- Corrosion-resistant and autoclavable
- Dedicated controls simplify pipetting
- BRAND nano-cap™ tips recommended for submicro vol.
- 3 YEAR WARRANTY



Multi-Channel

- Completely redesigned manifold for reduced operating forces, improved tip fit and easier maintenance
- Excellent for multiwell application, PCR or ELISA
- Remove individual tip cones without special tools or recalibration -- an industry first!
- Easy Calibration™ technology -ISO and GLP compliant
- Compatible with most major brands and types of tips, including new flexible tips and filter tips
- Dedicated controls to simplify operation and limit inadvertent tip ejection and volume adjustment
- 2 YEAR WARRANTY



- Included Items: One tip box filled with BRAND pipette tips, with 2 extra refills, 1 individual stand, autoclavable reagent reservoir, 1 pack of 24 V-rings, quality certificate, operating manual

Cat. No.	Cap. (µl)	Increment (µl)	Price
M101630	0.1 - 1	0.005	\$335.00
M101631	0.5 - 10	0.01	305.00
M101632	2 - 20	0.01	305.00
M101633	2 - 20 MicroTip	0.01	305.00
M101634	5 - 50	0.1	305.00
M101635	10 - 100	0.1	305.00
M101636	20 - 200	1	305.00
M101638	100 - 1000	1	305.00
M101639	500 - 5000	1	305.00

Volume Range	Adj Inc. (µl)	8 Channel Cat. No.	Price	12 Channel Cat. No.	Price
0.5-10	0.1	M104644	\$710.00	M104651	\$875.00
2-20	0.1	M104645	710.00	M104652	875.00
2.5-25	0.1	M104646	710.00	M104653	875.00
5-50	0.1	M104647	710.00	M104654	875.00
10-100	0.1	M104648	710.00	M104655	875.00
20-200	1.0	M104649	710.00	M104656	875.00
30-300	1.0	M104650	710.00	M104657	875.00
M104658		Stand for Transferpette, holds one unit			37.00

800-684-1234

fax 800-561-3002

Mini Light Box & Mini Magnifiers

Mini Light Box

- Saves bench space: can be stored in a drawer
- Viewing area (102 x 127 mm), perfect for quick screening of 96-well plates, petri dishes, electrophoresis gels, slides and transparencies
- Powered by electricity or 2 AA batteries (included)
- Measures 161 x 135 x 44 mm



Mini Magnifier

- Enlarges objects for easier viewing: 1.75x magnification
- Swiveling, molded lens
- Lens measures 185 x 100 mm; stand is 207 mm high

Cat. No.	Description	Price
M110845	Mini Light Box	\$123.46
M110846	Mini Magnifier	94.06

Light Box

- No glass to break, Plexi-glass top, stainless steel frame; economical
- Stores upright like a book saving bench space
- Comes complete with cool white fluorescent lamps & an 8' cord
- Use for viewing electrophoresis gels, slides, transparencies, & plates



Cat. No.	W x L x H (in)	No. Lamps	Watts	Price
M103311	11 x 18 x 2 ³ / ₁₆	2	30	\$307.58
M103312	16 x 18 x 2 ³ / ₄	2	45	480.95
M103315	18 x 24 x 2 ³ / ₄	3	60	679.25

Microslide Folder

- Individually numbered slide slots with thumb grooves on each side
- Index on outside cover; 2 hinged doors
- Constructed of heavy cardboard with a grey finish
- **Cap.:** 20 - 3 x 1" (75 x 25mm) slides
- **Box dim.:** 8 x 13¹/₂ x 1¹¹/₃₂ in.



M110550	Microslide Folder	\$18.00/1	\$630.00/40
---------	-------------------	-----------	-------------

Student Microscope Kit

- Can be used four ways: by itself; with the viewer screen for small-group work; with the projection device to create a larger image; or with the drawing head to view and trace a projected image on paper
- Three ranges: 300x-600x-1200x
- Requires two "AA" batteries, not included
- Includes prepared slides, slide making materials, forceps, tweezers, scalpel, specimen pin with handle, 30mL beaker, Petri dish, magnifying glass, dropper, specimen vial, two eyepieces, extra bulb, and English-Spanish activity guide




M112771	Student Microscope Kit	\$49.99
---------	------------------------	---------

Microscope Slides

buy us because We are economical, saves your lab \$\$\$\$.

- Corrosion resistant glass with smoothly polished edges
- Suitable for all medical applications
- Precleaned
- 75 x 25mm (3" x 1")
- 1mm Thick



Cat. No.	Description	Price/Pk	Price/Cs
M110566	Plain	\$38.94/144	\$389.53/1440
Frosted: Single: 1 end, 1 side frosted			
Double: 1 end, both sides frosted			
M110567	Single Frosted	\$57.76/144	\$577.67/1440
M110568	Double Frosted	63.42/144	634.25/1440
Concave: Slides: 1.2-1.3mm thick Wells: 15mm dia x 0.5mm deep			
M110569	Single Concavity	\$47.27/ 12	\$850.81/ 240
M110570	Double Concavity	81.86/ 12	1,473.60/ 240
Color End: Color coated end for easy identification			
M110571	White	\$78.58/144	\$693.81/1440
M110572	Blue	78.58/144	693.81/1440
M110573	Green	78.58/144	693.81/1440
M110574	Pink	78.58/144	693.81/1440
M110575	Yellow	78.58/144	693.81/1440
Charged: Positive charge with special adhesive formula on color coated end. Allows specimen to adhere to slide easily.			
M110576	White	\$98.36/144	\$805.50/1440
M110577	Blue	98.36/144	805.50/1440
M110578	Green	98.36/144	805.50/1440
M110579	Pink	98.36/144	805.50/1440
M110580	Yellow	98.36/144	805.50/1440

Cover Glass

- Individually selected, superior quality
- Specially processed borosilicate glass, rectangular in shape
- Sold in 1oz case



Cat. No.	Size (mm)	Thickness (mm)	Price
M102526-1	22 x 22	#1; .13 - .17	\$17.65
M102526-1.5	22 x 22	#2; .16 - .19	17.65
M102526-2	22 x 22	#3; .17 - .25	17.65
M102527-1	22 x 30	#1; .13 - .17	17.65
M102527-1.5	22 x 30	#2; .16 - .19	17.65
M102527-2	22 x 30	#3; .17 - .25	17.65
M102528-1	22 x 40	#1; .13 - .17	17.65
M102528-1.5	22 x 40	#2; .16 - .19	17.65
M102528-2	22 x 40	#3; .17 - .25	17.65
M102529-1	22 x 50	#1; .13 - .17	17.65
M102529-1.5	22 x 50	#2; .16 - .19	17.65
M102529-2	22 x 50	#3; .17 - .25	17.65
M102531-1	22 x 60	#1; .13 - .17	17.65
M102531-1.5	22 x 60	#2; .16 - .19	17.65
M102531-2	22 x 60	#3; .17 - .25	17.65

Free Gifts, More Products

Go To labmart.com

Basic pH Bench Meter

from Hanna



- Automatic Calibration, a stability indicator makes procedure error-free
- Calibration can be preformed at 1 or 2 points with 5 standard buffers
- Simultaneous display of pH and Temperature
- User friendly, extra Wide LCD (6.5" x 1.5") features prompts & symbols to guide user
- Automatic Temperature Compensation
- M112252 adds measurement for (ISE) and (ORP) in the mV range

Includes: pH electrode, temperature probe, electrode holder, pH 4.01, pH 7.01 buffer solution,

sachet electrolyte solution (30 mL), cleaning solution sachet, 12 VDC adapter & instructions. Supplied ready to use with a glass body pH electrode, temp. probe, electrode holder & a startup set of buffer solutions.

Cat. No.	Benchtop Meter	Price
M112251	pH and C°	\$395.00
M112252	pH /C°/ISE/ORP	425.00

Microprocessor based instrument provides pH readings that can be automatically temperatures compensated, as well as a stability indicator and a comprehensive step-by-step calibration procedure. The unit is compatible with a wide range of pH electrodes with BNC connectors.

Range	-2.00 to 16.00 pH	Temperature: -20 to 120.0°C
Resolution	0.01 pH	Temperature: 0.1 °C
Accuracy	±0.01 pH	Temperature: ±0.4 °C
Environment		0 to 50°C; RH max 95%
Dim.	235 x 222 x 109 mm	Weight: 1.3 kg (2.9 lbs.)

pH/ORP/Temp Bench Meter



- pH Calibration Check™ ensures accurate pH readings
- User customizable interface for 1 channel/ fully customizable
- Large log memory w/ different logging methods
- Multi-language interface/support; small footprint
- Auto data logging: 10 lots, 5000 samples per lot

- Large 240 x 320 Color display USB & RS232 capability, GLP data
- Fully customizable & capable of showing the measurements in various modes: basic measurement with or without GLP information, graph or logging data
- Out of Calibration Range & Cal Due features alert user if measurement is far from the calibration point or when meter is due for recalibration
- Supplied with glass body pH electrode, temp. probe, adapter, pH 4 & 7 buffer solutions, electrode solution, electrode holder
- 2 YEAR WARRANTY **from Hanna**

M110658 Dual Channel

- Two independent channels which are galvanically isolated to eliminate noise or instability. Allows user to connect pH and ISE electrodes at same time, eliminating need to switch probes
- ISE Features: (43-4074-02 only) Direct calibration & measurement in multiple units

pH	Range: -2.000 to 20.000 pH
	Resol.: 0.1 pH; 0.01 pH; 0.001 pH
	Accuracy: ±0.1 pH; ±0.01 pH; ±0.002 pH ±1 LSD
ORP	Range: ±2000 mV
	Resol.: 0.1 mV
	Accuracy: ±0.2 mV ±1 LSD
Temp.	Range: -20.0 to 120.0°C; -4.0 to 248.0°F; 253.15 to 393.15 K
	Resol.: 0.1°C; 0.1°F; 0.1K
	Accuracy: ±0.2°C; ±0.4°F; ±0.2K (without probe)

pH Calibration: automatic, up to five point calibration, 8 standard buffers available & 5 custom

pH Temp. Compensation: automatic or manual from -20.0 to 120.0°C/-4.0 to 248.0°F/253 to 393K

Cat. No.	Description	Price
M110657	Single Channel pH Meter Kit	\$1,093.00
M110658	Dual Channel pH/ISE Meter Kit	1,325.00
M365913	Refillable pH Electrode	123.00

pH/mV/ISE/Temp Bench Meter



- Ideal under harsh industrial conditions
- 5 Point calibration w/ a choice of buffers
- Accurate calibration w/ a backlit LCD
- Auto HOLD to freeze display readings
- PC compatible via USB
- Relative mV measurements

- Calibration Check™ & Electrode Diagnostics alerts user to clean electrode or if outside selected calibration
- “Outside Calibration Range” and “Calibration Time Out” warning
- M111043 & M111044 accepts ISE electrodes, displayed as ppm; Ion change capability & ISE calibration (up to 5 solutions); very useful for large range of concentration solutions measurements
- 11-0015-02 has 2 input channels for simultaneous measurements
- GLP to view last calibration data for pH, Rel mV or ISE **Hanna**

Specifications:	M111042	M111043	M111044
pH	Range: -2.0 to 20.0; -2.00 to 20.00; -2.000 to 20.000		
	Resol.:	0.1; 0.01; 0.001	
	Accuracy:	±0.01; ±0.002	
mV	Range:	± 2000	
	Resol.:	0.1	
	Accuracy:	±0.2	
Temp.	Range:	-20.0 to 120.0 (C°)	
	Resol.:	0.1 (C°)	
	Accuracy:	±0.2 (C°)	
ISE	Range: --	1 x 10 ⁻³ - 1 x 10 ⁵	1 x 10 ⁻⁷ to 9.99 x 10 ¹⁰
	Resol.: --	3 digits 0.01; 0.1; 1; 10 concentrate	
	Accuracy --	±0.5% of reading (monovalent ions), ±1% of reading (divalent ions)	

Calibration: pH: Up to 5 point, 7 standard buffers + 5 custom buffers

ISE: M111042: Up to 2 point, 6 solutions (0.1, 1, 10, 100, 1000, 10000 ppm)

M111042: Up to 5 point, 6 solutions (in units selected)

Log-on-Demand: M111042: 200 samples M111043: 300 samples M111044: 400 samples

Dim: 235 x 207 x 110 mm (9.2 x 8.14 x 4.33") / 4.1 lb.

Cat. No.	Description	Price
M111042	One Input Channel (no ISE)	\$675.00
M111043	One Input Channel	815.00
M111044	Two Input Channel	890.00

what is Calibration Check™ from Hanna?? Proper calibration of the pH meter and pH electrode system is critical to achieve reliable results. HANNA's exclusive Calibration Check™ System help users reach that goal by:

- 1) Compares new calibration to previous one. If significant difference, message alerts user to either clean electrode, check buffer or both.
- 2) The condition of electrode is shown on the display to track aging. Message alert when a.) measurements are taken too far from calibration points or calibration has expired; (avoids readings with old calibrations)

Water Purity Kit, AquaShock®

- Shockproof, IP67 Waterproof, protective soft-grip outer layer, floats and virtually unbreakable
- Large LED backlit display
- Rechargeable Lithium-Ion battery
- Determine water purity in applications: coolers, waste water, environmental testing, aquariums & industrial quality control
- Measures conductivity in mS or uS, TDS (Total Dissolved Solids) in ppm or ppt, and temperature
- Recalls last calibration points

AquaShock® meters have been designed and tested to ensure accurate, reliable water quality measurement under any conditions. AquaShock® meters are very intuitive and include all the functions you will likely ever need, including: review of 99 memories (min/max/ave) directly on the meter's display, internal clock and calendar, temperature in °C or °F, auto-ranging, automatic and manual temperature compensation, and hold. Includes AquaShock® Pure Water Meter; ATC conductivity/TDS probe; AC adaptor; manual; warranty card; probe input covers; protective, foam-lined, hard-shell carrying case. AquaShock® is virtually unbreakable, eliminating the inconvenience of frequent instrument repair or replacement for at least 5 years of interrupted, accurate, reliable use.



	mg/L (ppm)	% Saturation	Temp.
Range:	0.00 ~ 19.99 mg/L	0.0 ~ 199.9%	32.0 ~ 122.0°F 0.0 ~ 50.0°C
Resolution:	0.01 mg/L (ppm)	0.1%	0.1 mV
Accuracy:	±1.0% Full Scale	±1.0% Full Scale	±0.9°F or ±0.5°C

	pH	Temp.	mV
Range:	0 ~ 14 pH	32° ~ 140° (0 ~ 60°C)	-1999 ~ 1999 mV
Resolution:	0.01 pH	0.1°F & °C	0.1 mV
Accuracy:	±0.01 pH	0.9°F (±0.5°C)	±0.3 mV

	Temp.	Conductivity	TDS
Range:	32.0° ~ 212.0°F 0 ~ 100°C	0 to 19.99 µS 0 to 199.9 µS 0 to 1999 µS 0 to 19.99 mS 0 to 199.9 mS	0.0 to 9.99 ppm 10.0 to 99.9 ppm 100 to 999 ppm 1.0 to 9.99 ppt 10.0 to 199.9 ppt
Resolution:	0.1°F or 0.1°C	0.01 µS, 0.1 µS, 1µS, 0.01 mS, 0.1 mS	0.01 ppm, 0.1 ppm, 1 ppm, 0.01 ppt, 0.1 ppt
Accuracy:	±0.9°F/±0.5°C	±1% Full Scale	±1% Full Scale

Cat. No.	Description	Price
M112231	AquaShock® Water Purity Kit	\$690.00
M112232	Replacement AquaShock® ATC Cond/TDS Probe	243.00
M112233	AquaShock® DO Kit	724.00
M112234	Replacement AquaShock® ATC DO Probe	399.00
M112235	AquaShock® pH Kit	590.00
M112236	Replacement AquaShock® ATC pH Probe	207.00
M112237	AquaShock® pH ORP Kit	660.00
M112238	AquaShock® ORP Probe	207.00
M112239	Bench-Top Tripod	14.00
M112240	Field Tripod	40.00

Portable pH Meter, Extended Range



Specifications:

Range:	pH: 0.00 to 14.00 pH
	ORP: ±1999 mV
	°C: 0.0 to 100.0°C
Resolution:	pH: 0.01 pH
	ORP: 1 mV
	°C: 0.1°C
Accuracy (@20°):	pH: ±0.01 pH
	ORP: ±1 mV
	°C: ±0.4°C (excluding probe error)
pH Calibration:	Manual 2 point, through trimmers, (offset ±1 pH; Slope 85 to 105%)
Temp. Comp.:	Automatic, 0 to 70°C (32° to 158°F)
Environment:	0° to 50°F (32° to 122°C); RH max 100%
Dims./Wgt.:	145 x 80 x 36 mm (5.7 x 3.1 x 1.4 in.) / 230 g (8.1 oz.)

- This instrument is ideal for applications that require a custom calibration point
- Handheld pH/mV/°C meter designed to be reliable and easy-to-use
- Manual 1 or 2 point calibration
- Automatic temp. compensation
- Low battery indicator

Supplied with pH electrode and temperature probe, pH 4.01 buffer solution sachet, pH 7.01 buffer solution sachet, electrode cleaning solution sachets (2), calibration screwdriver, battery, protective case and instructions.



Cat. No.	Description	Price
M112245	Portable pH Meter, Extended Range	\$239.00

Free Gifts, More Products

Go To labmart.com

50 pH

pH PenTESTER, pHep® 4 & 5®



- Dual display shows pH & Temp. in °C or F°
- 1 or 2 point calibration with auto recognition of both standard and NIST buffer sets
- Stability indicator / hold feature prompts user when to take reading; display freezes for easy/accurate recording
- Stainless steel probe for fast, precise temperature measurement
- Replaceable pH electrode with an extendable junction
- Automatic temperature compensation
- Battery level check for proper measurements
- Waterproof casing floats
- WARRANTY: 1 YR on tester, 6 MONTH on Electrode
- Dims./Wgt.: 163 x 40 x 26 mm / 100g

Supplied complete with protective cap, electrode removal tool, batteries (300 hrs) and instructions.

Specifications:	M104426	M104427
Range:	pH -2.0 to 16.0	-2.0 to 16.0
Temp.	-5.0° to 60°C / 23° to 140°F	
Resol.:	pH 0.1	0.01
Temp.	0.1°C / 0.1°F	0.1°C / 0.1°F
Accuracy	pH ±0.1	±0.05
Temp.	±0.5°C (±1°F)	
Environment:	-5 to 50°C (23 to 122°F); RH max 100%	

Cat. No.	Description	Price
M104426	pHep® 4	\$85.00
M104427	pHep® 5	97.00
M104428	Replacement Electrode	47.00

Large Display pH Pens®



- Highly stable and accurate readings with a large LCD display
- Designed for simple one-hand operation
- Automatically calibrates to pH 4, 7, 10 buffers and can be adjusted to recognize non-standard buffers as well
- Features hold function, and auto power off with low battery indicator
- M112241 & M112242 feature wider pH range, ATC & display temp. in °C or °F
- M112242 has higher resolution and accuracy
- IP65 waterproof case and will float if accidentally dropped into the water
- Comes with 4 button-cell batteries and a built-in electrode kept moist with a protective cap

Specifications:	M112241	M112242	M112243
Range:	2 ~ 12	0 ~ 14	0 ~ 14
Resolution:	0.1	0.1	0.01
Accuracy:	±0.3 pH	±0.2 pH	±0.05 pH
Dimensions:	6 1/2 x 1 1/2 x 1 1/2 in.		
Weight:	2 1/2 oz.		

Cat. No.	Description	Price
M112241	Large Display pH Pen	\$37.00
M112242	Large Display ATC pH Pen	45.00
M112243	Large Display ATC 0.01 pH Pen	83.00

Soaker Bottles

The LabMart Brand



- Prolongs electrode life
- Protects against breakage
- Your electrode is protected against damage while bulb is kept wet and ready for immediate use
- Use with a 9 or 12mm dia. electrode

Cat. No.	Description	Price
M127750-01	Soaker Bottles, 9 mm	\$18.54/2
M127750-02	Soaker Bottles, 12 mm	18.54/2

pH/EC/TDS/Temp Combo Tester



- Automatic pH calibration and ATC
- EC/TDS conversion factor and temp. coefficient factor are user adjustable
- EC/TDS have auto calibration at one point; pH can be calibrated at 1 or 2 pts.
- Rugged, floating waterproof casing

Stability indicator and hold feature prompt user to take reading & freeze display. Has a replaceable pH electrode cartridge with an extendable cloth junction, an EC/TDS graphite electrode, and a stainless steel temp. probe. Supplied complete with electrode and batteries.

Specifications:	Range	Resolution
Low Range TDS:	0 to 2000 ppm	1 ppm
Low Range EC:	0 to 3999 Ms/cm	1 µS/cm
High Range TDS:	0.00 to 10.00 ppt	0.01 ppt
High Range EC:	0.00 to 20.00 mS/cm	0.01 mS/cm
pH:	0.00 to 14.00 pH	0.01
Temp.:	0.0 to 60.0°C	0.1°C
EC/TDS Factor:	Adjustable from 0.45 to 1.00	
Environment:	0 to 50°C (32° to 122°F); R.H. 100%	
Dims.:	6.4 x 1.6 x 1.0 in.	

Cat. No.	Description	Price
M106576	High Range	\$153.00
M106577	Low Range	153.00

800-684-1234

fax 800-561-3002

pH Fix Indicator Sticks



- Easy, quick read
- Dyes guarantee sharp pH differentiation
- Dye will not contaminate sample
- Measures in weakly buffered or strongly alkaline solutions
- Chemically bound to a cellulose fiber to prevent bleeding
- Simple application, 4 different indicator regions per test strip

Cat. No.	Range	Graduation	Price/Pk
M365580PH-FIX	0.0 - 14	1.0	\$20.36/100
M365580-01	0.0 - 6.0	0.5	17.69/100
M365580-02	4.5 - 10	0.5	17.69/100
M365580-03	7.0 - 14	0.5	17.69/100
M365580-04	0.3 - 2.3	0.3/0.4	17.69/100
M365580-05	1.7 - 3.8	0.3	17.69/100
M365580-06	3.6 - 6.1	0.3/0.5	17.69/100
M365580-07	5.1 - 7.2	0.3	17.69/100
M365580-08	6.0 - 7.7	0.3/0.4	17.69/100
M365580-09	7.5 - 9.5	0.2/0.4	17.69/100
M365580-10	7.9 - 9.8	0.2/0.4	17.69/100

Color pHast® pH Strips



- Easily obtains an accurate measurement of weakly buffered or dark turbid solutions
- Will not contaminate or add impurities to solutions
- Individual units are sold at 100 strips/pack, 6 packs/case
- ColorpHast® Store contains:
13 packs, covering the entire pH range of 0 - 14pH
One pack of 0-2.5, 2.6-4.5, 4.0-7.0, 6.5-10.0, 11.0-13.0 ranges.
Two packs of 0-6.0, 5.0-10.0, 7.5-14.0, 0-14.0 ranges.

Cat. No.	pH Range	Sensitivity	pH Units	Price/Cs
Universal Range: 4 Squares of Different Indicators on Each Strip				
M400010	Universal	0 - 14.0	0.5	\$104.87/6
Intermediate: 3 Squares of Different Indicators on Each Strip				
M400030	Intermediate	0.0 - 6.0	0.3 - 0.5	\$175.66/6
M400040	Intermediate	5.0 - 10.0	0.3 - 0.5	175.66/6
Narrow: 2 Squares of Different Indicators on Each Strip				
M400070	Narrow	2.5 - 4.5	0.2 - 0.3	\$101.94/6
M400080	Narrow	4.0 - 7.0	0.2 - 0.3	110.88/6
M400090	Narrow	6.5 - 10.0	0.2 - 0.3	104.88/6
M400100	Narrow	11.0 - 13.0	0.2 - 0.3	183.99/6
M400110	ColorpHast® Store (13 Packs)			\$165.13/1

The LabMart® pH Ref. Buffers



- Meets N.I.S.T. standards
- Accuracy ± 0.01 at 25°C
- Standardized against certified pH solution
- Shelf life of 2 years for 4.00 & 7.00; 18 months for 10.00
- 500ml Polybottles
- M106499 has one each of 4, 7 and 10

Cat. No.	pH	Color	Price/Ea	Price/Cs
M143561	4.00	Red	\$12.77	\$67.08/6
M143562	7.00	Yellow	12.77	67.08/6
M143563	10.00	Blue	12.72	67.08/6
M106499		Assortment		\$34.95/3

Cubitainer® and Poly Bottle

- Same Buffer as above
- Choose from a Poly bottle or Cubitainer®



Cubitainer



Poly Bottle

Cat. No.	Size	Packaged	Price/Ea
pH 4.00 Red			
M106828	1 L	Poly Bottle	\$77.40
M106829	4 L	Poly Bottle	69.23
M106487	10 L	Cubitainer®	161.75
M106488	20 L	Cubitainer®	187.44
pH 7.00 Yellow			
M106830	1 L	Poly Bottle	\$81.83
M106831	4 L	Poly Bottle	69.23
M106526	10 L	Cubitainer®	138.83
M106527	20 L	Cubitainer®	165.80
pH 10.00 Blue			
M106832	1 L	Poly Bottle	\$81.55
M106833	4 L	Poly Bottle	69.23
M106528	10 L	Cubitainer®	135.70
M106529	20 L	Cubitainer®	181.64

Free Gifts, More Products

Go To labmart.com

Economical pH/mV Meter



- Displays the parameter being measured along with time, date & temp. (in °C or °F)
- Automatic or manual temp. compensation, ranging and buffer recognition
- Digital and analog outputs
- Min/Max and 99 data points w/ data hold
- Five calibration points with electrode status indication

- Rugged housing with large LCD
- Operates on AC voltage (no batteries)
- Accepts any pH or ORP probe with standard BNC connector
- RoHS compliant, CE
- 5 YEAR WARRANTY

Specifications:

pH	Range:	0 to 14
	Resolution:	0.01
	Accuracy:	± 0.02
Temp	Range:	23° to 176°F (-5° to 80°C)
	Resolution:	0.1
	Accuracy:	± 0.9°F (±0.5°C)
mV/ORP	Range:	-199.9 to 199.9
	Resolution:	0.1 mV; -199.9 to 199.9 otherwise ±1mV
	Accuracy:	0.2 mV; -199.9 to 199.9 otherwise ±2mV
Dims.:	8 1/2 x 6 1/2 x 2 1/4 in. (217 x 168 x 58 mm); Wgt: 18 oz. (533g)	

Cat. No.	Description	Price
M111045	pH / mV Meter	\$362.00

Colorimeters, Checker^{HC}

buy us because We bridge the gap between simple chemical test kits (which are not very accurate & only give 5 to 10 points resolution) & professional instrumentation (which cost hundreds of dollars & are time consuming to calibrate / maintain.)

single button operation

- zero unit
- add reagent
- place vial in unit
- press button & read results



- Dedicated to a single parameter with large, easy-to-read digits
- Contoured style fits in the palm of your hand or safely in pocket
- Rapid results, easy to use & more accurate than chemical test kits
- Works with HANNA's powder reagents & 10 mL glass cuvettes; includes 6 powder reagents & 2 cuvettes (accessories available)
- Environment:** 0 to 50°C (32 to 122°F); RH max 95% non-condensing
- Battery:** (1) 1.5V AAA included / auto shutoff @ 2 min.
- Dim.:** 3.2 x 2.4 x 1.5" in., 2.25 oz.



Phosphate

- Ideal for natural, waste and drinking waters
- Uses an adaptation of Standard Method 4500-P E
- Range:** 0.00 to 2.50 ppm (mg/L) **Resol.:** 0.01 ppm (mg/L)
- Accuracy:** ±0.04 ppm (mg/L) ±4% of reading @ 25°C



Chlorine

- Ideal for pools / spas, fruit and vegetable sanitation, disinfection, drinking water and quality control checks
- Avoid serious health and safety risks
- Uses EPA approved DPD method Standard Method 4500-Cl G
- Range:** Free 0.00 to 2.50 ppm (mg/L)
Total 0.00 to 3.50 ppm (mg/L)
- Resol.:** 0.01 ppm (mg/L)
- Accuracy:** 3% of reading ±0.03 ppm (mg/L) @ 25°

For more parameters such as Iodine, Iron, etc. please call 1-800-684-1234 or visit us at www.labmart.com

M111048	Phosphate Colorimeter	\$49.98
M111049	Free Chlorine Colorimeter	49.98
M111050	Total Chlorine Colorimeter	49.98

Electrodes with BNC Connectors

- Bulb-type have 95% response in 1 second
- For US Standard Connectors, please call
- Shipped in solution for guaranteed long term storage

Economy Epoxy Body

Application: Gen. Purpose, lab field work
Reference: Sealed, single junction
M102292 9D x 90L mm \$63.61

Application: Gen. Purpose, lab field work
Reference: Sealed, single junction
M102499 9D x 120L mm \$58.97

Glass Body pH

Application: General Purpose, Lab test tube or small volume; micro
Reference: Sealed, single junction
M109002 6D x 150L mm \$163.25

Application: General Purpose, Lab use
Reference: Sealed, single junction
M109001 12D x 150L mm \$77.32

Application: General Purpose, Lab use
Reference: Refillable, single junction
M104526 12D x 150L mm \$88.08

- Low cost replacements
- Guaranteed Quality
- pH range: 0-14; Temp. range: 0-100°C
- 1 YEAR WARRANTY

Epoxy Body pH

Application: Small volume samples or test tubes
Reference: Sealed, single junction
M109003 6D x 150L mm \$118.85

Application: General Purpose, lab or field work
Reference: Sealed, single junction
M109000 12D x 150L mm \$77.25

Application: Large flasks, beakers or reactors
Reference: Sealed, single junction
M109004 9.5D x 300L mm \$75.00

Application: Food, soil, viscous samples such as agar, gelatin, flat surface
Reference: Sealed, double junction
M109005 6D x 150L mm \$226.59

Application: Meats, poultry, cheeses
Reference: Sealed, double junction
M102963 6D x 150L mm \$133.29

ORP

Application: General Purpose, lab or field
Electrode: Epoxy, platinum tip
Reference: Sealed, single junction
M109006 12D x 150L mm \$104.87

3-in-1 pH/Temp. Epoxy Bulb

Application: For ORION EA/SA Series
Electrode: BNC for pH, Banana plug x2 for temperature
Reference: Sealed, single junction
M109008 12D x 150L mm \$133.56

Application: For ORION A Series and HACH EC Series meters
Electrode: BNC for pH, 8-pin DIN for temperature
Reference: Sealed, single junction
M109007 12D x 150L mm \$160.55

Application: For Corning meters
Electrode: BNC for pH & phono plug for temperature
Reference: Sealed, single junction
M101061 12D x 150L mm \$153.74

Application: For Fisher/Accumet meters
Electrode: BNC for pH and sub mini phone plug
Reference: Sealed, double junction
M104524 12D x 150L mm \$157.24

Application: For JENCO meters
Electrode: BNC for pH and sub mini phone plug
Reference: Sealed, double junction
M104525 12D x 150L mm \$262.00

Graduated Pitchers



- Molded in nominal graduations in ounces and milliliters
- Rectangular handle for easy carrying and pouring
- Extra heavy wall; not for use on a hot plate
- HDPE beakers are safe for handling acids, alkalis and other dangerous solutions
- PMP beakers are transparent, autoclavable and can withstand continuous use at 150°C
- NALGENE[®]

Cat. No.	Cap. (ml / oz.)	Material	Price/Pk	Price/Cs
M103682	1000/32	HDPE	\$79.90/1	\$309.29/6
M103683	3000/96	HDPE	92.97/1	359.86/6
M103684	1000/32	PMP	91.75/1	355.16/6
M103685	3000/96	PMP	106.94/1	413.96/6

Low Form Griffin Beakers

- Superior chemical resistance
- Printed graduations
- Ribs for easy stacking
- Autoclavable, polypropylene
- Meets ISO/DIS 7056 accuracy standard
- NALGENE[®]



Cat. No.	Cap. (ml)	Price/Pk	Price/Cs
M123900	30	\$57.88/12	\$149.36/48
M123901	50	57.88/12	149.36/48
M123902	100	70.18/12	181.11/48
M123903	150	90.23/12	232.85/48
M123904	250	62.59/ 6	242.26/36
M123905	400	90.23/ 6	349.28/36
M123906	600	70.78/ 4	301.06/24
M123907	1000	73.37/ 3	189.34/12
M123908	2000	53.47/ 1	206.98/ 6
M123909	4000	92.06/ 1	237.56/ 4

Polystyrene Beakers

- Disposable
- For general use
- Excellent chemical resistance
- Withstands temperatures up to 200°F
- 150 - 1000ml have dual graduations (ml/oz)
- Sizes 5 - 50 ml are great for use with atomic absorption, flame photometers and cell counters



Cat. No.	Cap. (ml)	Price/Pk
M125005	5	\$68.13/1000
M125010	10	72.21/1000
M125020	20	67.20/ 500
M125050	50	95.10/ 500
M125150	150	45.33/ 100
M125250	250	49.53/ 100
M125800	800	102.03/ 100
M125100	1000	117.78/ 100

Polycarbonate Storage Bottle

- Radiation sterilized & rated to withstand 3 autoclave cycles (bottles)
- Store common lab solutions such as tissue culture media, serum and buffers
- Highly transparent, shatter-proof and have good alcohol resistance



- Slopped-side design that improves stability on the work surface
- Comes with SECUREgrasp™ PP caps that allow for easy uncapping, tightening, stacking and labeling

Cat. No.	Volume	Price/Cs
M111030	250 ml	\$137.00/24
M111031	500 ml	176.00/24
M111032	1000 ml	235.00/24

Tri-Pour Beakers

- Graduated easy-to-read markings are accurate to ±5%
- 3 Drip-less pouring spouts
- Withstands temp. up to 250°F (121°C)
- Polypropylene beakers are unaffected by most commonly used acids, alkalis and solvents, disposable
- Polycoated caps with lift tabs available



Cat. No.	Cap. (ml)	Grad. (ml)	Ht. (mm)	Dia. (mm)	Price/Cs
M127130-50	50	5	55	44	\$38.06/100
M127130-100	100	10	73	53	43.05/100
M127130-250	250	10	90	72	71.50/100
M127130-400	400	20	110	80	69.67/100
M127130-800	800	50	134	107	89.48/100
M127130-1L	1000	50	147	112	108.00/100
M341234	Variety Pack (Contains 5 of Each Size)				60.00/ 30

Tall Form Pitchers

- Ideal for general lab use
- Metric graduations are molded and printed on outside
- Large comfortable handles
- Pour spout for use with wet or dry material
- Shatterproof/chemical resistant



- TPX
- Crystal-clear to view contents
- Heat resistant up to 177°C (350°F)

- Polypropylene
- Hand grip at base for greater control, molded handle
- Printed graduations
- Steam autoclavable

Polypropylene

Cat. No.	Cap. (ml)	Top ID (in)	Ht. (mm)	Price/Cs
TPX				
M152250-00	500	3.2	5.3	\$13.65
M152250-01	1000	4.1	6.6	18.26
M152250-02	2000	5.3	8.1	30.24
Polypropylene				
M126400-250	205	2.5	4.7	\$6.21
M126400-500	500	3.2	5.3	6.89
M126400-1000	1000	4.1	6.6	9.84
M126400-2000	2000	5.3	8.1	11.25
M126400-3000	3000	6.0	9.1	15.61
M126400-5000	5000	7.4	10.8	50.50

54 PLASTICWARE

Bulk Leak Proof Bottles



- Guaranteed leak-proof
- Economical, single-use bottles
- Can withstand cold temperatures
- Excellent for field sampling in the environmental market
- Durable HDPE, Natural color
- NALGENE®

Cat. No.	Cap. (ml / oz.)	Closure Size (mm)	Price/Cs
Narrow Mouth			
M125280	125/4	24	\$489.22/500
M125281	250/8	24	352.80/250
M125282	500/16	28	261.08/125
M125283	1000/32	38-430	164.64/ 50
Wide Mouth			
M125284	125/4	38	\$550.37/500
M125285	250/8	43	416.31/250
M125286	500/16	53	303.41/125
M125287	1000/32	63	197.57/ 50

Wide Mouth Transportation Bottles



- Meets U.S. Department of Transportation IP2 regulation
- Guaranteed leakproof
- Safe, durable and cost-efficient
- HDPE
- NALGENE®

Cat. No.	Cap. (ml)	Price/Pk	Price/Cs
M127115	125	\$55.60/12	\$215.21/72
M127116	250	83.55/12	323.40/72
M127117	500	115.75/12	298.71/48
M127118	1000	105.27/ 6	271.66/24

HDPE Rectangular Bottles



- Requires less shelf space than Boston Round bottles
- Wide-mouth design is excellent for storing and dispensing
- Guaranteed leakproof closures
- HDPE bottle with a PP screw closure, suitable for long term storage
- NALGENE®

Cat. No.	Capacity	Closure Size	Price/Pk	Price/Cs
M101081	4 oz.	28 mm	\$40.11/12	\$155.24/72
M101082	8 oz.	38 mm	58.03/12	224.62/72
M101083	16 oz.	48 mm	90.23/12	232.85/48
M101084	32 oz.	53 mm	104.36/ 6	269.31/24
M101085	64 oz.	63 mm	115.45/ 4	223.44/12

Wide Mouth Square Bottles



- Ideal for transport and long-term storage
- Square shaped design allows for tight and neat side by side packing
- PE construction and comes with PP caps
- Dual cap seal: comes with a plastic plug insert that provides additional leak resistance
- Translucent, graduated and chemically resistant to most acids, bases and alcohols
- Food grade

Cat. No.	Vol. (mL)	Price/Cs
M111015	25	\$129.60/100
M111016	50	145.92/100
M111017	100	192.24/100
M111018	250	113.52/100
M111019	500	75.72/100
M111020	1000	99.24/ 20
M111021	2000	183.72/ 20

Safety Labeled Wash Bottles



- Wide mouth bottles are color-coded and leakproof
- Instant recognition, informative labeling
- 53 mm wide polypropylene closure w/ a leakproof design
- LDPE bottles are for dispensing use only, not for storage

- Scienceware®
- Easy to read, LDPE solvent resistant printed bottles include: Depart. of Transportation (DOT), National Fire Protection Association (NFPA) codes and symbols, Chemical Abstract Service (CAS) numbers, protective equipment symbols and target organ information making your workplace a safer environment.

Description	500 ml	Price/Bx	Price/Pk	1000 ml	Price/Pk
Acetone	M135102	\$20.87/2	\$56.22/6	M135129	\$73.86/6
Dichloromethane	M135114	22.77/2	69.88/6		
Deionized Water	M135128	20.89/2	56.22/6		
Distilled Water	M135124	20.89/2	56.22/6	M135138	73.86/6
Ethanol	M135106	20.89/2	56.22/6		
70% Ethanol	M135123	20.89/2	56.22/6		
Ethyl Acetate	M135109	20.89/2	56.22/6		
Isopropanol	M135104	20.89/2	56.22/6	M135133	73.86/6
Machine Oil	M135116	20.89/2	56.22/6		
Methanol	M135103	20.89/2	56.22/6		
Methyl Ethyl Ketone (MEK)	M135110	20.89/2	56.22/6	M135130	59.09/6
Saline Solution	M135121	20.89/2	56.22/6		
Soap	M135108	20.89/2	56.22/6		
Sodium Hypochlorite (Bleach)	M135107	20.89/2	50.02/6		
Toulene	M135105	20.89/2	56.22/6		
Unlabeled	M135136	19.80/2	45.75/6	M135137	35.66/3
Water	M135101	20.89/2	56.22/6		
Variety Pack (Water, Acetone, Methanol, Isopropanol, Toulene, Ethanol)	M135100		58.34/6		
Accessories					
M135118	6 x 500 ml Wash Bottle Carrier				\$44.77

Spray Mist Dispenser



- Trigger-type operation to project fine mist with large pattern
- Chemically resistant polypropylene trigger assembly and HDPE bottle
- Easy to clean valve and intake, stainless steel strainer
- Excellent for all thin liquids

Cat. No.	Cap. (ml)	Price/Pk	Price/Cs
M129511-00	16	\$32.40/4	\$177.46/24
M129511-01	32	39.95/4	218.83/24

HDPE Wide Mouth Bottles

- Guaranteed leak-proof
- High-density polyethylene, with a PP screw cap
- Durable, general purpose bottle with countless applications
- Translucent, more rigid than LDPE
- Wide mouth makes it easy for dry materials or liquids to be transferred
- NALGENE[®]



Cat. No.	Cap. (ml)	Price/Ea	Price/Cs
M129505-02	2 / 60	\$38.59/12	\$149.36/72
M129505-04	4 / 125	46.18/12	178.76/72
M129505-08	8 / 250	66.57/12	269.31/72
M129505-16	16 / 500	93.42/12	241.09/48
M129505-32	32 / 1000	85.22/ 6	219.92/24
M129505-48	48 / 1500	96.16/ 6	248.14/24
M129505-64	64 / 2000	28.62/ 1	110.75/ 6
M129505-28	128 / 4000	40.71/ 1	157.59/ 6

Pre-cleaned Wide Mouth Bottles

- Excellent for soil, sludge, & sediment samples
- Translucent and leakproof HDPE
- Meets the EPA's Performance Based Specifications for metals analysis and water quality parameters
- NALGENE[®], I-Chem[™] 300 Series



Cat. No.	Cap. (ml)	Cap Size	Price/Cs
M104944	125	38	\$183.75/72
M104945	250	43	226.80/72
M104946	500	53	182.70/48
M104947	1000	63	135.45/24

Sterilizing & Cleaning Trays

- Seamless polypropylene
- Lightweight, corrosion proof
- Tapered edges for nesting
- Autoclavable at 121°C
- Lids sold separately



Cat. No.	L x W x D (in.)	Price
M461040	12 x 7 ³ / ₄ x 5 ¹ / ₈	\$21.22
M461041	19 x 10 ¹ / ₂ x 5 ¹ / ₈	31.05
M461042	20 ¹ / ₄ x 15 ¹ / ₂ x 5	42.90
M461043	15 ¹ / ₄ x 12 x 7 ⁷ / ₈	31.68

Laboratory Trays



- Non-corrosive, molded in polypropylene
- Multipurpose tray can be used for sterilizing or drying glassware, porcelainware or other lab instruments
- Tapered walls
- Steam autoclavable

Cat. No.	Dimensions	Price
M107636	17 ³ / ₄ x 13 ³ / ₄ x 3	\$39.86
M109476	14 ³ / ₄ x 11 ³ / ₄ x 3	31.97

Squat Form Cylinders, Azlon

- Squat design for increased stability on the bench & ease of handling
- Self-draining base eliminates water collection during washing - thereby removing all spill re-wetting and contamination issues
- Highly visible molded blue over printed graduations
- High clarity polypropylene construction: safe, unbreakable w/ good chemical and temp. resistance
- Anti-suction base allows user to work on wet surfaces
- Good for mixing and a space saver



buy me because
I have a lower form that requires less overhead space. I am ideal for fume hoods

Cat. No.	Cap. (ml)	Grad. (ml)	Tol. (±ml)	Hgt. (mm)	Price/Cs
M110692	100	2.0	2.0	160	\$62.93/5
M110693	250	5.0	5.0	190	16.83/1
M110694	500	10.0	10.0	215	21.77/1
M110695	1000	20.0	20.0	282	28.48/1

'Class A' Graduated Cylinder

- Twice the accuracy of other plastic cylinders with the accuracy of glass
- Meets ISO 6706 and ASTM E1272 Class A requirements
- Molded of clear TPX (polymethylpentene)
- Large easy to read graduations
- Autoclavable (may effect accuracy)
- Resistant to alcohols, bases & acids



Cat. No.	Cap. / Grad(ml)	± Tol. (ml)	Price/Ea	Price/Cs
M107635	10 / 0.20	0.10	\$16.78	\$167.76/12
M102559	25 / 0.25	0.25	19.80	198.00/12
M101196	50 / 1	0.50	25.02	250.20/12
M101197	100 / 1	0.50	31.50	332.64/12
M101198	250 / 2	1.00	41.22	206.10/ 6
M101199	500 / 5	2.50	26.91	136.62/ 6
M101221	1000 / 10	5.00	63.80	287.10/ 6
M101222	2000 / 20	10.00	104.14	234.30/ 3

PP Single Scale Graduated Cylinders

- Single scale with raised numerals for easy reading
- Flared top rims and large spouts facilitate pouring
- Hexagon-shaped bases provide stability
- PP surface eliminates concave meniscus and makes reading easier and more accurate
- Chemically resistant and autoclavable at 121°C
- Scienceware[®]



Cat. No.	Cap. (ml)	Price/Ea	Price/Cs
M109103	10	\$5.04	\$105.34/24
M109104	25	6.15	128.45/24
M109105	50	7.93	82.85/12
M109106	100	9.78	102.12/12
M109108	250	10.94	114.33/12
M109109	500	15.00	78.36/ 6
M109118	1000	21.02	109.83/ 6
M109119	2000	38.10	132.73/ 4

56 PLASTICWARE

Weighing Bottles, PP



buy me becauseI am economical, compare me to glass.

- Reduces the tare weight correction
- Airtight push on lids included
- Highly resistant to acid attack
- No internal shoulders eliminates use of spatulas
- Tops can be squeezed to assist pouring
- Light weight, reusable and translucent
- Autoclavable (remove lid)

Cat. No.	Cap.	O.D.	Height	Price/Pk
M110711	20 ml	40 mm	29 mm	\$71.85/10
M110712	23	30	48	72.91/10
M110713	30	49	29	73.81/10
M110714	50	59	34	83.43/10
M110715	60	40	69	85.68/10
M110716	190	59	88	104.47/10
M110717	360	70	118	125.37/10

Dispensing Jugs & Shelf



Jugs

- Sturdy HDPE w/ rounded corners, strong handles & a bottom grip for pouring
- Allow convenient storage of large volumes of liquid for dispensing
- Jugs lay on their side with spigots that overhang the edge of a table or rack
- Air vents w/ snap closure prevent clogging

Shelf

- Rugged, corrosion-resistant
- Five shelves accommodates four 5 gallon jugs or eight 2.5 gallon jugs
- Bottom shelf may store spare jug or equipment

Jug Specifications:

Capacity	L x W x H (in.)	Fill Opening
2.5 gallon	15 1/2 x 6 1/2 x 9 1/4	38 mm
5 gallon	19 x 10 x 9 3/4	83 mm

LDPE spigot 1/4 turn type, extends 2 3/4 in. from the cap, and has a 1 1/4 in. long outlet tube with a diameter of 5/8 in.

Rack Specifications:

Capacity:	40 lbs. Per Shelf
Dimensions:	15 1/2 x 14 in. Floor Space
	5 shelf unit is 48 in. high, 4 shelf unit is 37 in. high, 3 shelf unit is 26 in. high.

Cat. No.	Description	Price/Ea	Price/Cs
M302520-01	5 Shelf Rack	\$264.53	
M108964	4 Shelf Rack	231.68	
M108965	3 Shelf Rack	174.92	
M108963	2.5 Gallon Jug	34.20	\$351.77/12
M302520-00	5 Gallon Jug	93.80	321.60/ 4

Heavy Duty Shelf



- Ideal for dispensing kegs, large sized supplies or any item that needs organization
- Tough & super strong 4-shelved unit
- Reinforced raised shelf edges capture any spills
- Won't rust, dent, peel or chip
- Each shelf is slotted at the end for hanging tools or other items
- Over 14" clearance between shelves
- Quick and easy assembly
- Charcoal HDPE

Cat. No.	Description	(H x W x D)	Price
M100741	Huskee Structo-Shelf	55 x 40 x 18 in.	\$519.20/1
M302520-00	Dispensing Jug	5 Gal.	96.60/1
M129511-00	Spray Bottle	16 oz.	32.40/4
M129511-01	Spray Bottle	32 oz.	39.95/6

Screw Cap Specimen Containers



- Versatile, PP with PE caps can be used for almost any liquid or solid specimen
- 4 oz capacity
- "Full Turn" screw thread cap
- Guaranteed "leak proof" seal
- Meets NCCLS Specimen Handling Guidelines for primary containers
- Integrity seal to indicate sterility
- Graduated in U.S. and Metric scales

Cat. No.	Description	Price/Cs
Non-Sterile, White Cap		
M136336	Bulk	\$147.98/500
Sterile, Green Cap with an Integrity Seal		
M136337	Bulk	\$65.54/100
M136335	Individually Wrapped	114.13/100

Leaklite® Specimen Containers



- Leak proof, polypropylene
- Freezable, stackable, and graduated
- Suitable for transportation (even pneumatic tube systems)
- Cap cannot be opened without breaking security label

Cat. No.	Cap. (ml)	Description	Sterile	Price/Pk
M101458	120	With Label	No	\$195.04/ 300
M101459	120	With Security Label	Yes	214.20/ 300
M101460	90	Wide Mouth, w/ Label	No	207.00/ 400
M101461	90	Wide Mouth, w/ Sec. Label	Yes	206.55/ 400
M101462	90	With Label	No	212.40/ 400
M101463	90	With Security Label	Yes	228.83/ 400
M101464	60	With Label	No	226.80/ 500
M101465	60	With Security Label	Yes	254.60/ 500
M101466	40	No Label, Cap Not Affixed	No	233.60/ 600
M101467	20	No Label, Cap Not Affixed	No	300.00/1000

Disposable Specimen Containers



- Low cost
- PP, durable, translucent and unbreakable
- Resists acids, bases, most organic solvents and common lab reagents
- Dual graduations in increments of 20 ml and 1 oz
- Non-sterile for general use
- Please order snap cap lids separately
- Note: Not guaranteed leak proof

Cat. No.	Description	Price/Cs
M136004	4 1/2 oz., Without Lid	\$86.13/500
M136008	8 oz., Without Lid	99.10/500
M136000	Snap Cap Lids for Above	71.55/500

800-684-1234

fax 800-561-3002

Frosted Screw Cap Specimen Cups

- Great for any type of sample
- Available in sterile or non-sterile, with or without caps
- Graduated in cc, ml and oz
- Capacity of 4 1/2 oz
- Screw cap provides odor proof closure
- Frosted area on cap and cup for labeling



Description	Cat. No.	Price/Pk	Cat. No.	Price/Cs
Sterile				
Banded			M136326	\$146.36/200
Individually Wrapped	M136322	94.53/100	M136321	202.57/200
Non-Sterile				
Cups & Caps, Packed Separately			M136325	\$195.04/500
Cups Only			M136323	94.08/500
Caps Only			M136324	66.50/500

Straight Side Jars

- Good for long term storage, but avoid direct UV exposure
- Polypropylene with screw closure
- Repeatedly autoclavable, with excellent resistance
- NALGENE®

Note: Before autoclaving, completely remove cap or closure and set on top of the container at an angle without engaging the threads.



Cat. No.	Cap. (oz. / ml)	Price/Pk	Price/Cs
M129000	1 / 30	\$42.84/12	\$165.82/72
M129001	2 / 60	45.30/12	116.90/48
M129002	4 / 125	71.09/12	137.60/36
M129003	8 / 250	45.27/ 6	175.23/36
M129004	16 / 500	67.90/ 6	175.23/24
M129005	32 / 1000	96.61/ 6	249.32/24

PE Containers with Lids

- Economical enough to be disposable yet tough enough to be reused
- Resists freezing and boiling
- Available in opaque or translucent polyethylene
- Tight fitting lids



Cat. No.	Cap. (oz. / ml)	Dia. x H (in.)	Price/Cs
High Density Polyethylene (Opaque)			
M102780	4 / 120	3 5/8 x 1 1/4	\$162.31/250
M136300	7.5 / 250	2 3/4 x 2 3/4	156.66/250
M136301	16 / 500	2 3/4 x 3 5/8	76.94/100
M136302	32 / 1000	3 5/8 x 4 5/8	128.1/100
M136303	64 / 2000	3 1/2 x 6	120.23/ 50
M136304	165 / 5000	7 3/4 x 8 1/4	114.25/ 25
High Density Polyethylene (Translucent)			
M136101	7.5 / 250	2 3/4 x 2 3/4	\$155.91/250
M136102	16 / 500	2 3/4 x 3 5/8	80.18/100
M136103	32 / 1000	3 5/8 x 4 5/8	127.30/100
M136104	64 / 2000	5 1/2 x 6	111.69/ 50
M136105	165 / 5000	7 3/4 x 8 1/4	121.70/ 25

FDA Approved Screw Top Pail

- Ideal for storing bulk goods, chemicals, samples or foods
- Made from HDPE, will not crush
- Locks with a few taps of a hammer
- Locks and re-locks without fail
- Use for dry or liquid materials
- Seals out moisture and contamination
- Meets EPA or FDA regulations
- DOT35 approved & child resistant



Cat. No.	Cap. (gal.)	I.D. Top (in.)	I.D. Bottom (in.)	Ht. Pail Only (in.)	Price/Cs
M130800	1	7.50	6.63	7.94	\$127.44/6
M130801	2	9.02	8.26	9.10	190.46/6
M130802	3.5	11.25	10.26	10.87	228.61/6
M130803	5	11.25	10.26	14.53	169.56/4
M100740	6	11.25	10.26	17.00	179.47/4
M140743				Pail Opener	55.00

Sample Collection System Sterile

- Kit includes white scoop (2 oz.) and twirl-type sterile bag
- Large label area for sample identification
- Seals tightly
- Individually sterilized in a PP bag



Cat. No.	Description	Price/Cs
M102293	Scoop and Bag	\$110.59/50

Scoop Spatula

- 6 1/2" stainless steel blade
- One pointed end and one blunt end
- Curved shape allows for total transfer of materials



Cat. No.	Description	Price/Cs
M107668	Scoop Spatula	\$12.30/4

Sample Processing Centrifuge Bottles

- Process samples for cell suspensions, cell lysates, tissue homogenates & organ homogenates
- Feature thick walls that hold up to reuse
- Choice of screw cap for low speeds or leakproof sealing cap for high speeds; sealing cap offers built-in grips on caps
- Choice of autoclavable, crystal clear polycarbonate or chemical resistant opaque polypropylene
- High visibility graduations and a frosted area for labeling
- Wide mouth for easy filling / pouring; non sterile



Cat. No.	Size x RCF	Dim. (in)	Type	Price/Cs
Polypropylene				
M111022	250ml x 8,250	2.32 x 5.01	Screw	\$258.55/36
M111023	250ml x 27,500	2.32 x 5.01	Seal	639.25/36
M111024	500ml x 8,250	2.68 x 6.61	Screw	242.25/24
M111025	500ml x 13,500	2.68 x 6.61	Seal	560.76/24
Polycarbonate				
M111026	250ml x 8,250	2.32 x 5.01	Screw	\$435.25/36
M111027	250ml x 13,700	2.32 x 5.01	Seal	732.49/36
M111028	500ml x 8,250	2.68 x 6.61	Screw	460.50/24
M111029	500ml x 13,850	2.68 x 6.61	Seal	598.99/24

58 REFRACTOMETERS

“PEN” Refractometer, PEN-PRO

buy me because

of my continuous measurement feature - takes measurements every second.



Specifications

Brix: Range: 0 - 85% **Resol.:** 0.1% **Accuracy:** ±0.2%
Sample Temp.: 10 - 100°C ATC
Power: 1 AAA battery
Dims. (WxDxH): 16 x 3.8 x 1.8 cm / **Wgt:** 70g (main unit)

- Measure hot samples while cooking, such as soups and sauces
- Non-homogenous samples, stir sample while taking measurement
- Extremely water resistant: PEN / IP65, Prism head / IP67
- External Light Interference (ELI) - warns of direct light which can alter your reading, (Patent Pending)
- Automatic Temp. Compensation (ATC) Calibrate with water
- Measures 2 ways - 1) dip tip into the sample / press START key. 2) press START key and touch the tip into the sample
- Measurement in 2 seconds, one handed operation
- Easy to clean, digital LCD, includes case, patent pending

M111012

Pen Pro

\$584.50

Brix Refractometers

Atago “Master” Series

buy us becausewe are easy to read & hold for smooth sampling.



Low Range Units: 0.0 - 33.0%

Measure: Sugar content of fruits, juices and drinks.

Calibrate: with M110629 or M110630

Mid Range: 28.0 - 62.0%

Measure: spreads, variety of sauces, soy sauce, low-sugar jams seasonings in liquid form,

Calibrate: with M110630 or M110631

- Allows for easy disposal of sample from the edge
- Well balances structure with a streamline body
- Improved hygiene aspect with textured grip
- E.L.I. warning (External Light Interference) is displayed when intense direct light is detected, allows you to shade sample for accurate reading
- ATC function (Auto Temp. Compensation) (not on all units) allows readings regardless of the ambient temperature
- ASD function (Auto Sample Distribution) - sample covers prism without having to lift day-light plate (all units)
- Choose a unit that is equipped with both ATC and IP65 at same time or a conventional ATC only or manual ATC
- IP65 rated (except eye piece)
- All models include protective storage case & batteries
- 1 YEAR WARRANTY

Optional Accessories:

- Daylight plate for small volume sampling
- Sucrose solution

Specifications

ATC: Accuracy: ±0.2% **Resol.:** ±0.1% **Repeat.:** ±0.01%

Sample Size: 2 - 3 Drops

Min. Scale: 0.2%

Dims. (WxDxH): 3.3 x 3.3 x 20.4 cm / **Wgt:** 160g

Cat. No.	Temp. °C	ATC	IP65	Price
Low Range: 0.0 to 33% Brix				
M110281	10 - 30	Yes	Yes	\$345.69
M110280	10 - 30	Yes	No	262.19
M108949	-	Manual	No	228.79
Mid Range: 28.0 to 62.0% Brix				
M110283	10 - 40	Yes	Yes	\$345.69
M110282	10 - 40	Yes	No	262.19
M384000-01	-	Manual	No	228.79

Accessories:

M110629	10% Sucrose Solution, 5 ml	\$33.40
M110630	30% Sucrose Solution, 5 ml	33.40
M110631	50% Sucrose Solution, 5 ml	33.40

Economical Refractometers

The Lab Mart®

The Lab Mart Brand



The LabMart® brand refractometers are commonly used in the beverage industry to measure sugar concentration in samples. They are routinely used by processors and quality control managers to monitor the concentration of dissolved sugar solids in food products such as fruit juices, soft drinks, wine, beer, and or other liquid samples.

buy us becausewe are easy on your budget.

- Auto. Temp. Compensation (ATC) eliminates need for manual zeroing to compensate for ambient temperature fluctuations
- Zero calibration is achieved with a simple screw adjustment when reading a distilled water sample
- Large glass prism and translucent blue background produce simple, repeatable measurements
- Sharp, easy-to-read scale and fine graduations
- Replaceable Daylight plates are hinged with metal pins
- All-metal body to ensure long life
- 1 YEAR WARRANTY

Specifications

Range: 50-86°F (10-30°C)

Sample Size: 2 - 3 Drops

With ATC	Price	No ATC	Price	Range	Res.
Brix Refractometers					
M100748	\$250.00	M103290	\$220.00	0 to 10%	0.1%
		M100749	220.00	0 to 18%	0.2%
M103152	250.00	M103151	220.10	0 to 32%	0.2%
		M103153	220.00	28 to 62%	0.2%
		M100750	220.00	45 to 82%	0.5%
		M103295	220.00	58 to 92%	0.5%

Salinity: reads in % saturation or parts per thousand NaCl and Specific Gravity

M106400	\$260.00	M103549	\$250.00	0 to 28% Sat.	0.2%
M103548	260.00			0 to 100 ppt	1 ppt
				1.000 to 1.070 Sp.Gr.	0.001 Sp. Gr.

800-684-1234

fax 800-561-3002

Large Scoop

- Rectangular shape molded of rigid PP
- Excellent for scooping ice cubes
- Holds approximately 2 liters (1/2 gallon)
- Rounded corners for easy cleaning
- Looped handle (4.5") for hanging



Cat. No.	Description	Bowl (in.)	Price/Pk
M109399	2 L	5 1/2 x 9 x 3 1/2	\$110.80/6

Long Handled Dippers

- HDPE dippers for sampling from large vats or deep tanks
- Will not corrode or contaminate
- Telescopic handle (12 ft x 1 1/2 in. dia.) is attached to the bowl at a 45° angle
- Hole in handle to hang/store

Scienceware®



Cat. No.	Handle Length (ft.)	Price
16 oz. Bowl		
M215715-00	3	\$61.89
M215715-01	6	89.48
M215715-02	12 (2 Piece)	171.52
M215715-03	12 (1 Piece)	153.70
32 oz. Bowl		
M215716-00	3	\$88.43
M215716-01	6	105.03
M215716-03	12 (1 Piece)	165.31

Sterile Spoons

- Sterilized, individually packed in a PE bag
- Long handle (178mm/7") minimizes sample contact
- Made of polystyrene

Sterileware®



Cap. (ml / Tsp.)	Width (mm)	Cat. No.	Price/Pk	Cat. No.	Price/Cs
1.23 / 1/4	20	M111093	\$60.80/10	M418950	\$275.76/200
2.46 / 1/2	25	M111094	63.01/10	M418951	285.93/200
4.93 / 1	30	M111095	55.41/10	M418952	256.76/200
14.79 / 3	39	M111096	56.78/10	M418953	252.78/200

Sterile V Shaped Spatula

- Sharp V-shape for puncturing bag and direct sampling
- Sturdy edge to break up hardened material; ideal for powdered or granulated material
- Spatula length of 152 mm, 19 mm wide and a depth of 13 mm
- Overall length of 229 mm
- Polystyrene, individually packed in PE bag; sterilized
- Volume level full is 36 ml
- Sterileware®




Description	Cat. No.	Price/Cs
V- Shaped Spatula	M398200	\$127.43/100

Detectable Scoops

- FDA grade PS suitable for food processing and pharmaceuticals
- Long handled 2 & 4 oz. size increases distance between you and the sample to reduce potential contamination
- Sizes 2 & 4 oz. remain upright when empty or full; may also use as weigh boat
- Great for sampling from wide-mouth containers
- Design ensures that all fragments are detectable
- Black color provides contrasting background for visibility
- Sterilized, individually wrapped, one time use; Sterileware®

Sense-able™



buy me because
I can be detected by standard metal detection and x-ray equipment, preventing potential production contamination, quarantine and recalls.

Cat. No.	Cap (oz. / ml)	Bowl Dims. (in.)	Price/Bx
M111397	2 / 60	1.5 x 3 x 1	\$210.75/100
M111398	4 / 125	1.75 x 3.5 x 1.25	296.91/100
M111399	8 / 250	2 x 5 x 2	479.09/100

Micro Spoon & Spatula Set

- Includes 6 different small size double-ended tools and tweezers
- 2 Small spoons for transferring and collecting both dry and liquid material
- 8 Flat spatulas of various widths and lengths ideal for mixing, scraping and spreading
- 2 V-shaped spatulas of different sizes
- Polished stainless steel for long life and easy cleaning
- A carrying case protects all tools when not in use
- Autoclavable Scienceware®



Cat. No.	Description	Price
M110101	Micro Spoon and Spatula Set	\$88.45

Sterile Scoop

- Large capacity; great for wide-mouth containers
- One-piece molded polystyrene
- Round contour prevents material retention
- Individually sterilized and bagged in a polyethylene bag
- 2 oz. & 4 oz. sampling scoops have been improved with a longer handle
- Scoops remain upright when filled

Sterileware®



Cap. (oz.)	Bowl (in.)	Total Lgt. (in.)	Cat. No.	Price/Pk	Cat. No.	Price/Cs
White Scoops						
2	1 x 3 x 1 1/2	8	M111098	\$27.95/10	M392002	\$141.68/100
4	1 x 3 1/2 x 1 3/4	8 11/16	M111099	35.23/10	M392004	181.82/100
8	2 x 5 x 2	8 1/2	M111100	47.03/10	M392006	223.77/100
Red Scoops						
2	1 x 3 x 1 1/2	8	M111101	35.73/10	M107665	\$179.66/100
4	1 x 3 1/2 x 1 3/4	8 11/16	M111102	37.98/10	M107666	197.56/100
8	2 x 5 x 2	8 1/2	M111103	52.94/10	M107667	245.68/100

60 STAINLESS STEEL

Griffin Style Beakers



- Allows for safe transfer of liquids
- Seamless construction with high polish finish
- Capacity "full mark" ensures accurate measuring

Cat. No.	Cap. (ml)	Dim. (in.)	Price
Without Handle			
M217655-1	125	2 ¹ / ₈ x 2 ⁵ / ₈	\$68.16
M217655-2	250	2 ⁵ / ₈ x 3 ¹ / ₄	68.91
M217655-3	600	3 ³ / ₈ x 4 ⁵ / ₈	79.16
M217655-4	1200	4 ¹ / ₈ x 6 ¹ / ₁₆	98.75
M217655-5	2000	4 ⁷ / ₈ x 7 ¹ / ₈	145.19
M217655-6	3000	5 ¹ / ₂ x 8 ¹ / ₄	151.47
M217655-7	4000	6 ¹ / ₈ x 8 ⁷ / ₈	193.57
With Handle			
M217655-9	2000	5 ¹ / ₁₆ x 6 ⁵ / ₈	\$167.13
M217655-10	3000	6 ¹ / ₁₆ x 7	173.66

All Purpose Trays



- Seamless coved corners
- Straight side, stackable
- Easy to clean and store
- Lids have recessed strap handle for easy stacking
- Lids sold separately

L x W x D (in.)	Tray Cat. No.	Price	Lid Cat. No.	Price
Standard Duty				
10 ³ / ₈ x 12 ³ / ₄ x 2 ¹ / ₂	M125780-5	\$71.45		
16 ³ / ₈ x 9 ¹³ / ₁₆ x 2 ¹ / ₂	M217641-4	92.82	M101668	86.88
Heavy Duty				
10 x 6 ¹ / ₂ x 2	M125780-3	\$71.94	M101670	\$61.04
12 ³ / ₄ x 10 ³ / ₈ x 2 ¹ / ₂	M125780-4*	79.07		
12 ¹ / ₄ x 7 ³ / ₄ x 2 ¹ / ₄	M101078	91.29	M101671	67.38
20 ³ / ₄ x 12 ³ / ₄ x 2 ¹ / ₂			M101672	67.41
20 ³ / ₄ x 12 ³ / ₄ x 4	M217641-6*	166.72	M101673	92.07
16 ¹ / ₂ x 10 x 4	M125780-8	126.38	M101674	89.79

*Nesting notch, classic pan design

Instrument Drying Trays



- Coved corners
- Easy to clean and stack
- Rolled bead edge to contain liquid

Cat. No.	Dim. (in.)	Price/Ea
M110401	25 x 15 x 5 ⁵ / ₈	\$266.50
M110402	25 x 20 x 5 ⁵ / ₈	288.22
M110403	12 ³ / ₄ x 10 ³ / ₈ x 1 ¹ / ₄	126.63
M110404	20 ³ / ₄ x 12 ³ / ₄ x 1 ¹ / ₄	85.37
M217653-1	10 x 6 ¹ / ₂ x 3 ³ / ₄	84.50
M217653-2	13 ¹¹ / ₁₆ x 9 ¹³ / ₁₆ x 3 ³ / ₄	77.53
M217653-3	15 ¹ / ₈ x 10 ³ / ₈ x 3 ³ / ₄	92.00
M217653-4	17 x 11 ⁵ / ₈ x 3 ³ / ₄	108.47
M217653-5	19 ¹ / ₈ x 12 ⁵ / ₈ x 3 ³ / ₄	148.41
M217653-6	21 ¹ / ₄ x 16 ¹ / ₄ x 7 ³ / ₈	214.85

Storage Containers/Beakers



Containers/Beakers

- Straight side
- Non-corrosive
- May be safely heated
- Smooth finish for easy cleaning
- No pour spout

Lids

- Recessed handle for stacking
- Add "L" to Cat. No. to order lid

Cat. No.	Cap. (qt)	Dims. (in.)	Price
M217646-1	1 ¹ / ₄	4 ⁹ / ₁₆ x 5 ³ / ₄	\$50.79
M217646-2	2	5 ³ / ₈ x 6 ⁵ / ₈	59.79
M217646-3	3 ¹ / ₄	6 ¹ / ₂ x 7	70.38
M217646-4	4 ³ / ₄	7 ³ / ₈ x 7 ⁷ / ₈	78.32
M217646-5	6	8 x 8 ³ / ₄	102.10
M217646-6	8	8 ³ / ₄ x 9 ⁵ / ₈	120.44
M217646-7	12	9 ⁵ / ₈ x 11	147.97

Graduated Beakers



- Easy grip handle
- Smooth pour spout
- Raised dual graduations (oz. and cc)

Cat. No.	Cap. (qt/cc)	Gauge	Price
Drawn, Embossed Graduations			
M217501	1/2 / 500	Heavy	\$136.93
Flo-Spun, Raised Graduations			
M217503	1/2 / 500	Medium	\$104.97
M217504	1 / 1000	Medium	90.88
M217506	4 / 4000	Heavy	204.05

Stainless Steel Funnels



- Made of non-corrosive 304 stainless steel
- Attached hang rings offer storage convenience
- Liquid flows smoothly through vented stems

Cat. No.	Capacity	Diameter x Height	Price
M253050-1	2 ³ / ₈ oz.	3 x 3 ³ / ₄ in.	\$80.05
M253050-4	22 ¹ / ₄ oz.	6 ¹ / ₄ x 6 ⁵ / ₈ in.	91.05
M253050-6	64 oz.	8 ³ / ₈ x 9 ¹ / ₂ in.	105.33

800-684-1234

fax 800-561-3002

Bel-Art Spinbars®



Polygon, Spinbar®

- Pivot ring minimizes the contact area between bar and vessel which reduces friction and chattering

Cat. No.	Size (mm, in)	Price/Ea	Price 50+
M428170-0012	12.7 x 8, (1/2 x 5/16)	\$6.52	\$5.68
M428170-0038	25.4 x 9.5, (1 x 3/8)	7.93	6.91
M428170-0112	38.1 x 9.5, (1 1/2 x 3/8)	9.41	8.19
M428170-0002	50.8 x 9.5, (2 x 3/8)	12.60	10.98
M428170-0212	63.5 x 12.7, (2 1/2 x 1/2)	25.75	22.43
M428170-0003	76.2 x 12.7, (3 x 1/2)	27.84	24.25

Spinplus®

- Add speed and efficiency to your mixing
- "Plus sign" shape creates a deep vortex
- Stable, quiet operation

Cat. No.	Size (mm, in)	Price
M428150-1000	9.5 x 9.5, (3/8 x 3/8)	\$11.62
M428150-9999	19.1 x 19.1, (3/4 x 3/4)	13.22
M428150-1001	25.4 x 25.4, (1 x 1)	14.08
M428150-1003	31.8 x 31.8, (1 1/4 x 1 1/4)	16.04

Octagon, Spinbar®

- Most commonly used bar
- Interrupted profile provides greater surface area & added turbulence
- Molded on pivot ring aids in reducing friction & chattering

*No pivot ring on this model

Cat. No.	Size (mm, in)	Price/Ea	Price 50+
M428145-1218*	12.7 x 3.2, (1/2 x 1/8)	\$5.41	\$4.71
M428145-1256	12.7 x 8, (1/2 x 5/16)	5.97	5.20
M428145-1238	12.7 x 9.5, (1/2 x 3/8)	6.70	5.84
M428145-0001	25.4 x 8, (1 x 5/16)	6.46	5.62
M428145-0138	25.4 x 9.5, (1 x 3/8)	7.87	6.86
M428145-0112	38.1 x 8, (1 1/2 x 5/16)	7.13	6.21
M428145-1128	38.1 x 9.5, (1 1/2 x 3/8)	9.35	8.14
M428145-0002	50.8 x 8, (2 x 5/16)	8.92	7.76
M428145-0238	50.8 x 9.5, (2 x 3/8)	12.48	10.87
M428145-0003	76.2 x 12.7, (3 x 1/2)	25.88	22.54

Egg Shaped, Spinbar®

- Provides its own pivot point without a separate ring or abrupt change in contour
- Designed especially for round-bottom vessels

Cat. No.	For Flasks (ml)	Size (mm, in)	Price
M428142-0038		9.5 x 4.7, (3/8 x 3/16)	\$11.25
M428142-0058		15.9 x 6.35, (5/8 x 1/4)	12.66
M428142-0034	10, 25, 50, & 100	19.1 x 9.5, (3/4 x 3/8)	12.97
M428142-0001	100 & 200	25.4 x 12.7, (1 x 1/2)	12.26
M428142-0114	300 & 500	31.8 x 15.9, (1 1/4 x 5/8)	16.35
M428142-0112	300 & 500	38.1 x 15.9, (1 1/2 x 3/8)	17.70
M428142-0158	500 & 1000	41.3 x 19, (1 5/8 x 3/4)	22.13
M428142-0002	2000 & 3000	50.8 x 19.1, (2 x 3/4)	26.49
M428142-0212	3000 & 5000	63.5 x 19, (2 1/2 x 3/4)	33.31
M428142-0003	12000 & 22000	76 x 19.1, (3 x 3/4)	37.98

Flea Micro, Spinbar®

- Designed for small volume vessels such as vials & tubes
- Ideal for environmental testing & applications in which small sample volumes need to be prepared & evaluated
- Other sizes and colors available, please call

Cat. No.	Size (mm, in)	Price/Ea	Price 50+
M428150-0635	6.35 x 3, (0.250 x 0.118)	\$7.01	\$6.11
M428150-0008	8 x 1.5, (0.315 x 0.059)	6.40	5.07
M428150-0010	10 x 3, (0.394 x 0.118)	7.01	6.11
M428150-0127	12.7 x 3, (0.500 x 0.118)	7.01	6.11

Octagon, Spinbox™ Assortment

- Convenient bar assortment in storage box
- With pivot ring

- One each in blue, red and yellow:
1/2 x 1/8, 1/2 x 5/16, 5/8 x 5/16, 7/8 x 5/16, 1 x 5/16, 1 1/2 x 5/16, 2 x 5/16, 3 x 1/2

Cat. No.	Description	Price
M428163-185	Color Coded Spinbox™	\$266.40

Standard & Micro, 16 Count

- 12 Standard - 2 each:
1/2 x 5/16, 5/8 x 5/16, 1 x 3/8, 1 1/2 x 3/8, 2 x 3/8, 2 1/2 x 3/8 in.

- Micro Flea bars - 2 each:
7 x 2mm 10 x 3mm

Cat. No.	Description	Price
M428162	White, Standard & Micro Spinbox™	\$129.79

Spinpak® Assortment, Six Pack

- Octagonal have a pivot ring
- Round Bars have a removable pivot ring
- Six Spinbars® per pack
- M428143-10 comes in 1 size and includes 2 of each color (yellow, blue, and red) per pack



Cat. No.	Description	Contains 2 Each	Price
M428143-00	Octagonal	1 x 5/16, 1 1/2 x 5/16, 2 x 5/16 in.	\$46.16
M428143-05	Flea Micro	8 x 1.5, 7 x 2, 10 x 3 mm	38.41
M428143-10	Octagonal	All 1 x 5/16 in.	49.97
M428167	Round	1 x 5/16, 1 1/2 x 5/16, 2 x 5/16 in.	58.69

Stirbar Remover, T-Handle

- Unique T-handle design with strong magnet
- Removes stir bars from solution, keeping your hands away from solution
- Holds stir bar against container wall while pouring solution
- Constructed of PP

Cat. No.	Description	Price
M106565	Blue T-Handle Stir Bar Remover	\$32.50/1



62 STIRRING

Digital Hot Plates, Stirrers & Digital Hot Plate Stirrers



- Consistent repeatability via microprocessor controlled technology
- Pyroceram® ceramic top provides uniform heating; easy to clean and highly resistant to scratches, corrosion, and chemicals
- Stirring hotplate has twin display that shows both temperature and stirring for greater accuracy
- Safety LED stays lit when plate is over 60°C, (even when unit is off)
- Temperature sensor provides power cutoff if unit overheats
- Housing features external spill trough to deflect spills away from electronics and control knobs
- Small footprint & low profile, fits inside hoods or storage cabinets
- Optional external temp. controller sets & maintains liquid temp.
- Temp. Acc. ±2°C; Stir speed at ±5%
- **Kit includes:** temperature controller, support rod & stir bar retriever UL Approved
- 2 YEAR WARRANTY

buy me becauseOf my angled front panel that puts controls at your fingertips and makes the LCD easy to read.

CORNING

Cat. No.	Description	Temp. Range	Stir Range (RPM)	Price
5 x 7 Inch Top, 16 x 10 x 8 (LxWxH in.)				
M110119	Hot Plate	5-550°C	—	\$285.81
M110120	Stirrer	—	60-1100	296.64
M110121	Stirrer/Hot Plate	5-550°C	60-1150	497.38
M110122	Stirrer/Hot Plate w/ Kit	5-550°C	60-1150	622.64
10 x 10 Inch Top, 21 x 14 x 8 (LxWxH in.)				
M110123	Hot Plate	5-550°C	—	\$489.06
M110124	Stirrer	—	60-1100	523.28
M110125	Stirrer/Hot Plate	5-550°C	60-1150	654.79
M110126	Stirrer/Hot Plate w/ Kit	5-550°C	60-1150	779.92
Accessories				
M110127	Digital Hot Plate Accessory Kit			\$188.75
M110128	External Temperature Probe; 5-200°C			153.10
M110129	2 - 9" Stainless Steel Support Rods			44.80

Hot Plate, Stirrer & Hot Plate Stirrer; Analog



- buy us because we are exceptionally durable with a chemical resistant white ceramic work surface.*
- Analog controls; space efficient 8 x 9 Inch footprint
 - Large Ceramic platform of 7.5 x 7.5in is durable & chemical resistant
 - Advanced microprocessor control employs turn knobs allowing quick, precise adjustment / maintenance of speed & temperature
 - Safety indicator LED's on panel indicates unit is on
 - Accepts borosilicate glass beakers, flasks, bottles or other vessels
 - M110176 includes mounting rod for thermometers & temp. probe
 - 2 YEAR WARRANTY

Cat. No.	Unit	Range	Price
M110174	Magnetic Stirrer	60-1500 RPM	\$209.90
M110175	Hotplate	50 - 380°C	209.90
M110176	Hotplate and Stirrer	50 - 380°C	319.90

Lab Disc Ultraflat Magnetic Stirrer



- Ultra-flat compact magnetic stirrer, modern magnet coil technology
- Wear-free drive with no moving parts
- To ensure better mixing, the lab disc can reverse direction of rotation automatically every 30 seconds
- High IP protection class (IP 65); Slip-proof, safe stand
- Set-up plate and casing made from chemically resistant materials

Specifications:

Max. Stirring Quantity:	0.8 L	
Speed Range:	15 - 1500 rpm	
Motor Rating Input/Output:	5W / 3W	
Stirring Bar Length Max.:	25 mm	
Set-up Plate Material:	Polyester	
Permissible Ambient Temp.:	5° - 40°C	
Permissible Relative Moisture:	80%	
Dims. (WxHxD)/Wgt.:	117 x 12 x 180 mm / 0.3 kg	

Cat. No.	Description	Price
M112122	White, Ultraflat	\$248.00
M112123	Pattern	248.00
M112124	Stream	248.00
M112125	Meadow	248.00
M112126	Maracuja	248.00

800-684-1234

fax 800-561-3002

Mini-Stirrers, Magnetic



- My internal Speedsafe Mechanism ensure the maximum speed of 1000 RPM is never exceeded
- Light, compact in ABS housing that resists most chemicals
- Comes with micro stir bar
- 2 YEAR WARRANTY

	M280005	M280007	M280006
Speed Range (RPM):		100 - 1000	
Environment:		0 to 50°C, RH max 95%	
Dims. (in.):		4.8 x 4.8 x 1.8	
Cover:	ABS Plastic	ABS Plastic	Stainless Steel
Power:	110/220 VAC	12V DC Car Battery (Socket Supplied)	110/220 VAC
Wgt. (lbs.):	1.4	1.3	1.6
Cat. No.	Applications		Price
M280005	Ideal for Limited Bench Space in Lab		\$100.00
M280007	Field Unit, Low Input Voltage		100.00
M280006	Creates Exothermic Reactions, AISI 316		182.00

Rotator, Revolver™

buy us because

I mix it horizontally, vertically, or any position in between.



- Interchangeable rotisserie options for all common lab tubes; accept tubes from 1.5 ml to 50 ml
- Independently adjustable rotisseries
- Cold room and incubator compatible
- Unit is split into two halves; can mix more than one tube type at the same time and rotate independently from center shaft
- Ideal for a Molecular Biology, Biochemistry, clinical or Histochemistry; ideal for delicate samples
- Small enough to fit on a crowded bench
- Easy to clean and decontaminate

Speed range*:	Fixed, 18 rpm
Rotation:	Complete 360°
Rotation Axis:	Continuously, Adjustable, 0 - 90°
Operating Temp.:	+4° to 65°C
Dims:	9.4W x 5D x 6H in; Wgt. 4.4 lb

Cat. No.	Description	Price
M111329	Tube Mixer w/Carousel for 36x1.5 tubes	\$427.45
Optional Carousels		
M111330	For 36 1.5/2.0 ml Tubes	\$44.30
M111331	For 10 10/15ml Tubes & 16 5/7ml Tubes	44.30
M111332	For 6 50 ml Tubes	44.30

Magnetic Stirrer, 10 Channel

with or without heat



buy us because *Of our high performance and low price*

- Powerful rotary drive providing consistent sample conditions across each position for volumes up to 400 mL
- 10 Stirring positions for optimum use of laboratory space
- Stainless steel plate with silicone films, anti-slip and anti-corrosion
- Heat only, stir only, or heat and stir simultaneously
- Electronic speed control for constant speed even during load changes
- Individually controlled stirring for consistency with various samples
- High magnetic adhesion; variable speed of motor
- Long life, quiet, brushless motor; CE Marked
- 2 YEAR WARRANTY

See Page 61 for Stir Bars or visit www.labmart.com

Speed Range:	0 - 1100
Plate Dimension:	17L x 7.5W", Stainless Steel
Stirring Point Position Quality:	90mm
Max. Magnetic Bar:	40mm
Heating Range M111295:	RT - 120°C; 470W
Dimension:	24"L x 8"W x 2.5"H, wt: 11 lb.

Cat. No.	Magnetic Stirrer	Price
M111294	Stirrer	\$992.00
M111295	HotPlate Stirrer	1,550.00

Vortexer, Mortexer™

buy me because

I have more power, more flexibility...more vortexer!



- Multi-Head™ (included) simultaneously mixes 8 - 1.5 or 2.0ml tubes, or single tubes up to 50mL
- Increased speed, up to 3400 rpm produces an instant vortex of even the largest sample sizes, including full 50ml tubes
- Cold room/incubator compatibility
- Spill-proof electronic controls
- "No-walk" suction feet
- Powerful motor for INSTANT vortexing
- Q-Drive™ technology (smooth vortexing action, while minimizing noise and excessive vibration)
- 2 YEAR WARRANTY



Speed range*:	200 to 3400 rpm, Variable
Operating Modes:	Touch or continuous
Orbit:	3mm
Operating Temp.:	+4° to 65°C
Dims:	5W x 6.3D x 6.7H in; Wgt. 8.4 lb

Cat. No.	Description	Price
M111348	Vortex Mixer, with Multi-Head	\$249.00
Optional Attachments		
M283001	3 in. Flat Head	\$22.00
M283002	Combination head for one microplate & microtubes (38x1.5 & 28x0.5)	44.00
M283003	For 12 x 1.5ml, Horizontal	\$82.80
M283004	For 4 x 15ml, Horizontal	82.80
M283005	For 2 x 50ml, Horizontal	82.80

Free Gifts, More Products

Go To labmart.com

64 STIRRING

Vortex Mixers

Adjustable



Adjustable or Fixed Speed

Fixed



buy us because We are suitable for touch or continuous operation.

- Orbital shaking movement
- M111310 has stepless speed regulation of motor
- M111310 be used for various shaking application with optional adapters for Eppendorf etc
- Sturdy cast casing
- Excellent vibration damping; due to the specially designed silicone feet & steel base
- Eccentric with oilless ball bearings
- CE ISO 9001/13485 Certified
- 2 YEAR WARRANTY

• **Universal Adapter** must be purchased separately in order to use the foam inserts with the variable speed, (M111310) model only

Speed Range:	0 - 2500
Operating Modes:	Touch or Continuous*
Orbit Dia.:	4mm
Operating Temp. Range:	5 to 40°C
Dimension:	127 x 130 x 160, wt: 3.5 kg.

Cat. No.	Vortex Mixer	Speed Range	Price
M111310	Adjustable Speed	0 - 2500	\$182.00
M111311	Fixed Speed	2500	150.00
Foam Tube Inserts (for use with Universal Adapter sold separately)			
M111313	For 48 test tubes Ø6mm		\$63.00
M111314	For 18 test tubes Ø10mm		33.00
M111315	For 12 test tubes Ø12mm		30.00
M111316	For 8 test tubes Ø16mm		30.00
M111317	For 8 test tubes Ø20mm		30.00
M111312	Universal Circular Adapter to use with Foam Inserts or Flat head Platform Pad		\$30.00
M111318	Flat Head Platform Pad, for use with M111310		10.00

Cell Disruptor, The Disruptor Genie®

Analog



Digital



buy us because Our unique, multi-directional action for simultaneous agitation and vortexing

- Rapid, hands-free, disruption of up to 12 microtubes (1.5ml or 2.0ml) at a time with the Universal Microtube Holder
- Dramatically increase cell disruption efficiency
- Speed timer - continuous for both models, (Analog: up to 15 min.) (Digital: up to 99 min.)
- Suitable for use in cold rooms or incubators
- Less costly than ultrasonic units or homogenizers
- Must use with Disruptor Beads™ for optimum results
- Digital model is ideal for accurate, reproducible, repeatable results with its adjustable speed and speed alarm features
- Supplied with Microtube holder for (12) microtubes (tubes not included), and Pop-off Cup. Base: 6.5 x 4.8 x 7.5in
- Stir speed at ±5%,
- 2 YEAR WARRANTY

Disruptor Beads™ Applications

- Ideal for difficult glass bead procedures - cell disruption/homogenization of yeast, bacteria, plant & animal tissue & pellet re-suspensions or extremely violent high-speed agitation
- Made from spherical lead free soda lime glass
- Remove the microtube holder and attach the supplied Pop-off Cup for high-speed vortexing of single test tubes

Cat. No.	Description	Speed RPM	Price
M111106	Analog	3000	\$587.00
M111107	Digital	1000-3000	680.00
Accessories			
M111108	Universal Microtube Holder		\$67.00
M189203	Replacement Pop-off Cup		25.00
M111109	Beads, 0.1mm, (8 fl. oz.), For Bacteria		26.00
M111110	Beads, 0.5mm, (8 fl. oz.), For Yeast		26.00

Platform Rocker, BenchBlotter™

buy me because

I have the ideal rocking speed and tilt angle for gentle mixing.



The LabMart Brand



- Sizeable work space, small footprint with a low profile
- Easy to operate, just press button and start rocking
- Easy to transport
- Use in incubator or cold room
- **Applications:** wide variety of general purpose uses; optimized for blot washing, gel staining/destaining and hybridization
- **Optional Accessories:** Dimpled mat for centrifuge tubes with multiple platform tie-down points. Stacking platform maximizes worksurface to save \$ and bungee cord, with 7 to 18 inch working size. Non-skid mat (included) to keep vessels in place
- 2 YEAR WARRANTY

Speed:	Fixed at 12 RPM
Tilt Angle:	±8°
Platform Size:	12 x 12 in. / 30 x 30 cm
Load Capacity:	5 lbs. / 3.2 kg
Operating Range:	+4 to 65°C
Dimensions:	13.5 x 11.8 x 4.7 in. / 6.5 lbs.

Cat. No.	Description	Price
M285000	Platform Rocker with Flat Mat	\$429.00
Accessories		
M281006	Stacking Platform with Flat Mat	\$89.00
M281005	Dimpled Mat 12 x 12	30.00
M111118	Bungee Cord for Securing Vessels	21.95/4

800-684-1234

fax 800-561-3002

Critical Temp. & Traceable

buy us because

We are safely-coated with Teflon® to absorb shock and to contain the glass and liquid within the Teflon® jacket should breakage occur

- Total immersion
- Complete with NIST Certificate
- Serialized
- Teflon® safety coated
- Engraved stems
- Bottles have magnets attached for wall or door mounting



Cat.No	Application	Temp. Range °C	Scale Div./ Lght (mm)	Bottle Fill	Price
Red Spirit (Non-Mercury) Filled Thermometers					
M451100	Ultra-Low Freezer	-90 to 20	1 / 145	Propylene Glycol	\$86.25
M451101	Freezer	-30 to 0	0.5 / 115	Propylene Glycol	65.00
M451090	Blood Bank	-5 to 20	0.5 / 145	Ethylene Glycol	99.75
M451102	Refrigerator	-5 to 15	0.5 / 125	Ethylene Glycol	68.75
M451103	Incubator	18 to 50	0.5 / 135	Ethylene Glycol	65.00
M451104	Oven	24 to 130	1 / 135	Vermiculite	70.88
M451091	High Temp Oven	35 to 200	1 / 145	Vermiculite	115.50
Mercury Filled (specs are same as Red Spirit)					
M451106	Freezer				\$68.75
M451107	Refrigerator				68.75
M451108	Incubator				68.75
M451109	Oven				68.75
M451095	High Temp Oven				116.25

Triple Display

- Triple temperature display of current, min. & max. temperatures on a continuous display
- Use in freezers, refrigerators, incubators, water baths and block heater or to monitor ambient temp.
- Features: audible alarm, flip-open stand, wall mounting key hole, C/F switchable, battery included
- Program to monitor temp. for periods of time, ie. overnight or weekend
- Probe is housed in unbreakable plastic bottle or vial filled with a non-toxic or non-hazardous liquid medium
- Bottles & thermometers have double magnets to attach to doors or walls
- NIST Traceable



buy me because
Of my triple display.

Specifications
Range: -50 to 70°C
Resolution: 0.1 C/F
Accuracy: ±0.5°C

Cat. No.	Application	Bottle Media	Certified Temp. °C	Price
M110718	Freezer	D-Limonene (30ml)	-20	\$65.00
M110719	Refrigerator	D-Limonene (30ml)	4	65.00
M110720	Incubator	D-Limonene (30ml)	37	65.00
M110721	Water Bath	none	37	65.00
M110722	Block Heater	Mineral Oil (30ml)	37	60.00
M110723	Thermometer (only) with Probe (1.0ml)			52.50

Traceable Digital

buy us because

We have multiple models for many applications such as food QA/QC, water testing, production line sampling, HVAC and food services.



- Traceable to N.I.S.T., certificate provided proving traceability
- Two temperature ranges and reads temp in C° or F°
- Stainless steel probe with sheath
- Easy-to-read LCD for accurate temperature readings
- Swivel head adjusts to 30°, 60°, and 90° for easy viewing
- M107614, M110609 & M106339 are waterproof
- M106339 has a head size of 2 x 1 in.
- M110609 has an accuracy of ±1°C and is drop-proof from 5 ft.
- Automatic power off Batteries Included CE

Cat. No.	Probe Lgth (in.)	Temp. Range (°F/°C)	Price
M103513	1 1/2" Dial	-58° - 302° / -50° - 150°	\$43.40
M103514	T-Handle	-58° - 302° / -50° - 150°	36.25
M103515	Anti-Roll	-58° - 302° / -50° - 150°	43.40
M103516	Rotary Head	-58° - 536° / -50° - 280°	36.25
M106338	Rotary Head	-58° - 302° / -50° - 150°	36.25
M103517	Short Stem	-58° - 302° / -50° - 150°	40.95
M103518	Long Stem	-58° - 536° / -50° - 280°	50.88
M106339	Small T-Handle	-58° - 302° / -50° - 150°	55.00
M110609	T-Handle	-58° - 536° / -50° - 280°	49.08
Models without N.I.S.T. traceable certificate			
M231500	Long Stem	-58° - 302° / -50° - 150°	\$56.01
M451301	Swivel Head	-58° - 302° / -50° - 150°	28.05

Pocket Infrared Thermometer

- Non-invasive, no-touch measurements
- Ideal for life sciences, clean rooms, pharmaceuticals, field use, electronics, petroleum products, and food use
- Reads both °F and °C of any surface—solids, semisolids, and liquids
- Features: reading "HOLD", low battery, pocket clip and key-chain with lanyard
- Field of view is 1:1
- Fixed emissivity of 0.95 covers 90% of all applications
- Batteries included
- Dim.: 3 1/4 x 3/4 in. wgt. 3/4 oz
- NIST Traceable®
- ISO 17025 Cert. provided



buy me because
Just simply point and shoot for reading in less than one second

Cat. No.	Range °F	Resolution	Accuracy	Price
M110519	-27 to 428	0.1°	±°C +2%	\$70.45
M110520		Spare Battery		16.15

66 THERMOMETRY

Ever-Safe® Thermometer



- Great for student use because it contains no carcinogenics
- Biodegradable liquid and dye
- Easy to read blue liquid filling
- Individual serialization
- Permanently fused scale
- Statement of accuracy included

Whole Degree

Partial Immer. (76MM)	Total Immer.	Range	Div.	Length (mm)	Price
M205680	M205681	-35° to 50°C	1.00	305	\$16.25
M205682	M205683	-20° to 110°C	1.00	305	14.38
M205684	M205685	-20° to 150°C	1.00	305	16.25
	M205686	-10° to 210°C	1.00	355	27.50
M205687	M205688	0° to 230°F	2.00	305	15.00
M205689		-10° to 260°C	1.00	305	31.25
M205690	M205691	0° to 300°F	2.00	305	16.25
M205692		20° to 500°F	2.00	405	32.50

Fractional Degree

Partial Immer. (76MM)	Total Immer.	Range	Div.	Length (mm)	Price
M205693	M205694	-10° to 50°C	0.50	305	\$46.25
M205695	M205696	-1° to 51°C	0.20	400	96.25
M205697	M205698	-1° to 101°C	0.20	460	120.00
M205699	M205700	-1° to 201°C	0.50	460	132.50

Angled Thermometer Storage Trays



- Inclined angle to prevent separation of liquid column
- Keep thermometers handy and properly stored
- Polystyrene
- Numbered slots

Cat. No.	Capacity	Dim. (W x H x D)	Price/Pk
M108954	3 Slots	4 x 17 x 1.25"	\$159.28/5
M108955	14 Slots	17.4 x 13.4 x 1.2"	137.62/2

Wireless Thermometer Set



- Reads the temperature inside an environmental chamber or clean room without opening door
- Waterproof sensor continuously monitors ambient temperature from a remote location
- Sensor range (to monitor): 100 ft.

- Monitor reads up to 3 temp. sensors (additional sensors sold separately); Displays in °C or °F, max-min recall, audible/visual alarms and low battery
- Includes: monitor, sensor, bench stand/wall mount and batteries

• Dims.: 4 x 2 1/2 x 1 in.

• 5 YEAR WARRANTY

Specifications	Monitor	Sensor
Range:	0 to 50°C (°32 to 122°F)	-20 to 60°C (-4° to 140°F)
Resolution:	0.1°C (0.2°F)	
Accuracy:	±1°C (2°F)	

Cat. No.	Description	Price
M107935	Wireless Thermometer Set	\$72.00
M107935C	Set with NIST Certificate	120.00
M107936	Additional Temperature Sensor	45.00
M107936C	Sensor with NIST Certificate	99.00

Double-Safe™ Thermometer



- Easy-Read® design with Teflon® coating to resist breakage and prevent contamination
- Features Enviro-Safe® liquid that is non-toxic, non-hazardous and biodegradable
- Ensures accuracy and conforms to ISO 9001 initiatives 305 mm (12") supplied with serial numbers.

buy me because

I have NO Mercury.

Cat. No.	Range	Division	Accuracy	Price
200mm (8") Length				
2" Immersion				
M108052	-10° to 110°C	1°	±1°	\$36.47
M108054	-10° to 150°C	1°	±1°; 1.5° above 105°	62.50
M108056	20° to 230°F	2°	±2°	36.47
M108058	20° to 300°F	2°	±2°	36.47
Total Immersion				
M108053	-10° to 110°C	1°	±1°	\$58.34
M108055	-10° to 150°C	1°	±1°; 1.5° above 105°	58.34
M108057	20° to 230°F	2°	±2°	58.34
M108059	20° to 300°F	2°	±2°	58.34
305mm (12") Length				
3" Immersion				
M108060	-20° to 110°C	1°	±1°	\$75.28
M108062	-20° to 150°C	1°	±1°; 1.5° above 105°	84.18
M108066	0° to 300°F	2°	±2°; 3° above 221°	78.12
Total Immersion				
M108061	-20° to 110°C	1°	±1°	\$80.54
M108063	-20° to 150°C	1°	±1°; 1.5° above 105°	78.69
M108065	0° to 230°F	2°	±2°	74.68
M108067	0° to 300°F	2°	±2°; 3° above 221°	78.12

Alarm Thermometer

M103692 and M103692C

- Allows user to set minimum and maximum temp. alarms on both the internal and external sensor
- External sensor is waterproof and can be used outdoors or in liquid
- Simultaneous displays of ambient indoor and external sensors temp. with min-max readings in C or F
- Ideal for labs, incubators, refrigerators, water baths, drying chambers and fume hoods

• 5 YEARS WARRANTY

M103693 and M103693C

- Same as M103692 but with humidity instead of external temperature
- Ideal for pharmaceutical and semiconductor clean rooms, warehouses, museums, environmental cabinets greenhouses and ripening rooms
- Dim.: 4 1/8 x 2 3/4 x 6/8 / 3oz.



buy me because
I work on land, sea or in the air.

Cat. No.	Description	Price
M103692	Alarm Thermometer	\$52.00
M103692C	Above with NIST Certificate	105.00
M103693	Alarm Thermometer / Hygrometer	80.00
M103693C	Above with NIST Certificate	126.00

800-684-1234

fax 800-561-3002

Time Controller, Count-Down

- Ideal for recorders, electrophoresis equipment, pumps, hot plates, water baths, ovens and sterilizers
- Programs can run from one minute to ten hours in duration
- Easy to set; manual override
- Built-in self-recharging battery backup ensures operating even w/ power failure
- Dual inputs for control of two devices simultaneously
- 1 YEAR WARRANTY



buy me because

I can be programmed to shut off power in real time with up to 8 on/off settings per day, a total of 56 settings per week. Use me to control equipment with heating elements.

Specifications:

Resistive / Tungsten Load: 15 Amps (125V) / 15 Amps (1875 W)
Motor: 1 HP
Dimension: 5 1/2 x 3 x 2 in. / 114 x 75 x 55 mm
Weight: 7 oz. / 200 g

Cat. No.	Description	Price
M110680	Count-Down Time Controller	\$57.50
M110681	Count-Down Time Controller w/ NIST	90.00

Stopwatch, Transparent Red

- Larger display; 1/2 in. high digits
- Lightweight ergonomic design with large control buttons
- Counts to 24 hrs. in 1/100th sec. resolution for first 30 mins.
- Split interval function
- Features a 12/24 hour alarm clock, calendar & an hourly chime optional
- ROHS & CE Compliant



SPER SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 0
Alarm: Yes	Clock: Yes
Range: 12 / 24 Hrs.	Resolution: 1 / 100 Sec.
Dims. (in.): 3 x 3 x 3/4	Weight: 1.6 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M106340	Stopwatch	\$31.35

5 Channel Timer

- Simultaneous timing w/ 4 independent channels that count up or down
- Different alarm sound for each channel
- Automatically counts time elapsed after the alarm
- Memory recalls last setting
- Includes stand, pocket clip, magnet and large display



SPER SCIENTIFIC

Specifications:

Count Up: 4	Count Down: 4
Alarm: Yes, 1 Min.	Clock: Yes
Range: 1 Sec. - 100 Hrs.	Resolution: 1 Sec.
Dims. (in.): 2 7/8 x 2 1/2 x 9/16	Weight: 2 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price	2+
M457725	5 Channel Timer	\$50.25	\$41.88
M457725C	Timer w/NIST Certificate	87.00	

Timer, Count Up/Down, 99 Min.

- Numeric keypad allows for fast programming
- Counts up/down for 99 min. in intervals of 1 sec.
- Includes stand, pocket clip and magnet



SPER SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 1
Alarm: No	Clock: No
Range: 99 Min.	Resolution: 1 / 1000 Sec.
Dims. (in.): 2 1/2 x 2 3/8 x 6/8	Weight: 1.4 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M457740	Count Up/Down Timer	\$33.00
M457740C	Timer w/NIST Certificate	60.00

Timer, Large Display, Pocket

- Large LCD with 3/4" high digits
- Auto-power-off saves battery
- Short warning alarms sound at 3 & 5 minutes prior to the final 30 second alarm
- Previous setting memory
- Includes stand, pocket clip & magnet



SPER SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 1
Alarm: Yes	Clock: No
Range: 100 Min.	Resolution: 1 Sec.
Dims. (in.): 2 1/2 x 2 1/2 x 1/2	Weight: 2.4 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M107945	Large Display Pocket Timer	\$28.00
M107945C	Timer w/NIST Certificate	40.00

Timer, Continuous Alarm

- Select between a bright flashing yellow LED visual alarm or an audible alarm
- Continuous alarm will flash or sound for weeks until shut off
- Previous setting memory
- Counts up & automatically counts time elapsed after alarm
- Includes stand, pocket clip and magnet



SPER SCIENTIFIC

Specifications:

Count Up: 1	Count Down: 1
Alarm: Yes	Clock: No
Range: 9999 Min.	Resolution: 1 Sec.
Dims. (in.): 3 x 2 x 5/8	Weight: 2 oz.
Warranty: 5 Year	Battery: included

Cat. No.	Description	Price
M107944	Continuous Alarm Timer	\$17.00
M107944C	Timer w/NIST Certificate	43.00

Well Cell Culture Plates, Costar®



M105128



M107968



M105129

- Nonreversible lids w/ condensation rings to reduce contamination
- Certified nonpyrogenic
- Sterilized by gamma irradiation
- Treated for optimal cell attachment
- Uniform footprint for ease in stacking
- Individual alphanumeric codes for well identification
- Individually packed unless otherwise indicated
- All culture plates have flat bottoms except for M105137 & M107973 that have round bottoms and M105138 with a V-shaped bottom
- CORNING

Cat. No.	Well	Well Volume	Approx. Growth Area (cm ²)	Qty/Pk	Price/Cs
Standard Clear Plates					
M105128	6	6.9 mL	9.5	5	\$266.04/100
M105131	6	16.8 mL	9.5	1	135.72/ 50
M105129	12	6.9 mL	3.8	5	307.65/100
M105130	12	6.9 mL	3.8	1	157.43/ 50
M107968	24	3.4 mL	1.90	1	343.84/100
M105132	24	3.4 mL	1.90	1	171.91/ 50
M105133	24	3.4 mL	1.90	5	336.96/100
M105134	48	1.6 mL	0.95	1	405.37/100
M107970	96	360 µL	0.32	1	237.66/ 50
M105136	96	360 µL	0.32	5	384.40/100
M107971	96	360 µL	0.32	1	475.52/100
M107972	96	190 µL	0.16	1	251.34/ 50
M105137	96	330 µL	0.32	1	249.20/ 50
M105138	96	380 µL	0.38	1	284.10/ 50
Standard Clear, with Special Low Evaporation Lid					
M105127	96	360 µL	0.32	5	216.43/ 50
M105135	96	360 µL	0.32	1	237.61/ 50
For Cell Based Assay					
M217356	96	360 µL	0.32	10	204.86/ 50

Order online at our new website
www.labmart.com

800-684-1234

About Sealing Films:

- ✓ Superior quality films and adhesives with uniform, consistently-applied adhesive
- ✓ Two end tabs for easy and Accurate Positioning on plate
- ✓ Removable Ends Tabs are perforated with removable backing for easy and accurate positioning and ensure secure sealing around plate
- ✓ Packed in zippered bags within white cardboard boxes for easy stacking and storage

Microplate Sealing Films



SEALPLATE™

SealPlate™ - for ELISA, EIA & General Incubator

- Non-pierceable 50 µm thickness polyester films minimize evaporation, prevent spillage & contamination between wells, & provide a secure seal, not just a cover
- Eliminates "edge effects" in sensitive ELISA assays
- Can also be used with tissue-culture plates for short-term storage, incubation and containment of biohazards
- Functional temp. range of -40°C to 120°C
- *Dim (mm): 79.4 x 146.1*

ColorTab™ - for Plate Identification

- Identical to General Use SealPlate™
- End tab has a color dot and white writing are for plate ID
- End tabs can be left on the plate after film is removed
- Second end tab can be inserted in lab notebook for record keeping
- *Dim (mm): 79.4 x 146.1*

ThinSeal™ - for use with Pipettor

- Identical to general use SealPlate™
- Thinner, 25 µm thick, slightly clearer version of SealPlate™
- Marginally pierceable by a single-channel pipettor for sample recovery
- *Dim (mm): 79.4 x 141.0*

MiniStrips™ - for use with 8 - Wells

- Identical to SealPlate™, but designed for sealing only one or two 8-well rows at a time on either strip-well plates or standard plates whenever rows must be selectively protected or accessed (Comes in sheets of 4)
- Perforated tabs can be removed or sealed around plate edge
- Use as secondary seal to cover pierced films
- Sterile product packaged in temper-evident bags of 100
- *Dim (mm): 19.0 x 103.2 w/ tabs removed: 19.0 x 82.6*

Cat. No.	Description	Sterile	Price/Cs
M309200	SealPlate™	No	\$47.90/100
M309201	SealPlate™	Yes	62.71/100
M110374	ColorTab™, Green	No	57.79/100
M110375	ColorTab™, Lavender	No	57.79/100
M110376	ColorTab™, Orange	No	57.79/100
M110377	ColorTab™, Red	No	57.79/100
M110378	ColorTab™, Blue	No	57.79/100
M110379	ColorTab™, Assorted	No	36.12/ 50
M110380	ColorTab™, Assorted	Yes	47.36/ 50
M107364	ThinSeal™	No	55.38/100
M107365	ThinSeal™	Yes	74.22/100
M107604	MiniStrips™	No	40.82/200
M107629	MiniStrips™	Yes	54.86/200

fax 800-561-3002

Tissue Culture Treated Flasks


- Vacuum gas plasma tissue culture treated
- Uniform hydrophilic surface is ideal for consistent cell attachment
- Available with plug seal or vent caps (0.22µm hydrophobic membrane)
- Vent caps to allow gas exchange
- Canted neck design for easy access
- Sterile
- Sold in zip closure bags



Cat. No.	Description	Volume	Price/Cs
Plug Seal Cap			
11-0356-01	12.5cm ²	25mL	\$135.00/200
11-0356-02	25cm ²	50mL	150.00/200
11-0356-03	75cm ²	250mL	145.00/100
11-0356-04	182cm ²	600mL	120.00/40
Vent Cap			
11-0356-05	12.5cm ²	25mL	\$147.00/200
11-0356-06	25cm ²	50mL	162.00/200
11-0356-07	75cm ²	250mL	155.00/100
11-0356-08	182cm ²	600mL	127.00/40

Treated Petri Dishes

- Uniform hydrophilic surface is ideal for consistent cell attachment
- Lids contain molded spacers for gas exchange and stacking rings for increased stability
- All dishes are supplied with lids
- 35mm dish has off-set bottom for improved handling
- 60, 70 & 100mm dishes features a pronounced grip ring for improved handling
- Packaged sterile (gamma irradiated)
- Available in five diameters and three heights



Cat. No.	Dish	Growth Area	Price/Cs
11-0355-01	35 x 10	8.5cm ²	\$120.00/500
11-0355-02	60 x 15 with Grip Ring	21cm ²	145.00/500
11-0355-03	70 x 15 with Grip Ring	36.3cm ²	148.00/500
11-0355-04	100 x 15 with Grip Ring	55cm ²	198.00/500
11-0355-05	100 x 20 with Grip Ring	60.5cm ²	145.00/300
11-0355-06	150 x 20	143cm ²	85.00/ 60
11-0355-07	150 x 20	143cm ²	130.00/100

Inoculating Loops & Needles



- Dual use inoculating loops; with 2 loops or a needle and loop on each end
- Sterilized and individually wrapped

Cat. No.	Description	Color	Price/Cs
M106297	1 µl Loop/Needle	Blue	\$98.87/500
M106298	10 µl Loop/Needle	Yellow	112.35/500
M106299	10 µl Loop/1 µl Loop	Natural	108.15/500


Petri Dishes, Polystyrene



- Molded from medical grade virgin polystyrene; optically clear
- Flared lid w/ 3 venting ribs for reducing condensation
- No quarantine and no residue
- Plate style is slippable with Isobar
- Radiation sterilized, disposable, affordable and traceable by lot
- Packaged 25 dishes/sleeve, 20 sleeves/case

Cat. No.	Description	Price/Cs
M217321	Petri Dishes 100 x 15 mm	\$110.74/500
M108527	Petri Dishes 150 x 15 mm	97.33/100
M108525	Petri Dishes 60 x 15 mm	248.63/500
M108540	Petri Dishes 100 x 15 mm No Rim, Automation	77.06/500
M111349	Petri Dishes 100 x 15 mm Fully Stackable	138.42/500
M111350	Petri Dishes 100 x 15 mm Bi-Plate	128.18/500

Lazy-L-Spreaders™



- Unlike glass spreaders, durable polystyrene Lazy-L Spreaders™ are non-breakable and pose no safety hazard
- L-shaped for convenient "lazy" spreading; just turn the Petri dish for smooth, even sample distribution
- Smooth spreading surface and a slight upward turn reduces the chance that spreader will dig into agar
- PreSterilized - eliminates flaming or autoclaving and time wasted on these processes
- Packaged in presterilized pouches of one or 10 each
- Disposable, an economical alternative glass rods

Cat. No.	Description	Price/Pk	6+Pk
M102257	Pouches of 10	\$71.94/500	\$63.94
M105397	Individually Wrapped	93.24/500	83.92

Portioning Scale, FD Series



*buy me because
of my all stainless steel
construction for sanitary
cleaning and durability.*

- Rugged, multi-use portioning scale ideally suited for food portioning and checkweighing
- Checkweighing function for food packaging and preparation with 3-LED indicator and audible alarm
- Internal rechargeable battery assures excellent portability; AC Power also
- Stainless Steel housing and pan; non-slip rubber feet
- **Weighing Units:** lb, decimal/fractional oz, kg, g, & lb:oz
- Stable weight display within 2 secs.
- Pan size of 8.2 x 8.2 in / 209 x 09 mm

- NSF Cert., USDA/AMS Accepted, Supports HACCP-Certified Systems, EC/OIML Type approved
- 2 YEAR WARRANTY



Cat. No.	Cap. (g/lb)	Readability (g/lb)	Repeat. (g)	Price
M109814	3000 / 6	0.5 / 0.001	0.5	\$652.05
M109815	6000 / 15	1 / 0.002	1	652.05
M109816	15000 / 30	2 / 0.005	2	652.05

Tongs, Color-Coded



- Ideal for the food industry; NSF Listed
- Colored handles for maintaining controlled food contact
- Twelve inch in total length
- Pick up specific samples quickly & easily
- Stainless steel, 1 piece, spring-less design

Cat. No.	Handle Color	Price
M109443	Green	\$21.15
M109444	Brown	21.15
M109445	White	21.15
M109446	Blue	21.15
M109447	Red	21.15
M109448	Yellow	21.15
M109449	Variety	63.45/6

Microspatulas



- Nickel-stainless steel wire; 0.015 diameter
- Double flat ends, 2 x 5/16 inches; mirror finish

Cat. No.	Micro Spatula	Price
M381773	Stainless Steel, 8 inches	\$66.00/3
M381775	Teflon® Coated	21.25/1

Stainless Steel Scoops



M109314

- Heavy duty seamless body
- Tubular handle for easy handling
- Utility scoop: 40oz capacity, 12 in. long, 5 x 7 1/2 in. bowl
- Ice scoop: 5 x 7 1/2 in. bowl



M101073

Cat. No.	Description	Price
M101073	Utility Scoop	\$218.85
M109314	Ice Scoop	22.61

Washdown Scales



buy me becauseI have a stainless steel body making me both dust and waterproof, toss me in the dishwasher.

- High resolution of 1/3,000 with mode selection of lb/kg/oz
- Temperature compensated
- **Features:** stability indicator, clear LCD display, auto power off, tare function, full scale push button tare/zero
- Portable (2 lbs), SS construction
- IP65/NEMA-4X
- 2 YEAR WARRANTY



Specifications:

Display: 12 mm / 0.5 in., 7 Segment LCD
Operating Temp.: -10 - 40°C / 14 - 104°F
Dims. (HxWxD): 63 x 170 x 220 mm / 2.5 x 6.68 x 8.64 in.
Power: 6AA Batteries (not included) or Optional Adapter

Cat. No.	Cap. (g/oz)	Resol. (g/oz)	Platform	Price
M109167	300 / 10.58	0.1 / 0.01	5" sq.	\$416.00
M109168	1000 / 35.28 / 9.8	0.5 / 0.1	5" sq.	416.00
M109169	3000 / 105.8 / 9.8	1 / 0.1	5" sq.	416.00
M109170	3000 / 105.8 / 9.8	1 / 0.1	5.4" x 6.8"	416.00

Dual Ended Spoons



- Double ended with solid shaft
- Each spoon has 2 bowl sizes
- Fluo-Kem® coated spoons contain FEP to comply w/ FDA regulations governing direct food contact applications
- Scienceware®

Cat. No.	Lgth (cm)	Small (ml)	Large (ml)	Price/Pk
Polished Stainless Steel Spoon				
M381750	15	0.5	2.0	\$46.22/2
M381751	18	0.8	2.8	52.00/2
M381752	21	1.6	5.0	59.86/2
M381753	25	0.8	5.0	64.52/2
M381754	30	2.0	8.0	68.05/2
Fluo-Kem® Teflon® Coated Stainless Steel Spoon				
M381760	15	0.5	2.0	\$79.83/2
M381762	21	1.6	5.0	90.02/2
M381764	30	2.0	8.0	102.64/2

Spatulas, Stainless Steel



- Hardwood handle
- Stainless steel or Teflon® coated blade

Cat. No.	Length (mm)	Price	Cat. No.	Length (mm)	Price
M381774-40	100, SS	\$13.48	M381777	75, Teflon®	\$22.05
M381774-42	125, SS	20.98	M381778	100, Teflon®	23.15
M381774-44	150, SS	18.48	M381779	150, Teflon®	25.08
M381774-46	200, SS	31.99			
M381774-48	250, SS	31.99			

For more special offers & promotions, visit

www.labmart.com

Brix Refractometer

- Ideal for testing honey, maple, sauces, jams, jellies, beverages, soups
- Digital rugged, portable, water resistant
- Quick, precise results in 1.5 seconds
- Easy measurement; place a few drops in sample well then press read
- Use sample size as small as 2 drops
- Stainless steel well, easy to clean, corrosion resistant
- Single point calibration; calibrate with distilled or deionized water
- Auto Temp Comp (ATC) between 10 and 40°C (50 to 104°F)
- Auto shut off, low battery alert
- Dual-level LCD displays measurement & temp. Simultaneously
- Waterproof; IP65 waterproof protection for harsh conditions
- 2 YEAR WARRANTY, ISO 9001:2000
- Dim.: 19.2(W) x 10.2(D) x 6.7 (H)cm / Wgt: 420g (14.8 oz.)

buy us becausewe eliminate the uncertainty associated with mechanical refractometers and I am portable for measurements in the field.



Specifications:

Range: 0 to 85% Brix / 0 to 80°C (32 to 176°F)
Resolution: ± 0.1% Brix / ± 0.1°C (± 0.1°F)
Accuracy: ± 0.2 % Brix / ± 0.3°C (± 0.5°F)

Cat. No.	Description	Price
M111051	Brix	\$169.00
M111052	Fructose	169.00
M111053	Glucose	169.00
M111054	Invert Sugar	169.00

Putty Knives and Scrapers



- Heavy gauge high carbon stainless steel for a stiff blade
- Hardened & tempered / Ground & polished / Beveled edge
- Full-tang / Compressed Brass riveted
- Non-slip Maple handles / eyelet for hanging
- **Blade Length:** 3 5/8" **Overall Length:** 7 1/2" (except for M111041 at 7")

*Putty - Stiff blades have bevel edge; Flexible blade are taper ground.
 Heavy-Duty Putty Knife - Extra heavy stiff blade. One side bevel. Ideal for heavy scraping and gasket removal.
 Brass Chisel - Narrow 3/4 in blade. Ideal for work in tight spots.*

Cat. No.	Type	Blade Wth (in)	Blade Type	Price/Pk
M111033	Putty	1 1/4	Stiff	\$126.00/12
M111034	Putty	1 1/4	Flex	126.00/12
M111035	Putty	1 1/2	Stiff	138.60/12
M111036	Putty	1 1/2	Flex	138.60/12
M111037	Putty	2	Stiff	151.20/12
M111038	Putty	2	Flex	151.20/12
M111039	Heavy Duty	1 1/2	Stiff	151.20/12
M111040	Brass Chisel	3/4	Chisel	113.40/12

Samplers

- Lightweight and convenient
- Designed for single use
- Individually sterilized and wrapped
- Sturdy polystyrene Sterileware[®]

Scoops with lids - eliminate the cost of separate sterile bags or containers. Remove lid to sample and replace to use the scoop as a container.

Large Spoon - For sample collection of semi-solids, viscous liquids or bulk materials. A strong, rigid handle withstands pressure without breaking.

Mini Tongs - Ridged inside surface is ideal for gripping food samples.

Knife - Designed for cutting small samples. Features one serrated edge and one smooth edge.

Spatula - A sharp V-shape for puncturing bag and direct sampling; ideal for powdered or granulated material.



Cat. No.	Description	Cap.	Length (in.)	Price
M392022	Scoop w/ Lid	2 oz	8	\$278.63/100
M392024	Scoop w/ Lid	4 oz	8 11/16	340.51/100
M103920	Large Spoon	25 ml	10	61.47/ 25
M105353	Mini Tongs		4.25	40.87/ 25
M392008	Sampling Knife		7	345.43/200
M398200	V-Shaped Spatula		9	127.43/100

Precision Food Thermometer

HIGH ACCURACY IN A PORTABLE METER

- Easy to take anywhere, water resistant case
- Specially designed microprocessor provides unsurpassed accuracy
- Calibration keys can be purchased to guarantee accuracy
- Pre-calibrated interchangeable probes
- Measure air, gas liquids, or solids
- Large oversized LCD
- Memory function enable the user to retrieve Hi / Low temperature readings



Calibration keys for easy accuracy checks. Simply plug in the key and if the meter does not display the correct temp you know it is due for re-calibration. Rubber boot can be purchased to protect the case for long use. Supplied with rugged penetration probe, and powered by 3 x 1.5V AA/ approximately 2000 hours of use.

Specifications:

Range: -50° to 150°C
Resolution: 0.1°C
Accuracy: ± 0.4°C (-20° to 80°C)



Cat. No.	Description	Price
M104269	Food Thermometer with Probe (1.3m cable)	\$112.00
M104271	Blue Rubber Boot	37.00

Hot Hands



- Safe, non-slip protection against very hot or cold surfaces
- Handle hot glassware safely without gloves
- Durable silicone rubber construction that remains flexible from -57°C (-70°F) to 260°C (500°F)
- End pockets accept thumb and fingers to grasp objects
- Multiple studs with concave tips cover surface of the Mitt, providing secure grip on virtually all hot/cold surfaces
- Measures 10 x 19cm (3-7/8" x 7-1/2")
- Available in fashionable lime green, sky blue or red

Cat. No.	Color	Price
M391026	Red	\$23.99
M112070	Lime Green	23.99
M112071	Sky Blue	23.99

FREE STUFF!!



Premium Rewards are valid only on products purchased from The Lab Mart® catalog or www.labmart.com. Rewards cannot be combined with other discount, quoted prices or offers. For more Reward choices, visit www.labmart.com



MAILROOM: If addressee is no longer available, please deliver to appropriate lab scientist, manager or professor.

The LabMart®
4111 South Clinton Avenue, P.O. Box 310
South Plainfield, NJ 07080-0310
CHANGE SERVICE REQUESTED

PRSR1 STD
U.S. POSTAGE
PAID
J & H BERGE,
INC

Visit us at

www.labmart.com/premium_rewards



To see all premiums!!!